



34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB  
TEL: 01388 813267 or 0191 258 5956  
sales@baileys-blinds.co.uk  
www.baileys-blinds.co.uk

DATE  
MEASURED/ORDERED  
01 / 09 / 20

344141

Measured By:  
SHAUN  
HANLEY

Customer's Name NICHOLSON  
Address 35, SOUTH COURT  
SPENNYMOOR  
Post Code DL16 7BL

Tel. home  
Tel. work  
mobile 07535 126 689  
email

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

**SPECIAL INSTRUCTIONS**

RWR  
BAILLIES TO TAKE  
OLD BLINDS DOWN  
  
Fix con same  
HEIGHT AS  
VENTS.  
USE SMALL SPACER  
TO LIFT FROM  
HANDLES

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face
					1/R		PVC	✓	✓	

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
LIV L	600	1300	50	EXPRESSIONS PEL 630	STD	2400	70
Room M	555	1300	50	GREIGE	STD	1	70
BAY R	570	1300	50	PEL 600	STD		70
ROLLER BLINDS							
KIT L	1695	990	1/RW	ACACIA LIGHT	R	2300	110
-- R	850	1130	1/RW	GREY SHAPE 1	R	--	72
CAN	1550	1540	25	VENETIAN 7328 (B)	LL	2300	149
SIDES	1515	1540			LL		149
L TOR	1425	1540			LL		142
	1425	1540			RR		142
	755	1540			RR		104
	790	1540			RR		104
DOOR L	525	1745	25	P'FIT VEN	L		143
-- R	525	1745	25	24 mm BKT	R		143
							£ 1468

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 1468  
DEPOSIT £ 734  
BALANCE £ 734

PRICE ACCEPTANCE Customer's Signature  
.....  
CASH  CHEQUE  CARD

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**  
**BBSA**  
BRITISH BLIND & SHUTTER ASSOCIATION



# Rainbow Blinds

# VENETIAN BLINDS

## Order Form

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw

ML2 OEG  
 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

T.

Date: \_\_\_\_\_

Retailer: **BILEYS BLINDS**

Address: **SPENNYMOOR SHOP**

Date Required: \_\_\_\_\_

Telephone: \_\_\_\_\_

Email: \_\_\_\_\_

Signature: \_\_\_\_\_

Purchase Reference No: **344141 NICHOLSON**

Special Instructions

W I D T H	Slat Width				Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				ORDER	
	16mm (v)	25mm (v)	35mm (v)	50mm (v)							STD (v)	REV (v)	RHS (v)	LHS (v)	Price (£)	Qty
1	CON	/	/	/	1550	1540	1/R	2300		7328 (R)	/	/	/	/	1	✓
2	SIDLS	/	/	/	1515	1540					/	/	/	/	1	✓
3	L70	/	/	/	1425	1540					/	/	/	/	1	✓
4	R	/	/	/	1425	1540					/	/	/	/	1	✓
5		/	/	/	755	1540					/	/	/	/	1	✓
6		/	/	/	790	1540					/	/	/	/	1	✓
7																
8																

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS


All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (a):

The Child Safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wishaw, ML2 OEG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com



# Rainbow Blinds

Rainbow Blinds & Interiors

61 Canyon Road

Excelsior Park

Wishaw

ML2 OEG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

# ROLLER BLINDS

## Order Form

Date: 01-09-20

Retailer: BAILEYS BLINDS

Address: SPENNYMOR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 34414 NICHOLSON

Special Instructions

BLIND SIZE										ORDER				
Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	Fabric Range	Fabric Colour	Louvolite, Bernth, Eclipse	LHC / RHC	Child Safety	Price (£)	Qty	TOTAL COST (£)
1	KITL	1695	990	1/2	2300	32	ACACIA	LIGHT GRAY		R	C	1	1	
2	" R	850	1130	1/2	"	"	"	"		R	C	1	1	
3														
4														
5														
6														
7														
8														

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVOLITE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WIDTH, DROP OR FABRIC WEIGHT.

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords



# Rainbow Blinds

# PERFECT FIT BLINDS

## Order Form

Rainbow Blinds & Interiors

61 Canyon Road

Excelsior Park

Wishaw

ML2 OEG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

Date:

01-09-20

Telephone:

Retailer:

BAILEYS

Email:

Address:

SPENNYMOOR

Signature:

Date Required:

Purchase Reference No:

34414 NICHOLSON

Special Instructions

PLEATED

VENETIAN

ROLLER

Window	Width (mm)	Drop (mm)	FRAME Colour	FABRIC/SLAT RANGE & COLOUR	SLAT WIDTH		BRACKET		CONTROLS				ROLLER		Price (£)	Qty	TOTAL COST (£)	
					16mm (✓)	25mm (✓)	18/20mm (✓)	24/30mm (✓)	VENETIAN Controls	LH	RH	REV	Tension d	YES				NO
1	Doork 625	1745	WHITE	7328 (8)		✓		24	24	✓						✓		
2	" 2 525	1745	"															
3																		
4																		
5																		
6																		
7																		
8																		


All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Venetian blinds will be tensioned unless stated otherwise.

Minimum distances applying to operating cords



# Rainbow Blinds

# WOOD VENETIAN BLINDS

## Order Form

Rainbow Blinds & Interiors

61 Canyon Road

Excelsior Park

Wishaw

ML2 0EG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

Date:

01-09-20

Retailer:

BAILEYS BLINDS

Address:

SPENNYMOOR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No:  
344141 W/CHOLSON

Special Instructions

### BLIND SIZE

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				PELMET		ORDER	
	25mm (v)	35mm (v)	50mm (v)							STD (v)	LHS (v)	RHS (v)	BOX (v)	Width (mm)	Return (mm)	Price (£)	Qty
1			/	600	1300	1/R	2400		EXPRESSIONS	/				630		1	✓
2			/	555	1300				GREGE	/						1	✓
3			/	570	1300											1	✓
4																	
5																	
6																	
7																	
8																	

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

 The Child Safety Regulations EN13150 and the use of child safety devices

 Minimum distances applying to operating cords

**0800 389 7281**  
sales@arena-blinds.com



Welcome back [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk)

**ACCOUNT**

**SIGN OUT**

[change password](#)

**PRODUCTS SERVICES BRANDS NEWS ABOUT US CONTACT US MEMBERS IMAGERY**

**HOME** ▶ **MEMBER HOME** ▶ **PLACE AN ORDER** ▶ **ORDER SUMMARY**

order reference: **344141**

We have sent a confirmation email to [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk).

**order reference**

344141

**delivery address**

Baileys Blinds, DL166DB

**line items**

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)

## line 10:

**50mm greige expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>60.0 cm</b>
Drop *:	<b>130.0 cm</b>
Installation Height *:	<b>240.0 cm</b>
Controls Length:	<b>60 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Non-Standard</b>
Non-Standard Valance Length:	<b>63.0 cm</b>
Valance Returns Required *:	<b>No</b>
Qty:	<b>1</b>

## line 30:

**50mm greige expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>57.0 cm</b>
Drop *:	<b>130.0 cm</b>
Installation Height *:	<b>240.0 cm</b>
Controls Length:	<b>60 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Non-Standard</b>
Non-Standard Valance Length:	<b>60.0 cm</b>
Valance Returns Required *:	<b>No</b>
Qty:	<b>1</b>

## line 20:

**50mm greige expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>55.5 cm</b>
Drop *:	<b>130.0 cm</b>
Installation Height *:	<b>240.0 cm</b>
Controls Length:	<b>60 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

**BRANDS**

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)