



34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB
TEL: 01388 813267 or 0191 258 5956
sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

DATE
MEASURED/ORDERED
28 / 09 / 20

344374

Measured By:
SHAWN
HANLEY

SPECIAL INSTRUCTIONS

* RWR *

EXP VAN £893
P'FIT £810
VAN
Total £1703

| | |
|--------|--|
| P/CUST | |
| NET | |
| PRESS | |
| RADIO | |
| MAG. | |
| VAN | |
| RECC. | |
| SHOP | |
| TV | |
| YELL P | |
| OTHER | |

Customer's Name DOYLE
Address 8, CLAUDE ROAD
SPENNYMOOR
Post Code DL16 7GR

| | |
|-----------|--|
| CURTAINS | |
| PLEATED | |
| ROLLERS | |
| ROMANS | |
| SHUTTERS | |
| VENETIAN | |
| VERTICALS | |
| VISION | |
| WOODEN | |

| | |
|-----------|-------------------|
| Tel. home | |
| Tel. work | * 07956 111 357 * |
| mobile | 07500 961 283 |
| email | |

| | | | | |
|-----------|------|-----|----|----|
| Fitted By | DATE | DAY | AM | PM |
| | | | | |

| | | | | | | | | | | |
|------|-------|-------|-------------|------------------|-------------|-----------|----------|-----------|--------------|---------------|
| alum | white | brown | white chain | welded in weight | recess size | motorised | wood fix | stone fix | brackets top | brackets face |
| | | | | | | | | | | |

| Room | Width | Drop | Slat Size | Colour | Control LH or RH | Fitting Height | Price |
|---------|-------|------|-----------|--------------------|------------------|----------------|-------|
| FIBED L | 872 | 1135 | 50 | EXPRESSION | STD | 2400 | 91 |
| ~ R | 1788 | 983 | | CIRCUIS | SD | | 166 |
| D'ROOM | 870 | 1135 | | NO TAPES | | | 91 |
| ENSUITE | 590 | 1006 | | | | | 64 |
| BATH | 872 | 1160 | | STD CONTROLS | | | 91 |
| B' BED | 870 | 1133 | | L - TILT | | | 91 |
| LIV L | 395 | 1303 | | R - RAISE | | | 79 |
| ~ R | 1795 | 1303 | | | | | 224 |
| CLAM | 585 | 1003 | | | | | 64 |
| UTILITY | 583 | 985 | | | | | 64 |
| KIT | 871 | 1158 | | | STD | 2600 | 91 |
| PATIO | 210 | 847 | 25 | P'FIT VEN | L | | 105 |
| LJAR | 308 | 940 | | 24MM BKT | L | | 132 |
| | 303 | 1949 | | WHITE FRAME | L | | 174 |
| | 485 | 1757 | | 0952 (A) | L | | 167 |
| | 486 | 1757 | | | R | | 167 |
| | 303 | 1950 | | * CUT CORNERS OF | R | | 174 |
| | 209 | 848 | | PLASZ FRAME ON 2x8 | R | | 132 |
| | 309 | 941 | | | R | P.M | 105 |

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

| | |
|-------------|--------|
| TOTAL PRICE | £ 1703 |
| DEPOSIT | £ 850 |
| BALANCE | £ 853 |

PRICE ACCEPTANCE Customer's Signature

ALL BLINDS TO
BE PAID FOR
AT TIME OF
FITTING

| | | | |
|------|--------|------|-------------------------------------|
| CASH | CHEQUE | CARD | <input checked="" type="checkbox"/> |
|------|--------|------|-------------------------------------|





Rainbow Blinds

PERFECT FIT BLINDS

Order Form

Rainbow Blinds & Interiors

61 Canyon Road

Excelsior Park

Wishaw

ML2 OEG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

Date:

28-09-20

Telephone:

Retailer:

BALLETTS

Email:

Address:

S' MOOR

Signature:

Date Required:

Purchase Reference No:

344300 DOWLE
74

Special Instructions

PLEATED

VENETIAN

ROLLER

| Window | Width (mm) | Drop (mm) | FRAME Colour | FABRIC/SLAT RANGE & COLOUR | SLAT WIDTH | | BRACKET | | CONTROLS | | | | ROLLER | | Price (£) | Qty | TOTAL COST (£) |
|--------|------------|-----------|--------------|----------------------------|------------|----------|-------------|-------------|-------------------|-----|----|----|--------|-----------|-----------|-----|----------------|
| | | | | | 16mm (✓) | 25mm (✓) | 18/20mm (✓) | 24/30mm (✓) | VENETIAN Controls | STD | LH | RH | REV | Tension d | | | |
| 1 | Parto 210 | 847 | WHITE | 0952 (A) | ✓ | ✓ | | 24 | ✓ | | | | | | | 1 | ✓ |
| 2 | LSO 308 | 940 | | | ✓ | ✓ | | | ✓ | | | | | | | 1 | ✓ |
| 3 | R 303 | 1949 | | | ✓ | ✓ | | | ✓ | | | | | | | 1 | ✓ |
| 4 | 485 | 1757 | | | ✓ | ✓ | | | ✓ | | | | | | | 1 | ✓ |
| 5 | 486 | 1757 | | | ✓ | ✓ | | | ✓ | | | | | | | 1 | ✓ |
| 6 | 303 | 1950 | | | ✓ | ✓ | | | ✓ | | | | | | | 1 | ✓ |
| 7 | 209 | 848 | | | ✓ | ✓ | | | ✓ | | | | | | | 1 | ✓ |
| 8 | 309 | 941 | | | ✓ | ✓ | | | ✓ | | | | | | | 1 | ✓ |

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords

Venetian blinds will be tensioned unless stated otherwise.



Rainbow Blinds

WOOD VENETIAN BLINDS

Order Form

Special Instructions

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Date: 25-09-20

Retailer: BAILEYS BLINDS

Address: SPENNYMOOR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 3443074 DOYLE

Page 1 of 2

| Window | Slat Width | | | Width (mm) | Drop (mm) | Recess or Exact | Child Safety Installation Height (mm) | Length of Control (mm) | Slat Range and Colour | CONTROLS | | | | BRACKETS | PELMET | | ORDER | | |
|-----------|------------|----------|----------|------------|-----------|-----------------|---------------------------------------|------------------------|-----------------------|----------|---------|---------|---------|----------|------------|-------------|-----------|-----|----------------|
| | 25mm (✓) | 35mm (✓) | 50mm (✓) | | | | | | | STD (✓) | LHS (✓) | RHS (✓) | BOX (✓) | | Width (mm) | Return (mm) | Price (£) | Qty | TOTAL COST (£) |
| 1 FIBRE | | | | 872 | 1135 | 1/2 | 2400 | | EXPRESSIONS | | | | | | | | | | |
| 2 R | | | | 1788 | 983 | | | | CIRIUS | | | | | | | | | | |
| 3 D ROOM | | | | 870 | 1135 | | | | | | | | | | | | | | |
| 4 ENSUITE | | | | 590 | 1006 | | | | | | | | | | | | | | |
| 5 BATH | | | | 872 | 1160 | | | | | | | | | | | | | | |
| 6 BED | | | | 870 | 1133 | | | | | | | | | | | | | | |
| 7 LVL | | | | 395 | 1303 | | | | | | | | | | | | | | |
| 8 R | | | | 1795 | 1303 | | | | | | | | | | | | | | |

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wishaw, ML2 0EG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com

Rainbow Blinds

WOOD VENETIAN BLINDS

Order Form

Special Instructions

Rainbow Blinds & Interiors

61 Canyon Road

Excelsior Park

Wishaw

ML2 OEG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

Date: 28-09-20

Retailer: BAILEYS BLINDS

Address: SPENNYMOOR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No:
3443674 BOYLE

Page 2 of 2

BLIND SIZE

| Window | Slat Width | | | Width (mm) | Drop (mm) | Recess or Exact | Child Safety Installation Height (mm) | Length of Control (mm) | Slat Range and Colour | CONTROLS | | | | Width (mm) | Return (mm) | Price (£) | Qty | TOTAL COST (£) |
|--------|------------|----------|----------|------------|-----------|-----------------|---------------------------------------|------------------------|-----------------------|----------|---------|---------|---------|------------|-------------|-----------|-----|----------------|
| | 25mm (✓) | 35mm (✓) | 50mm (✓) | | | | | | | STD (✓) | LHS (✓) | RHS (✓) | BOX (✓) | | | | | |
| 1 | ✓ | | | 585 | 1003 | 1/2 | 2400 | | EXPRESSIONS | ✓ | | | | | | 1 | ✓ | |
| 2 | ✓ | | | 583 | 985 | 1 | | | CIRQUE | ✓ | | | | | | 1 | ✓ | |
| 3 | | | ✓ | 871 | 1158 | | 2600 | | " | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | |

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords

order reference: **344374**We have sent a confirmation email to accounts@baileys-blinds.co.uk.**order reference**

344374

delivery address

Baileys Blinds, DL166DB

line items**line 10:****50mm cirrus expressions**

| | |
|-------------------------------|-----------------|
| Exact or Recess *: | Recess |
| Units of Measurement *: | cm |
| Width *: | 87.2 cm |
| Drop *: | 113.5 cm |
| Installation Height *: | 240.0 cm |
| Controls Length: | 60 cm |
| Cord or Tape Ladder *: | Cord |
| Raise / Lower Control Side *: | Split cm |
| Pull Type *: | None |
| Universal Extention Colour *: | None |
| Hold Down Brackets *: | No |
| Side Fix Brackets *: | No cm |
| Is Valance Required *: | Yes |
| Valance Type *: | Standard |
| Qty: | 1 |

line 20:**50mm cirrus expressions**

| | |
|-------------------------------|-----------------|
| Exact or Recess *: | Recess |
| Units of Measurement *: | cm |
| Width *: | 178.8 cm |
| Drop *: | 98.3 cm |
| Installation Height *: | 240.0 cm |
| Controls Length: | 60 cm |
| Cord or Tape Ladder *: | Cord |
| Raise / Lower Control Side *: | Split cm |
| Pull Type *: | None |
| Universal Extention Colour *: | None |
| Hold Down Brackets *: | No |
| Side Fix Brackets *: | No cm |
| Is Valance Required *: | Yes |
| Valance Type *: | Standard |
| Qty: | 1 |

line 30:**50mm cirrus expressions**

| | |
|-------------------------------|-----------------|
| Exact or Recess *: | Recess |
| Units of Measurement *: | cm |
| Width *: | 87.0 cm |
| Drop *: | 113.5 cm |
| Installation Height *: | 240.0 cm |
| Controls Length: | 60 cm |
| Cord or Tape Ladder *: | Cord |
| Raise / Lower Control Side *: | Split cm |
| Pull Type *: | None |
| Universal Extention Colour *: | None |

line 40:**50mm cirrus expressions**

| | |
|-------------------------------|-----------------|
| Exact or Recess *: | Recess |
| Units of Measurement *: | cm |
| Width *: | 59.0 cm |
| Drop *: | 100.6 cm |
| Installation Height *: | 240.0 cm |
| Controls Length: | 60 cm |
| Cord or Tape Ladder *: | Cord |
| Raise / Lower Control Side *: | Split cm |
| Pull Type *: | None |
| Universal Extention Colour *: | None |

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)

line 50:

50mm cirrus expressions

| | |
|-------------------------------|-----------------|
| Exact or Recess *: | Recess |
| Units of Measurement *: | cm |
| Width *: | 87.2 cm |
| Drop *: | 116.0 cm |
| Installation Height *: | 240.0 cm |
| Controls Length: | 60 cm |
| Cord or Tape Ladder *: | Cord |
| Raise / Lower Control Side *: | Split cm |
| Pull Type *: | None |
| Universal Extention Colour *: | None |
| Hold Down Brackets *: | No |
| Side Fix Brackets *: | No cm |
| Is Valance Required *: | Yes |
| Valance Type *: | Standard |
| Qty: | 1 |

Contact Form

Leave a message and we will be in touch

Call Arena

On 0800 389 7281

Weekdays 8.30am - 5pm

line 70:

50mm cirrus expressions

| | |
|-------------------------------|-----------------|
| Exact or Recess *: | Recess |
| Units of Measurement *: | cm |
| Width *: | 39.5 cm |
| Drop *: | 130.3 cm |
| Installation Height *: | 240.0 cm |
| Controls Length: | 60 cm |
| Cord or Tape Ladder *: | Cord |
| Raise / Lower Control Side *: | Split cm |
| Pull Type *: | None |
| Universal Extention Colour *: | None |
| Hold Down Brackets *: | No |
| Side Fix Brackets *: | No cm |
| Is Valance Required *: | Yes |
| Valance Type *: | Standard |
| Qty: | 1 |

line 90:

50mm cirrus expressions

| | |
|-------------------------|-----------------|
| Exact or Recess *: | Recess |
| Units of Measurement *: | cm |
| Width *: | 58.5 cm |
| Drop *: | 100.3 cm |
| Installation Height *: | 240.0 cm |

line 60:
BRANDS**50mm cirrus expressions**

| | |
|-------------------------------|-----------------|
| Exact or Recess *: | Recess |
| Units of Measurement *: | cm |
| Width *: | 87.0 cm |
| Drop *: | 113.3 cm |
| Installation Height *: | 240.0 cm |
| Controls Length: | 60 cm |
| Cord or Tape Ladder *: | Cord |
| Raise / Lower Control Side *: | Split cm |
| Pull Type *: | None |
| Universal Extention Colour *: | None |
| Hold Down Brackets *: | No |
| Side Fix Brackets *: | No cm |
| Is Valance Required *: | Yes |
| Valance Type *: | Standard |
| Qty: | 1 |

line 80:

50mm cirrus expressions

| | |
|-------------------------------|-----------------|
| Exact or Recess *: | Recess |
| Units of Measurement *: | cm |
| Width *: | 179.5 cm |
| Drop *: | 130.3 cm |
| Installation Height *: | 240.0 cm |
| Controls Length: | 60 cm |
| Cord or Tape Ladder *: | Cord |
| Raise / Lower Control Side *: | Split cm |
| Pull Type *: | None |
| Universal Extention Colour *: | None |
| Hold Down Brackets *: | No |
| Side Fix Brackets *: | No cm |
| Is Valance Required *: | Yes |
| Valance Type *: | Standard |
| Qty: | 1 |

line 100:

50mm cirrus expressions

| | |
|-------------------------|-----------------|
| Exact or Recess *: | Recess |
| Units of Measurement *: | cm |
| Width *: | 58.3 cm |
| Drop *: | 98.5 cm |
| Installation Height *: | 240.0 cm |

By using our site, you consent to our use of cookies. I Understand [Learn More](#)

line 110:

50mm cirrus expressions

| | |
|-------------------------------|-----------------|
| Exact or Recess *: | Recess |
| Units of Measurement *: | cm |
| Width *: | 87.1 cm |
| Drop *: | 115.8 cm |
| Installation Height *: | 260.0 cm |
| Controls Length: | 60 cm |
| Cord or Tape Ladder *: | Cord |
| Raise / Lower Control Side *: | Split cm |
| Pull Type *: | None |
| Universal Extention Colour *: | None |
| Hold Down Brackets *: | No |
| Side Fix Brackets *: | No cm |
| Is Valance Required *: | Yes |
| Valance Type *: | Standard |
| Qty: | 1 |

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)