



34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB
TEL: 01388 813267 or 0191 258 5956
sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

Customer's Name **JOHNSTONE**

Address **H, GOODISON WAY
DARLINGTON**

Post Code **DL1 2SU**

Tel. home	01325 352204
Tel. work	
mobile	
email	

DATE
MEASURED/ORDERED
05/10/20

Measured By:
SHAUN HANLEY

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

SPECIAL INSTRUCTIONS

RWR
FIT FRONT ONTO
FRAME BELOW TOP WINDOW
CUSTOMER TO
MOVE CTN RAILS
IN LIVING DIN
**X BAILEYS TO
TAKE OLD BLINDS
DOWN ~ AWAY**

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face
					1/R		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
	1300	1580		SHERWOOD			
	1590	1550	35	PURE WHITE			
LIV	1590	1200		EXPRESSLOAS	STD	2700	208
				HIGHSHINE			
DIN	1320	1540	35	WHITE	STD	2700	170
	1300	1200		STD CONTROLS			
	2265	850		L-TILT			
F'BED L	2280	1300	35	R-RAISE	STD	2600	307
	1590	850					
~ R	1600	1250	35		STD	11	208
B'BED	1630	1250	35		STD	11	208
LAND	600	670	35		STD	2400	65
				+RTNS			
W-C	1440	710	35		STD	2400	141
KIT	2060	1390	25	O150(A)	RR	2600	155

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE	£ 1462
DEPOSIT	£ 700
BALANCE	£ 762

PRICE ACCEPTANCE Customer's Signature

.....

CASH	CHEQUE	CARD	<input checked="" type="checkbox"/>
------	--------	------	-------------------------------------

**ALL BLINDS TO
BE PAID FOR
AT TIME OF
FITTING**



Rainbow Blinds

WOOD VENETIAN BLINDS

Order Form

Rainbow Blinds & Interiors

61 Canyon Road

Excelsior Park

Wishaw

ML2 0EG

T: 01698 351 888

F: 01698 351 999

sales@rainbow-blinds.com

Date:

05-10-20

Retailer:

BAILEYS BLINDS

Address:

SPENNYMOOR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No:

344417 JOHNSTONE

Special Instructions

BLIND SIZE

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				PELMET	ORDER	
	25mm (✓)	35mm (✓)	50mm (✓)							STB (✓)	LHS (✓)	RHS (✓)	BOX (✓)		Width (mm)	Return (mm)
1 EW	/	/	/	1590	1550	R	2700	"	EXPRESSIONS	/	/	/	/	L	1	✓
2 DM	/	/	/	1320	1540	/	"	"	HIGH SHINE	/	/	/	/	R	1	✓
3 P304	/	/	/	2280	1300	/	2600	"	WHITE NON AVAILABLE	/	/	/	/		1	✓
4 R	/	/	/	1600	1250	/	"	"		/	/	/	/		1	✓
5 B' BLD	/	/	/	1630	1250	/	"	"	SHERWOOD PURE WHITE	/	/	/	/		1	✓
6 LIND	/	/	/	600	670	/	2400	"		/	/	/	/	Yes	1	✓
7 W.C	/	/	/	1440	710	/	"	"		/	/	/	/		1	✓
8																

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13240 and the use of child safety devices

Minimum distances applying to operating cords



Rainbow Blinds

WOOD VENETIAN BLINDS

Order Form

Rainbow Blinds & Interiors

61 Canyon Road

Excelstor Park

Wishaw

ML2 0EG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

Date: 26-01-21

Retailer: BAILEYS BLINDS

Address: SPENNYMORR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: JOHNSTONE 344417

Special Instructions

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				BRACKETS	PELMET		ORDER		
	25mm (v)	35mm (v)	50mm (v)							STD (v)	LHS (v)	RHS (v)	BOX (v)		Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)
1 DIN		<input checked="" type="checkbox"/>		1300	1180	1/R	2400		SHERWOOD										
2 LV		<input checked="" type="checkbox"/>		1590	1200	1/P	11		PURE WHITE										
3 F/BAD L		<input checked="" type="checkbox"/>		2265	850	1/R	2300				<input checked="" type="checkbox"/>								
4 F/BAD R		<input checked="" type="checkbox"/>		1590	850	1/R	2300				<input checked="" type="checkbox"/>								
5																			
6																			
7																			
8																			

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords

VENETIAN BLINDS

Rainbow Blinds

Order Form

Special Instructions

Telephone: _____
 Email: _____
 Signature: _____
 Purchase Reference No: **344417 5 CHANSTONE**

Date: **05-10-20**
 Retailer: **BAILLEYS BLINDS**
 Address: **SPENNYMOOR SHOP**
 Date Required: _____

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

ML2 OEG

T.

W I D T H	SLAT WIDTH				Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				Price (£)	Qty	TOTL COS (£)
	BLIND SIZE									OPERATION						
	16mm (v)	25mm (v)	35mm (v)	50mm (v)						STD (v)	REV (v)	RHS (v)	LHS (v)			
1	✓				1390	1/2	2600		0150 (A)		✓			1	✓	
2																
3																
4																
5																
6																
7																
8																

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (a): The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords


[ACCOUNT](#)
[SIGN OUT](#)
[change password](#)
[PRODUCTS](#)
[SERVICES](#)
[BRANDS](#)
[NEWS](#)
[ABOUT US](#)
[CONTACT US](#)
[MEMBERS](#)
[IMAGERY](#)
[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)
order reference: **344417/1**

We have sent a confirmation email to accounts@baileys-blinds.co.uk.

order reference

344417/1

delivery address

Baileys Blinds, DL166DB

line items

line 10:

35mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	163.0 cm
Drop *:	125.0 cm
Installation Height *:	260.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Qty:	1

line 20:

35mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	60.0 cm
Drop *:	67.0 cm
Installation Height *:	240.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Qty:	1

line 30:

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)

line 40:

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)

**35mm pure white
sherwood**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	144.0 cm
Drop *:	71.0 cm
Installation Height *:	240.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Qty:	1

line 50:

**35mm pure white
sherwood**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	159.0 cm
Drop *:	120.0 cm
Installation Height *:	240.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Left cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Manufacturers Notes:	Valance to have LH return only
Qty:	1

line 70:

**35mm pure white
sherwood**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	159.0 cm
Drop *:	85.0 cm
Installation Height *:	230.0 cm

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)**35mm pure white
sherwood**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	130.0 cm
Drop *:	118.0 cm
Installation Height *:	240.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Right cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Manufacturers Notes:	Valance to have RH return only
Qty:	1

line 60:

**35mm pure white
sherwood**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	226.5 cm
Drop *:	85.0 cm
Installation Height *:	230.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Non-Standard
Non-Standard Valance Length:	226.5 cm
Valance Returns Required *:	No
Qty:	1

sales@baileys-blinds.co.uk

To: Arena Out of Stocks
Subject: ORDER 344417 FAO RACHEL

Good morning Rachel

Please can this order be cancelled 344417 .An Upgrade was discussed to go to Sherwood free of charge as there was no highshine white however the lady is changing some of the blind sizes so we are doing this as a reorder.

Kind Regards

Pam

Bailey's Blinds

01388 813267

E: Sales@baileys-blinds.co.uk

W: www.baileys-blinds.co.uk