

# Baileys

34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB  
TEL: 01388 813267 or 0191 258 5956  
sales@baileys-blinds.co.uk  
www.baileys-blinds.co.uk

344432

DATE MEASURED/ORDERED	06/10/20
Measured By:	SHAUN HANLEY

### SPECIAL INSTRUCTIONS

RWR

EXP HIGHSHINE  
WHITE LMS19  
VERT EXP37  
a VEN

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Customer's Name NATRASS  
Address 4, PATTISON CRESCENT  
BLACKHALL ROCKS  
Post Code TS27 4DG

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

Tel. home	
Tel. work	
mobile	07749 107 692
email	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top / face
					1/R			/	/

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
B' BED	600	1020	50	EXPRESSIONS	STD	2800	220
F' BED L	2309	1025		HIGHSHINE	STD		309
W R	1141	1035		50mm	STD		141
LIV Room	620	1211			STD		504
BAY	585	1211					450
	590	1211					
	610	1211					
PATIO L	860	2030	50		STD	2500	354
" R	860	2030	50		STD	2500	

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 1465

DEPOSIT £ 1000

BALANCE £ 465

PRICE ACCEPTANCE Customer's Signature

CASH	<input checked="" type="checkbox"/>	CHEQUE	<input type="checkbox"/>	CARD	<input type="checkbox"/>
------	-------------------------------------	--------	--------------------------	------	--------------------------

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**

**BBSA**  
BRITISH BLIND & SHUTTER ASSOCIATION



# Rainbow Blinds

# WOOD VENETIAN BLINDS

## Order Form

Rainbow Blinds & Interiors

61 Canyon Road  
Excelisior Park

Wishaw  
ML2 0EG

T. 01698 351 888  
F. 01698 351 999

sales@rainbow-blinds.com

Date: 06-10-20

Retailer: BAILEYS BLINDS

Address: SPENNYMOOR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No:  
344432 NATTARSS

Special Instructions  
Pge 1 of 2

### BLIND SIZE

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				PELMET		ORDER	
	25mm (v)	35mm (v)	50mm (v)							STD (v)	LHS (v)	RHS (v)	BOX (v)	Width (mm)	Return (mm)	Price (£)	Qty
1 B'GAD L			/	1140	1020	1/2	2500		EXPRESSIONS	/				17x PEL		1	
2 '1' R			/	600	1020				HIGH SHINE	/				1730		1	
3 F/B20 L			/	2309	1025				WHITE	/						1	
4 - - R			/	1141	1035					/						1	
5 LV			/	610	1211					/						1	
6 Room			/	585	1211					/						1	
7 B07			/	590	1211					/						1	
8 L70R			/	610	1211					/						1	

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):  
 The Child Safety Regulations EN13120 and the use of child safety devices  
 Minimum distances applying to operating cords



# Rainbow Blinds

# WOOD VENETIAN BLINDS

## Order Form

Special Instructions

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

Date: 06-10-20

Retailer: BAILEYS BLINDS

Address: SPENNYMOOR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 34432 NATTALS

Page 2 of 2

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				BRACKETS	PELMET		ORDER	
	25mm (v)	35mm (v)	50mm (v)							STD (v)	LHS (v)	RHS (v)	BOX (v)		Width (mm)	Return (mm)	Price (£)	Qty
1				860	2030	1/2	2500		EXPRESSIONS HIGH SHINE WHITE						1705	1	1	✓
2				860	2030	1/2												
3																		
4																		
5																		
6																		
7																		
8																		

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):  The Child Safety Regulations EN13120 and the use of child safety devices  Minimum distances applying to operating cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wishaw, ML2 0EG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com



ACCOUNT

SIGN OUT

[change password](#)

[PRODUCTS](#) [SERVICES](#) [BRANDS](#) [NEWS](#) [ABOUT US](#) [CONTACT US](#) [MEMBERS](#) [IMAGERY](#)

[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)

order reference: **344432**

We have sent a confirmation email to [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk).

### order reference

344432

### delivery address

Baileys Blinds, DL166DB

### line items

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)

## line 10:

**50mm highshine  
white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>114.0 cm</b>
Drop *:	<b>102.0 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Non-Standard</b>
Non-Standard Valance Length:	<b>173.0 cm</b>
Valance Returns Required *:	<b>No</b>
Qty:	<b>1</b>

## line 30:

**50mm highshine  
white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>230.9 cm</b>
Drop *:	<b>102.5 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 50:

**50mm highshine  
white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>61.0 cm</b>

## line 20:

**50mm highshine  
white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>60.0 cm</b>
Drop *:	<b>102.0 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 40:

**50mm highshine  
white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>114.1 cm</b>
Drop *:	<b>103.5 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 60:

**50mm highshine  
white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>58.5 cm</b>

By using our site, you consent to our use of cookies. [I understand](#) [Learn More](#)

line 70:

**50mm highshine  
white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>59.0 cm</b>
Drop *:	<b>121.1 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

**Contact Form**

Leave a message and we will be in touch

**Call Arena**

On 0800 389 7281

Weekdays 8.30am - 5pm

line 80:

**BRANDS****50mm highshine  
white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>61.0 cm</b>
Drop *:	<b>121.1 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Non-Standard</b>
Non-Standard Valance Length:	<b>65.0 cm</b>
Valance Returns Required *:	<b>No</b>
Qty:	<b>1</b>

line 90: © 2020 Arena Terms &amp; Conditions line 100: Slavery Statement

**50mm highshine  
white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>86.0 cm</b>
Drop *:	<b>203.0 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Non-Standard</b>
Non-Standard Valance Length:	<b>170.5 cm</b>
Valance Returns Required *:	<b>No</b>
Qty:	<b>1</b>

**50mm highshine  
white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>86.0 cm</b>
Drop *:	<b>203.0 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

version :

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)