

sales@baileys-blinds.co.uk

To: Arena DOR
Subject: ORDER 346579

GOOD AFTERNOON

THE BLINDS ON ORDER NUMBER 346579 COOL WHITE WITH TAPES LINE NUMBERS 1 /2 /3/ 4 / NEED TO BE REMADE PLEASE AS THERE ARE ODD AMOUNT OF SLATS AND THEY ARE NOT SITTING RIGHT AND THEY ARE ALL ON A BAY . PLEASE DELIVER TO BAILEYS BLINDS 211 HIGH STREET GOSFORTH NE3 1HQ

Kind Regards


PAM

Bailey's Blinds

01388 813267

E: Sales@baileys-blinds.co.uk

W: www.baileys-blinds.co.uk



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wilsnaw
 M.L. 2 0B5
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

OR

LINE NUMBER

1 2 3 4

EXPRESSIONS

NOT SITTING
 ODD AMOUNT
 OF SLATS
 ON A BAY WINDOW

(WOOD)VENETIAN BLINDS

THOMPSON

Order Form

Date: 30/11/20
 Receiver: BAILEYS
 Address: GOSFORD TN

Telephone:
 Email:
 Signature:
 Purchase Reference No: 346579

Special Instructions

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				Width (mm)	Return (mm)	Pico (€)	Qty	TOTAL COST (€)
	35mm (v)	35mm (v)	35mm (v)							57B (v)	LIS (v)	MIS (v)	BOX (v)					
1	BA			600	1357	R	2700		COOL WHITE + TAPES									
2	WR			575	1357	E	11											
3				575	1357	E	11											
4				607	1357	R	11											
5																		
6																		
7																		
8																		

NOTE:

BUSINESS OTHERWISE STAYERS ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

This Child Safety Regulations apply and the use of child safety devices

Additional discounts applying to operating cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wilsnaw, M.L. 2 0B5 T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com

Issue date 30/11/2015

spennymoor@baileys-blinds.co.uk

CR ref CR appr
(ms) 30/11/20

From: spennymoor@baileys-blinds.co.uk
Sent: 18 November 2020 10:00
To: 'arenador@arena-blinds.com'
Subject: FW: Order 346 579
Attachments: IMG_20201116_100539_resized_20201116_100906217.jpg; IMG_20201116_100444_resized_20201116_100906622.jpg; IMG_20201116_100408_resized_20201116_100906974.jpg; IMG_20201116_100423_resized_20201116_100907331.jpg

Thompson

Baileys Blinds acc ref 327.
Order ref 346579 blind 2 , these are on same window.
Please deliver to 211 High st Gosforth

From: sales@baileys-blinds.co.uk <sales@baileys-blinds.co.uk>
Sent: 17 November 2020 10:07
To: spennymoor@baileys-blinds.co.uk
Subject: FW: Order 346 579

From: Karla.t.78@talktalk.net <Karla.t.78@talktalk.net>
Sent: 16 November 2020 10:09
To: Sales@baileys-blinds.co.uk
Subject: Order 346 579

Hi please find attached the photos. The 2nd blind from left has only one slat on bottom, the other 3 have 2. The tapes look different the way they fall at bottom and when shut look different due to the missing slat.

Many thanks karla.

Sent from my Huawei phone

✓
DAB

EXPRESSIONS

(WOOD)VENETIAN BLINDS

Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wisnaw
 MI 48069
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Order Form

Date: 19-10-20	Telephone:
Retailer: T. THOMPSON	Email:
Address: GOSWORTHY	Signature:
Date Required:	Purchase Reference No: 346579
Special Instructions:	

Window	Slat Width		Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			PELMET		TOTAL COST (£)			
	25mm (v)	53mm (v)						50mm (w)	Operation			Width (mm)		Return (mm)	Price (£)	Qty
									STD (v)	LHS (v)	RHS (v)					
1			1357	R	2100		COOL WHITE	✓								
2			1357	XACT	✓		WHITE TAPE	✓								
3			1357	XACT	✓		---	✓								
4			1357	R	✓		---	✓								
5			1195	R	2600		---	✓								
6			1190	R			---	✓								
7																
8																

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECES

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v): This Child Safety Regulation EN13120 and the use of child safety devices
 Minimum distances applying to operating cords