

Baileys

34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk

www.baileys-blinds.co.uk

Customer's Name WARD

Address 31, WENTWORTH DRIVE
DURHAM

Post Code DH1 3SD

Tel. home	
Tel. work	
mobile	<u>07788 101 189</u>
email	

DATE MEASURED/ORDERED	<u>21/10/20</u>
-----------------------	-----------------

Measured By:	<u>SHAWN HANLEY</u>
--------------	---------------------

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

SPECIAL INSTRUCTIONS

CHASE RWR

344554

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face
								<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
✓ TOP BLD	852	1130		WINTER SILVER	R		95 ✓
✓ R							
✓ L	850	1130		MEMPHIS SEA NAVY	R		79 ✓
✓ F' BLD L	974	1288	25	8542 (B)	STO		104 ✓
✓ ENSUITE	570	980		LAINED GOLD	R		58 ✓
✓ BATH	857	1140		---	R		90 ✓
✓ FAMILY ROOM	967	1283	25	8592 (B)	STO		104 ✓
✓ LIV	960	1433	50	EXPRESSIONS	STO		135 ✓
✓ LIV L	440	1440		HIGH SHINE RSNL			250 ✓
✓ BATH M	1010	1440		WHITE			
✓ R	450	1440					
✓ KIT	865	1130	1/2W	PHOENIX WHITE	RSNR		
✓ PATIO	5000	2000		PALMIRA GREENSET * FILE *			82 ✓
✓ PATIO	5M			LINES			870 ✓
✓ DIN L	445	1440	50	WHITE METAL TRACH			142 ✓
✓ BATH M	1010	1440		EXPRESSION	SP P.M		
✓ R	445	1440		HIGH SHINE WHITE	HILLMATS		250 ✓
					L	2259	

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE	£ <u>1389</u>
DEPOSIT	£ <u>695</u>
BALANCE	£ <u>694</u>

PRICE ACCEPTANCE Customer's Signature

11/11/20 AUTH CODE
570314

CASH	CHEQUE	CARD
		<input checked="" type="checkbox"/>

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING



Sales Callout Sheet

104
79 104
79 175
137

MARS

Folio Name
Matter / Company 250 / 306

Department
House
Road Name
Place
Post Town
Post Code
Source
Where did you get your name

Quote No.
Order No.
Sales Person
Day to Call
Time to Call
Time Called
Address Verified
Action Req'd
Yes / N

Comments

ALL TYPES

Type	Material Code	Width	Drop	Reqs	Cont.	Bklt	Location	VERTICAL		ROLLERS		VEN	Special	Instru/letter	Pric
								Bklt	Col	Top	Thin				
WOOD		960	1433	1/R		7	LIV							2600	
VEN		440	1440	1		1	LIV								
		1010	1440	1		1	BR								
		450	1440	1											
RFS		865	1130	1/R			KIT								
ROM		855	1123	EX			KIT								
CJNS	PALMING GOEHLING	5000	2000				PATIO								
TRACK	WHITE MESH BRILLES	5M													
ROMM	HIGH SHINE WHITE	448	1422	BY			DIN L							142	
		1020	1422												
		435	1422				307								

OR

2/2

Rainbow Blinds

VENETIAN BLIND

Order Form

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wisnaw
 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

MIL2 DEC

T.

Date:	12-11-20	Telephone:	
Retailer:	BOLLEYS BLINDS	Email:	
Address:	SPENNYMOOR SHOP	Signature:	
Date Required:		Purchase Reference No:	344554 WPAD

W I N D O W	Slat Width				Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				Price (£)	Qty	TC
	16mm (v)	25mm (v)	35mm (v)	50mm (v)							STD (v)	REV (v)	RHS (v)	LHS (v)			
1	B202	✓			974	1288	1/2	2200		8542 (B)	✓						
2	FINNIA A00A	✓			967	1283	1/2	"		8592 (B)							
3																	
4																	
5																	
6																	
7																	
8																	

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (a):
 The Child Safety Regulations EHz320 and the use of child safety devices
 Minimum distances applying to operating cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wisnaw, MIL2 DEC T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com

Rainbow Blinds

ROLLER BLINDS

Order Form

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Winshaw
 ML2 GEG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Date: 12-11-20
 Retailer: BILLYS & JONES
 Address: SPENNYMOR
 Date Required:


Telephone:
 Email:
 Signature:
 Purchase Reference No: 344554 WARD

Special Instructions

Window	Width (mm)	Drop (mm)	Eccentric or Fabric size	Child safety Helder (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 45mm	Fabric Name	Fabric Colour	ORDER				
									Leisure, Banister, Eclipse	LHC / RHC	Price (£)	Qty	TOTAL COST (£)
1 Top BEDR	852	1130	1/2	2200		32	WINTER	SILVER	R	C	1	1	
2 "	850	1130	1/2	"		"	MEMPHIS	NAVY	R	C	1	1	
3 ENDS	570	980	1/2	"		"	LAINET	GOLD	R	C	1	1	
4 BATH	857	1140	1/2	"		"	LAINET	GOLD	R	C	1	1	
5 KIT	865	1130	1/2	"		"	PHOENIX	WHITE	R	C	1	1	
6													
7													
8													

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RIBS AND SYSTEM WILL BE DOUBLE TUBE FOR BLIND WITH, PROF OR EXTERIC WINDT.
 All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):
 The Child Safety Regulations apply to the use of child safety devices
 Minimum distances applying to operating cords



Rainbow Blinds

WOOD VENETIAN BLINDS

Order Form

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Date: 12-11-20
 Retailer: BALETS
 Address: S' Moor
 Date Required:

Telephone:
 Email:
 Signature:
 Purchase Reference No: 344554 WARD

Special Instructions

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				PELMET	ORDER			
	25mm (v)	35mm (v)	50mm (v)							STD (v)	LHS (v)	RHS (v)	BOX (v)		Width (mm)	Return (mm)	Price (£)	Qty
1 LV				960	1433	1/2	2800		EX PRESSIONS	/								
2 LV L				440	1440				HIGH SHINE	/				L				
3 Room				1010	1440				WHITE	/								
4 BMR				450	1440					/				R				
5 DIN L				445	1440					/								
6 BMM				1010	1440					/				L				
7 A				445	1440					/				R				
8																		

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

The Child Safety Regulations EN13030 and the use of child safety devices
 Minimum distances applying to operating cords



ACCOUNT

SIGN OUT

[change password](#)

[PRODUCTS](#) [SERVICES](#) [BRANDS](#) [NEWS](#) [ABOUT US](#) [CONTACT US](#) [MEMBERS](#) [IMAGERY](#)

[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)

order reference: **344554**

We have sent a confirmation email to accounts@baileys-blinds.co.uk.

order reference

344554

delivery address

Baileys Blinds, DL166DB

line items

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)

line 10:

50mm highshine white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	96.0 cm
Drop *:	143.3 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 20:

50mm highshine white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	44.0 cm
Drop *:	144.0 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Manufacturers Notes:	Valance to have LH return only
Qty:	1

line 30:

50mm highshine white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	101.0 cm
Drop *:	144.0 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 40:

50mm highshine white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	45.0 cm
Drop *:	144.0 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Manufacturers Notes:	Valance to have RH return only
Qty:	1

line 50:

50mm highshine white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	101.0 cm
Drop *:	144.0 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 60:

50mm highshine white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	45.0 cm
Drop *:	144.0 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 70:

BRANDS

50mm highshine white expressions

AQUARIUS

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	44.5 cm
Drop *:	144.0 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Manufacturers Notes:	Standard
	Valance to
	have RH
	return only
Qty:	1

Contact Form

Leave a message and we will be in contact

Call Arena

On 0800 389 7281
Weekdays 8.30am - 5pm

© 2020 Arena Terms & Conditions Anti-Slavery Statement

version :

By using our site, you consent to our use of cookies. I Understand Learn More