

ROLLER BLINDS

Order Form

Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Date: 6.11.20

Telephone: _____

Retailer: RICHES

Email: _____

Address: GOSFORTH

Signature: _____

Special Instructions: BKT COVERS

Purchase Reference No: 346779

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	BLIND SIZE		Fabric Range	Fabric Colour	Louvre, Benthin, Eclipse	LHC / RHC	C C h o i r n o u s	F i n i s	Price (£)	Qty	TOTAL COST (£)
							Tube Diameter	Chain (mm)									
1	1982	1400	R	2200		40		MEMPHIS	BLOUT	ASH							
2	922	1300	V					EXPOSED	NIS/B	GUNMETAL GREY							
3																	
4																	
5																	
6																	
7																	
8																	

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVRE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords

VERTICAL BLINDS

Order Form

Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Date:	6-11-20	Special Instructions:
Retailer:	RICHES	Telephone:
Address:	GOSFORTH	Email:
Date Required:		Signature:
		Purchase Reference No: 346779

Window	BLIND SIZE					CONTROLS				OPTIONS			ORDER		
	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Face or Side Fix	Draw		Headrail Colour	Top/Face Fix	Slat Size 89mm or 127mm	Wand	Weight and chained
									RHS (✓)	LHS (✓)					
1	1778	1545	✓	2200		PARKER	DENIM		✓		W	T	89		✓
2	1765	1022	✓			---	---		✓		✓	✓	✓		✓
3															
4															
5															
6															
7															
8															

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

Customer has been advised on (✓): The Child Safety Regulations EN13200 and the use of child safety devices

Minimum distances applying to operating cords