

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Order Form

Date: 19-11-20	Telephone:	Special Instructions: BKT cover
Retailer: Frost	Email:	
Address: GOSFORTH	Signature:	
Date Required:	Purchase Reference No: 346879	

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	Fabric Range	Fabric Colour	Louvrolite, Benthin, Eclipse	BLIND SIZE			TOTAL COST (£)
										LHC / RHC	C C h o i n h	F i n i s	
1	686	1080	R	2200		32	BALTIMORE	Frost	L	C	1		
2													
3													
4													
5													
6													
7													
8													

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVROLITE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords

VERTICAL BLINDS

Order Form

Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Date:	19-11-20
Retailer:	Frost
Address:	GOSFORTH
Date Required:	
Telephone:	
Email:	
Signature:	
Purchase Reference No:	346819
Special Instructions	

Window	BLIND SIZE					CONTROLS			OPTIONS			ORDER					
	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Face or Side Fix	Draw			Headrail Colour	Top/Face Fix	Slat Size 89mm or 127mm	Wand	Weight and chained	
									RHS (✓)	LHS (✓)	SPLIT (✓)						RHS (✓)
1	1725	1290	R	2150		WARWICK	WHITE		✓		✓		W	T	89		
2																	
3																	
4																	
5																	
6																	
7																	
8																	

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

Customer has been advised on (✓): The Child Safety Regulations EN13120 and the use of child safety devices Minimum distances applying to operating cords