

*Blinds to be measured*

*ahead*

# Baileys

34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB  
TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk  
www.baileys-blinds.co.uk

Customer's Name **INTERSERVE**  
Address **SILDON HOUSE JOB CENTRE**  
**HIGH ST. GATESHEAD**  
Post Code **NE8 1AS**

Tel. home  
Tel. work  
mobile **07483 163409**  
email

DATE MEASURED/ORDERED  
**26/11/20**

Measured By:  
**DAVE**

NMN53957 347007

**SPECIAL INSTRUCTIONS**  
*See ANNIE LENNOX*  
*DAVE TO REMEASURE IF GOES AHEAD - (PLEASE ALLOW 1/2 HOUR PER FLOOR - UNABLE TO REPAIR AS PER AGE OF BLINDS E.E. BRITTLE PLASTICS)*

PCUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By \_\_\_\_\_ DATE \_\_\_\_\_ DAY \_\_\_\_\_ AM \_\_\_\_\_ PM \_\_\_\_\_

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	<b>X 49</b>
VISION	
WOODEN	

rai. type & colour	alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face
--------------------	------	-------	-------	-------------	------------------	-------------	-----------	----------	-----------	--------------	---------------

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
2 <sup>nd</sup> floor	1070	1430	3/2	GUARDIAN CREAM	R/R	x7	75.60 EACH
1 <sup>st</sup> floor	1070	1460	5/2	GUARDIAN FLINT	R/R	x19	75.60 EACH
Room 1	1070	1420	5/2	GUARDIAN FLINT	R/R	x1	75.60 EACH
Room 2	860	1420	5/2	GUARDIAN FLINT	R/R	x1	64.40
Ground floor	1070	1440	5/2	GUARDIAN FLINT	R/R	x1	64.40
FINANCE ROOM	1085	1430	5/2	GUARDIAN FLINT	R/R	x19	75.60 EACH
					R/R	x1	75.60 + Var.

Robert.McCaire@ise-interserve.com  
measure Thurs 7.5pm - 10am (OPEN UNTIL 2pm SO WILL HAVE TIME TO MEASURE) £300.00 + Var.

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ **4418.40**  
DEPOSIT £ **10 invoice**  
BALANCE £ **4418.40**

PRICE ACCEPTANCE Customer's Signature **22/1/21**

CASH  CHEQUE  CARD

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**

Registered No.: 02814869

**BBSAW**  
BRITISH BLIND & SHUTTER ASSOCIATION

# Rainbow Blinds

10 or 8

# VERTICAL BLINDS

## Order Form

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Waltham  
 MA 02451  
 T. 91698 351 888  
 F. 91698 351 999  
 sales@rainbow-blinds.com

Date: 28-1-21  
 Ref: BA1695  
 Address: Gosforth.  
 Data Required:

Telephone:  
 Email:  
 Signature:  
 Purchase Reference No: 347007 (INTERSAVE)

Special Instructions:  
 ALL GUARDIAN  
 ALL IN 3/2  
 LOUVRES,  
 ALL GUARDIAN  
 FLINT IN S  
 LOUVER

2002  
 2ND  
 2

Window	Width (mm)	Drop (mm)	Recess or Extact	Child Safety Installation Height (mm)	Length of Control Chnfr (mm)	Fabric Range	Fabric Colour	Control Guard Race or Side Fix	CONTROLS				OPTIONS		ORDER		
									Draw	Operation	Headrail Colour	Top/Bottom Fix	Slat Size 89mm or 127mm	Wend	Weight and detail		
1	1080	1430	R	2400		GUARDIAN	CREAM		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	WHITE	60	89	NO	NO
2	1080	1440	R			V			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	V				
3	1080	1425	R			V			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	V				
13	1075	1440	R			V			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	V				
16	1070	1425	R			V			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	V				
20	1070	1430	R			V			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	V				
18	1075	1425	R			V			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	V				
8									<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	V				

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

Customer has been advised on (✓)  
 The child safety Regulations fit and use of child safety devices  
 Withdrawing damages applying to operating cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Waltham, MA 02451 T. 91698 351 888 - F. 91698 351 999 - E. sales@rainbow-blinds.com

# Rainbow Blinds

Rainbow Blinds & Interiors  
61 Canyon Road  
Excelsior Park  
Wichita  
MLA OBG  
T. 61698 331 888  
F. 61698 331 999  
sales@rainbow-blinds.com

2 of 8

# VERTICAL BLINDS

## Order Form

1ST FLOOR

Date: 28-1-21  
 Reseller: BATHENS  
 Address: Gosforth  
 Data Required:

Telephone:  
 Email:  
 Signature:  
 Purchase Reference No: 347067 (INTERSEAL)

Special Instructions:

1ST FLOOR MAIN

Window Width (mm)	Drop (mm)	Recess or Exact	Child safety installation height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Face or Side Fix	CONTROLS				OPTIONS			ORDER	
								Draw RIS (✓)	LHS (✓)	SPUR (✓)	RHS (✓)	LHS (✓)	Headrail Colour	Top/face Fix	Slit Size 29mm or 32mm	Wend
1080	1440	R	2400		GUARDIAN	FLINT	✓	✓	✓	✓	✓	White	✓	NO	NO	
1060	1435	R					✓	✓	✓	✓	✓		✓			
1080	1435	R					✓	✓	✓	✓	✓		✓			
1070	1435	R					✓	✓	✓	✓	✓		✓			
1080	1440	R					✓	✓	✓	✓	✓		✓			
1080	1445	R					✓	✓	✓	✓	✓		✓			
1080	1440	R					✓	✓	✓	✓	✓		✓			
1080	1440	R					✓	✓	✓	✓	✓		✓			
1075	1450	R					✓	✓	✓	✓	✓		✓			

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓)  
 This Child Safety Regulations apply to all blinds and the use of Child Safety Devices  
 Minimum distances applying to operating cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wichita, MLA OBG T: 61698 331 888 - F: 61698 331 999 - E: sales@rainbow-blinds.com

Issue June 2016

# Rainbow Blinds

304 8

# VERTICAL BLINDS

## Order Form

2

151  
Pool  
WMA

Rainbow Blinds & Interiors  
61 Canyon Road  
Excelsior Park  
Wishaw  
MLA 0E2  
T. 01698 331 888  
F. 01698 331 999  
sales@rainbow-blinds.com

Date: 28-1-21  
Reference: BAH LENS  
Address: Gosforth  
Data Required:

Telephone:  
Email:  
Signature:  
Purchase Reference No: 347007 (INTERSEAL)

Special Instructions:

Window	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation weight (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Race or Slats	CONTROLS				OPTIONS		ORDER			
									Draw	Operation	Headrail Colour	Top/Face Fit	Slit Size	Ward	Weight and chain			
									RHS (✓)	LHS (✓)	SPUR (✓)	RHS (✓)	LHS (✓)					
1	11	1080	1450	R	2400	GUARDIAN	FLINT	✓	✓	✓	✓	✓	✓	White	TOP	80	NB	NB
2	12	1080	1450	R				✓	✓	✓	✓	✓	✓					
3	15	1080	1435	R				✓	✓	✓	✓	✓	✓					
4	20	1070	1440	R				✓	✓	✓	✓	✓	✓					
5	22	1070	1445	R				✓	✓	✓	✓	✓	✓					
6	24	1080	1440	R				✓	✓	✓	✓	✓	✓					
7	26	1075	1445	R				✓	✓	✓	✓	✓	✓					
8	27	1080	1450	R				✓	✓	✓	✓	✓	✓					

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

Customer has been advised on (✓)

The child safety Regulation EN13030 and the use of child safety devices

Minimum distances applying to operating cords

Rainbow Blinds - 61 Canyon Road Excelsior Park, Wishaw, ML2 0E2 T: 01698 331 888 - F: 01698 331 999 - E: sales@rainbow-blinds.com

Issue June 2016

# Rainbow Blinds

(4) of (8)

# VERTICAL BLINDS

## Order Form

ST ROOM MAIN (3)

ST ROOM MAIN

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wiskawau  
 MALI ORG  
 T. 06598 331 888  
 F. 06598 331 999  
 sales@rainbow-blinds.com

Date: 28-1-21  
 Ref: RA11215  
 Address: Gosforth  
 Data Required:

Telephone:  
 Email:  
 Signature:  
 Purchase Reference No: 347007 (INTERSEW)

Special Instructions

Window	Width (mm)	Drop (mm)	Recess or Base	Child Safety Installation height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Gear or Slider R/L	CONTROLS				OPTIONS			ORDER		
									Draw	Operation	Headrail Colour	Top/Face Fix	Slat Size	Wand	Weight and Chained			
									RHS (✓)	LHS (✓)	SPILT (✓)	RHS (✓)	LHS (✓)					
1	28	1080	1450	R	2100	GUARDIAN	FLINT	✓	✓	✓	✓	✓	✓	White	Top	189	No	No
2	29	1080	1450	R	—	—	—	✓	✓	✓	✓	✓	✓	—	—	—	—	—
3	30	1080	1450	R	—	—	—	✓	✓	✓	✓	✓	✓	—	—	—	—	—
4				R				✓	✓	✓	✓	✓	✓	—	—	—	—	—
5				R				✓	✓	✓	✓	✓	✓	—	—	—	—	—
6				R				✓	✓	✓	✓	✓	✓	—	—	—	—	—
7				R				✓	✓	✓	✓	✓	✓	—	—	—	—	—
8				R				✓	✓	✓	✓	✓	✓	—	—	—	—	—

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

Customer has been advised on (✓)  The Child Safety Regulations apply and the user will safety  instructions etc. apply to opening cord

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wiskawau, MALI ORG T. 06598 331 888 - F. 06598 331 999 - E. sales@rainbow-blinds.com

Issue June 2016

# Rainbow Blinds

5 of 8

# VERTICAL BLINDS

## Order Form

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Waltham  
 RL2 0ES  
 T. 01698 391 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

Date: 28-1-21  
 Retailer: BALLOYS  
 Address: Gosforth  
 Data Required:

Telephone:  
 Email:  
 Signature:  
 Purchase Reference No:  
 347067 (INTERSEW)

Special Instructions:

Window	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Face or Side Fix	CONTROLS				OPTIONS		ORDER	
									Drive (v)	Operation (v)	Headrail Colour	Top/Frame Fix	Slat Size 8mm or asym	Wand	Weight and checked	
1	1075	1445	R	2100		GUARDIAN	FLINT		✓	✓	✓	White	T81	29	No	No
2	860	1430	R						✓	✓	✓					
3	860	1420	R						✓	✓	✓					
4			R													
5			R													
6			R													
7			R													
8			R													

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

Customer has been advised on (v)  The Child Safety Regulations apply and the use of child safety

Information documents applying to operating cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Waltham, RL2 0ES T: 01698 391 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com

Issue June 2016

2 ROOM  
 2 ROOM  
 2 ROOM

# Rainbow Blinds

WESTCOTE BLENDS 13819222 VERTICAL BLINDS  
 28-1-21 6008  
 ORDER FORM

Rainbow Blinds & Interiors

61 Canyon Road  
 Excelsior Park

Widowau

M/L 08G

T. 01698 391 888

F. 01698 391 999

sales@rainbow-blinds.com

Date: 28-1-21

Reseller: BALLONS

Address: Gosfontu

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 347067 (INTERSAUB)

Special Instructions:

### BLIND SIZE

Window	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Face or Side Fix	CONTROLS				OPTIONS			ORDER	
									Draw	Operation	Headrail Colour	Top/Frazz Fix	Slat Size	Ward	Weight and dished		
									RHS (✓)	LHS (✓)	SPUR (✓)	RHS (✓)	LHS (✓)				
2	1080	1430	R	2400		GUARDIAN	FLINT		✓			✓		White	TOPRAZ	NO	NO
4	1080	1430	R						✓			✓					
6	1080	1430	R						✓			✓					
12	1080	1435	R						✓			✓					
5	1080	1435	R						✓			✓					
13	1080	1435	R						✓			✓					
6	1080	1430	R						✓			✓					
14	1080	1430	R						✓			✓					
17	1080	1425	R						✓			✓					
18	1070	1435	R						✓			✓					

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECES

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised (✓)

The Child Safety Regulations apply and the use of child safety devices

Instructions always apply to operating cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Widowau, M/L 08G T: 01698 391 888 - F: 01698 391 999 - E: sales@rainbow-blinds.com

Issue June 2015

Handwritten notes: L14 CLOUND floor, RCH START

# Rainbow Blinds

Rainbow Blinds & Interiors

61 Canyon Road  
Excelsior Park

Wichita

ML2 OEG

T. 61698 331 888

F. 61698 331 999

sales@rainbow-blinds.com

ROUND  
/ 1200L

70°

# VERTICAL BLINDS

## Order Form

ROUND  
/ 1200L  
2

Order:	28-1-21	Telephone:		Special Instructions:	
Retailer:	RAMLOYS	Email:			
Address:	GOSFORTH	Signature:			
Date Required:		Purchase Reference No:	347007 (INTERSEW)		

Window	Width (mm)	Drop (mm)	Recess or Stair	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Face or Side (H)	CONTROLS				OPTIONS		ORDER		
									Draw (H)	Draw (L)	Operation (H)	Operation (L)	Headrail Colour	Top/Face Fix	Slat Size (mm)	Blend	Weight and checked
1	19	1080	1425	R	2100	GUARDIAN	FLINT						WHITE	TOP	89	NO	NO
2	20	1080	1430	R													
3	21	1080	1425	R													
4	22	1080	1430	R													
5	23	1080	1430	R													
6	24	1080	1430	R													
7	25	1080	1430	R													
8	26	1080	1435	R													

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓)

This Child Safety Regulations apply and the use of Child safety devices

Information addresses applying to operating cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wichita, ML2 OEG T: 61698 331 888 - F: 61698 331 999 - E: sales@rainbow-blinds.com

Issue June 2016

# Rainbow Blinds

# VERTICAL BLINDS

## Order Form

3 or 8

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Escalator Park  
 Windsor  
 ML3 0B3  
 T: 01698 331 888  
 F: 01698 331 999  
 sales@rainbow-blinds.com

Date: 28-1-21  
 Retailer: RM LENS  
 Address: Gosforth  
 Data Required:

Telephone:  
 Email:  
 Signature:  
 Purchase Reference No: 347007 (INTERSEW)

Special Instructions:  
 (3)

Window	Width (mm)	Drop (mm)	Recess or Bracket	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Face or Side Fix	CONTROLS				OPTIONS		ORDER		
									Draw R/S (✓)	L/S (✓)	SPUR (✓)	R/S (✓)	L/S (✓)	Headrail Colour	Top/Face Fix	Slat Size 6mm or system	Wend
1	27	1075	1430	R	2400	GUARDIAN	FLINT	✓	✓	✓	✓	✓	WHITE	100	100	No	No
2	28	1080	1435	R	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3	29	1085	1430	R	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4	18	1080	1430	R	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
5				R	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
6				R	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
7				R	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
8				R	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECES

All blinds supplied by Rainbow Blinds & Interiors installed with an approved Child Safety Device

Customer has been advised on (✓)

The CE Marking Regulations apply and the use of child safety devices

Information relating to opening cords

WINDSOR

Rainbow Blinds - 61 Canyon Road, Escalator Park, Windsor, WGL 6BT N 01698 331 888 - F: 01698 331 999 - E: sales@rainbow-blinds.com

ISSUE JUNE 2016