

Baileys

34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk

www.baileys-blinds.co.uk

Customer's Name MARTIN
Address 33, WENTWORTH DRIVE
DURHAM

Post Code DH1 3FD

Tel. home	
Tel. work	
mobile	<u>07543 499 022</u>
email	

DATE
MEASURED/ORDERED
22 / 12 / 20

Measured By:
STAMUN HAYLEY

CURTAINS		
PLEATED		
ROLLERS		
ROMANS		
SHUTTERS		
VENETIAN		
VERTICALS		
VISION		
WOODEN		

SPECIAL INSTRUCTIONS

RWR

1539 / 1540

344898

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By _____ DATE _____ DAY _____ AM _____ PM _____

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top/face
					<u>1/R</u>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
F' BED L	980	1283	50	SHARWOOD	RR	2500	175
-- R	978	1290		PURE WHITE PEL 978	RR	"	175
BATH	585	998		OR	RR	2400	74
B' BED L	976	1283		EXPRESSIONS PEL 980	RR	2500	175
-- R	976	1288		Cool White PEL 978	RR	2500	175
STAIRS	586	983		NO PEL 586	RR	2400	74
LIV	980	1430		TAPES	RR	2600	175
CLOAK	582	997			RR	2400	74
KIT	977	1131	25	0150 (A)	LL	2500	108
PATIO L	481	1760	25	P'FIT VION	L		167
· R	481	1760	25	WHITE FRAME	R		167
				TENSIONED STYLE			
				20x24 MM BKT			
				0150 (A) WHITE			1154
							P.M

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 1154

DEPOSIT £ 577

BALANCE £ 577

PRICE ACCEPTANCE Customer's Signature

CASH	CHEQUE	CARD
------	--------	------

**ALL BLINDS TO
BE PAID FOR
AT TIME OF
FITTING**

BBSA
BRITISH BLIND & SHUTTER ASSOCIATION

Rainbow Blinds

VENETIAN BLINDS

Order Form

Rainbow Blinds & Interiors
61 Canyon Road
Excelsior Park
Wishaw

ML2 OEG
01698 351 888
F. 01698 351 999
sales@rainbow-blinds.com

T.

Date: 22-12-20

Retailer: BILLET'S BLINDS

Address: SPENNYHORN SHOP

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No:
344898 THASTIN

Special Instructions

BLIND SIZE

W I N D O W	Slat Width				Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				Price (£)	Qty	TOT. COS (£)
	16mm (v)	25mm (v)	35mm (v)	50mm (v)							STD (v)	REV (v)	RHS (v)	LHS (v)			
1					977	1131	1/A	2200		0150 (A)						1	
2																	
3																	
4																	
5																	
6																	
7																	
8																	


NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (a):

The Child Safety Regulations EN13030 and the use of child safety devices
 Minimum distances applying to operating cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wishaw, ML2 0EG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com



Rainbow Blinds

PERFECT FIT BLINDS

Order Form

Rainbow Blinds & Interiors
61 Canyon Road
Excelsior Park
Wishaw
ML2 0EG
T. 01698 351 888
F. 01698 351 999
sales@rainbow-blinds.com

Date: 22-12-20

Retailer: BAILLIES

Address: 5 Moor

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 344895 MARTIN

Special Instructions

PLEATED

VENETIAN


ROLLER

Window	Width (mm)	Drop (mm)	FRAME Colour	FABRIC/SLAT RANGE & COLOUR	SLAT WIDTH		BRACKET		CONTROLS				ROLLER		Price (£)	Qty	TOTAL COST (£)	
					16mm (✓)	25mm (✓)	18/20mm (✓)	24/30mm (✓)	VENETIAN Controls			Cover Weight Bar	YES	NO				
1	1760	1760	WHITE	OISO (A)	✓	✓	20	24	STD	LH	RH	REV	Tension d	YES	NO	1	1	1
2	1760	1760																
3																		
4																		
5																		
6																		
7																		
8																		

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device
Venetian blinds will be tensioned unless stated otherwise.

Customer has been advised on (✓):

The Child Safety Regulations EN13350 and the use of child safety devices
 Minimum distances applying to operating cords



Rainbow Blinds

Rainbow Blinds & Interiors
61 Canyon Road
Excelsior Park

Wishaw
ML2 OEG
T. 01698 351 888
F. 01698 351 999

sales@rainbow-blinds.com

WOOD VENETIAN BLINDS

Order Form

Date: 22-12-20
Retailer: BALEYS
Address: S'MOK
Date Required:

Telephone:
Email:
Signature:
Purchase Reference No: 344595 PINESTIN

Special Instructions
[Signature]

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				BRACKETS	PELMET		ORDER	
	25mm (v)	35mm (v)	50mm (v)							STD (v)	LHS (v)	RHS (v)	BOX (v)		Width (mm)	Return (mm)	Price (£)	Qty
1 F'OLD	/	/	/	980	1283	1/2	2500		SHARWOOD	/	/	/						
2 " R	/	/	/	978	1290		"		PURE WHITE	/	/	/						
3 BATH	/	/	/	585	998		2400			/	/	/						
4 B'OLD	/	/	/	976	1283		2500			/	/	/						
5 " R	/	/	/	976	1285		"			/	/	/						
6 STAIRS	/	/	/	586	983		2400			/	/	/						
7 LW	/	/	/	980	1430		2600			/	/	/						
8 CLOAK	/	/	/	582	997		2400			/	/	/						

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):
 The Child Safety Regulations EN13320 and the use of child safety devices
 Minimum distances applying to operating cords



ACCOUNT

SIGN OUT

[change password](#)

[PRODUCTS](#) [SERVICES](#) [BRANDS](#) [NEWS](#) [ABOUT US](#) [CONTACT US](#) [MEMBERS](#) [IMAGERY](#)

[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)

order reference: **344898**

We have sent a confirmation email to accounts@baileys-blinds.co.uk.

order reference

344898

delivery address

Baileys Blinds, DL166DB

line items

line 10:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	98.0 cm
Drop *:	128.3 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Right cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Qty:	1

line 20:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	97.8 cm
Drop *:	129.0 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Right cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Non-Standard
Non-Standard Valance Length:	97.8 cm
Valance Returns Required *:	No
Qty:	1

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)

line 30:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	58.5 cm
Drop *:	99.8 cm
Installation Height *:	240.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Right cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Qty:	1

line 40:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	97.6 cm
Drop *:	128.3 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Right cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Non-Standard
Non-Standard Valance Length:	98.0 cm
Valance Returns Required *:	No
Qty:	1

line 50:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	97.6 cm
Drop *:	128.8 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Right cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Non-Standard
Non-Standard Valance Length:	97.8 cm
Valance Returns Required *:	No
Qty:	1

line 60:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	58.6 cm
Drop *:	98.3 cm
Installation Height *:	240.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Right cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Non-Standard
Non-Standard Valance Length:	58.6 cm
Valance Returns Required *:	No
Qty:	1

line 70:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm

line 80:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm

By using our site, you consent to our use of cookies. [Learn More](#)