

Gosforth Shop

Esplanade
27 Ryft Street
Gosforth
NE2 1HO

Venetian Blind order form

310392

Ordered by: LI WILSON

Date Required: FRI 30/1/15

Order Date: 21/1/15

Qty	Slat size	Slat Colour	Fitting Height	Width	Drop	Recess / Exact	Controls
1	25	POLAR WHITE	2286	2949	1346	RECESSED	ST
1	25	_____	2286	1768	1365	RECESSED	ST
1	25	_____	2286	1158	1193	RECESSED	ST
1	25	_____	2286	1768	1346	RECESSED	ST

Further instructions


** Fitting height MUST be supplied for all Cord/Chain system blinds - if not supplied cords will be made as follows - Drop 2.5m Cord will be up to 1.5m long - Drop 2.5m Cord will be up to 1.5m long - This could result in the supplying a non-compliant product

REPAIR SHEET (please tick one box)

Chargeable
under Guarantee



Chargeable Repair



NAME: GRACE LI - WILSON

76 LOMBARD DRIVE

CHESTER LE ST

07970704093

DHS
4:30

TURNED TO FACTORY: _____

REPAIR TO BE DONE:
of blinds to REPAIR [1]

4 INTU VEN

HEAD BOXES TO

POWDER COAT

IN RAL 9017

(ORIGINALS BADLY)
PAINTED

WORK

BE RETURNED TO

ORDER No: 310392

CUST REF: _____

ORIG SALES PERSON: _____

ORIG FIT BY: _____

DAY TO CALL: 1 / 1

DATE CALLED: _____

COLLECTED BY: _____

REPAIR ON SITE Y/N

IF YES,
ENTER RETURN CODE _____

DAY TO RE-FIT: _____

DATE RE-FIT: _____

RE-FIT BY: _____

REC in FACT BY: _____

DATE ENT IN REG: _____

REPAIR No: _____

DATE ENT OUT REG: _____

REPAIRED BY: _____

CHECKED BY: _____

RETURN CODE: _____

MATERIAL COST: _____

TIME SPENT: _____

ENT on COMP BY: _____

Intu. VENETIAN.

GOSTORTH SHOP

Balleys Blinds
211 High Street
Gosforth
NE3 1HQ

ref

310392/R.

Date: 7. 4. 15.

Date Required ASAP.

Screw Fix / Bead Fix	Qty	Width (mm)	Drop (mm)	Side Profile (Bead Fit Only) A, B, C or D	Bead Depth (mm)	16mm	25mm	Blind Colour	Rail Colour			Extra Operating Rod 0.3m	0.6m	Stick/Rail for Operating Rod	PVC fix	Wood Fix	
									White	Silver	Brown						
Bead	1	711															
-	1	711															
-	1	711															
-	1	775															
HEADBOXES ONLY																	
Sending Blinds																	
on 7. 4. 15.																	
<u>BADLY PAINTED</u>																	

Further instructions.

RAL 9017