



34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB
TEL: 01388 813267 or 0191 258 5956
sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

Customer's Name STEVENS
Address 2, LORIMER CLOSE
SEDFIELD
Post Code TS21 2BP

Tel. home	
Tel. work	
mobile	07946 208 877
email	

DATE
MEASURED/ORDERED
18/02/21

Measured By:
SHAUN HANLEY

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

Go AHEAD

345077

SPECIAL INSTRUCTIONS

CHASE
RWR
X 3 WINDOWS
STILL TO MEASURE
IF G/A

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
LIV Room	465	1438	50	SHERWOOD PURE	LC	2600	124
BAY	462	1438		WHITE WITH WHITE TAPES	RD		303
KIT	1720	1002			RR		124
FRONT R	867	1145			SD		290
BED R	864	1145				2500	146
FRONT L	872	1148					146
BED L	862	1153					146
ENSUITE	579	998					89
ENSUITE	579	995	MASTER BED				89
BATH	870	985					146
B' BED L	1148	1130					194
B' BED R	1150	1151					194
PATIO	317	1910	25	P'FIT VEN	L		174
LTO	350	1750		WHITE FRAME	L		167
R	350	1750		TRANSITION 20 174 BKT	R		167
	317	1910		O150 CA)	R		174
						20% DISC	2200

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE	£ 2200
303033	
C/D DEPOSIT	£ 1100
BALANCE	£ 1100

PRICE ACCEPTANCE Customer's Signature

19/2/21 Avn 303033

CASH	CHEQUE	CARD
		/

ALL BLINDS TO
BE PAID FOR
AT TIME OF
FITTING



order reference: **345077**

We have sent a confirmation email to accounts@baileys-blinds.co.uk.

order reference

345077

delivery address

Baileys Blinds, DL166DB

line items

line 10:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	46.5 cm
Drop *:	143.8 cm
Installation Height *:	260.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Left cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Qty:	1

line 20:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	140.5 cm
Drop *:	143.8 cm
Installation Height *:	260.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Qty:	1

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)

line 30:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	46.2 cm
Drop *:	143.8 cm
Installation Height *:	260.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Right cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Qty:	1

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	172.0 cm
Drop *:	100.2 cm
Installation Height *:	260.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Qty:	1

line 50:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	86.7 cm
Drop *:	114.5 cm
Installation Height *:	250.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Qty:	1

line 60:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	86.4 cm
Drop *:	114.5 cm
Installation Height *:	250.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Qty:	1

line 70:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	87.2 cm
Drop *:	114.8 cm
Installation Height *:	250.0 cm
Controls Length:	80 cm

line 80:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	86.2 cm
Drop *:	115.3 cm
Installation Height *:	250.0 cm
Controls Length:	80 cm

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)

line 90:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	57.9 cm
Drop *:	99.8 cm
Installation Height *:	250.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Qty:	1

line 100:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	57.9 cm
Drop *:	99.5 cm
Installation Height *:	250.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Qty:	1

line 110:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	87.0 cm
Drop *:	98.5 cm
Installation Height *:	250.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Qty:	1

line 120:

50mm pure white sherwood

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	114.8 cm
Drop *:	113.0 cm
Installation Height *:	250.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Swivel Brackets *:	No
Valance Type *:	Standard
Qty:	1

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)

line 130:

**50mm pure white
sherwood**

AQUARIUS

- Exact or Recess *: **Recess**
- Units of Measurement *: **cm**
- Width *: **115.0 cm**
- Drop *: **115.1 cm**
- Installation Height *: **250.0 cm**
- Controls Length: **80 cm**
- Cord or Tape Ladder *: **Tape**
- Tape Colour *: **White**
- Raise / Lower Control Side *: **Split cm**
- Pull Type *: **None**
- Universal Extention Colour *: **None**
- Hold Down Brackets *: **No**
- Swivel Brackets *: **No**
- Control Type *: **Standard**
- Qty: **1**

Contact Form

Leave a message and we will be in touch


Call Arena

On 0800 3897281
Weekdays 8.30am - 5pm

© 2021 Arena Terms & Conditions Anti-Slavery Statement

version :

By using our site, you consent to our use of cookies. I Understand Learn More



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

WOOD VENETIAN BLINDS

Order Form

Date: 23-02-21

Retailer: BAILEYS BLINDS

Address: SPENNYMOOR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 345077 STEVENS

Special Instructions

Page 1 of 2

Window	Slat Width			Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		ORDER			
	25mm (v)	35mm (v)	50mm (v)						Operation			LHS (v)	RHS (v)	BOX (v)	Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)
									STD (v)	LHS (v)	RHS (v)								
1			✓	465	1/ R	2600		SHEARWOOD	✓								1		
2			✓	1405				PURE WHITE									1		
3			✓	462				WITH WHITE TAPES									1		
4			✓	1720													1		
5			✓	867		2500											1		
6			✓	864													1		
7			✓	872													1		
8			✓	862													1		


UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

WOOD VENETIAN BLINDS

Order Form

Date: 23-02-21

Telephone: _____

Retailer: BAILEYS BLINDS

Email: _____

Address: SPENNYMOOR

Signature: _____

Date Required: _____

Purchase Reference No: 345077 STEVENS

Special Instructions

Page 2 of 2

BLIND SIZE

Window	Slat Width			Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		ORDER		
	25mm (✓)	35mm (✓)	50mm (✓)						Operation	STD (✓)	LHS (✓)	RHS (✓)	BOX (✓)	Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)
1 ENSUITE			✓	579	998	1/R	2500	SHERWOOD	✓									
2 ENSUITE			✓	579	995			PURE WHITE	✓									
3 BATH			✓	870	985			WITH WHITE TAPES	✓									
4 B BOWL			✓	1148	1130				✓									
5 -- R			✓	1150	1151				✓									
6																		
7																		
8																		

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13320 and the use of child safety devices

Minimum distances applying to operating cords

