

Baileys

34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB
TEL: 01388 813257 or 0191 258 5956
sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

BARRY - DIXON PHOTMAIL
- COM

347500

DATE MEASURED/ORDERED
1/13/21

Measured By:
DAVE

SPECIAL INSTRUCTIONS

LH FRONT BE UNABLE TO DO AS DOUBLE DOORS OPEN INWARDS, CUST TO BE MADE AWAY OFF DEEP SINKING ON DINER DOOR (2)(3) + REAR LOUNGE DOOR (1)(2)(3). GAP BETWEEN DINER DOOR (2)(3) ALL CONDS IN WAY IF STAND CONTROLS USED ON ANY DOORS

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELLOW	
OTHER	

Fitted By: _____ DATE: _____ DAY: _____ AM: _____ PM: _____

Customer's Name: **DIXON**

Address: **27 GATEKEEPER CLOSE GREAT PARK.**

Post Code: **NE13 9EH**

Tel. home: ~~0191 6401805~~

Tel. work: **0191 6401805**

mobile: **07786 380712**

email: _____

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

10

WOODEN

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face

0191-9170492

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
KITCH	1750	985	50	COOL WHITE OR LOTS WHITE	TR	2350	166 24
DINER DOOR (1)	700	2005	4		S L	9	116 14
(2)	1405	2005	4		S L	9	229 303
(3)	1405	2005	4		S R	9	229 303
(4)	680	2005	4		S R	9	116 149
REAR LOUNGE DOOR (1)	470	1500	4		S L	9	79 104
(2)	1090	2060	4		S ?	9	187 242
(3)	470	1500	4		S R	9	79 104
LH LOUNGE	1740	1435	4		S R	9	224 303
RH	1520	1435	4		S R	9	187 252
TOP LUBG (1)	625	975	4		S R	9	79 104
(2)	855	975	4		S R	9	91 122
TOP WIDE	830	980	4		S R	9	91 122
WIDE	840	985	4	PLANT 555	S R	9	91 122
BLAND	860	975	4		S R	9	91 122
RH FRONT BEH	1520	1135	4		S R	9	141 202
FRONT BEH	605	990	4	625	S R	9	79 104
LH REAR BEH	1745	1130	4		S R	9	166 242
REAR BEH	840	985	4	880	S R	9	91 122
MAU (2)	420	2070	4		S L/R	9	200 244

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE: £ **2718**

DEPOSIT: £ **1359**

BALANCE: £ **1359**

PRICE ACCEPTANCE Customer's Signature

097630 5/13/21

CASH	CHEQUE	CARD	<input checked="" type="checkbox"/>
------	--------	------	-------------------------------------

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING



ARENA

EXPRESSIONS VENETIANS

DELIVER TO
BAILEYS BLINDS
 311 HIGH ST
 GOSFORTH
 NE5 1BQ

TEL: 01986 613267

ORDER REF: 347500 (DIXON)
 ORDER DATE: 5-3-21
 BAILEYS ORDERED BY: BAILEYS
 DATE REQUIRED: ASAP

QTY	SLAT SIZE	SLAT COLOUR	WIDTH	DEEP	HITCH/SLAT	CONTROLS	FTT HEIGHT
1	50	COOL WHITE	1750	985	R	S	
2	4	---	700	2005	R	S	
3	4	---	1405	2005	R	S	
4	4	---	1405	2005	R	S	
5	4	---	680	2005	R	S	
6	4	---	470	1500	R	S	
7	4	---	1090	2060	R	S	
8	4	---	470	1500	R	S	
9	4	---	1740	1435	R	S	
10	4	---	1520	1435	R	S	
11	4	---	625	975	R	S	
12	4	---	855	975	R	S	
13	4	---	830	980	R	S	
14	4	---	860	975	R	S	
15	4	---	1520	1135	R	S	
16	4	---	1745	1130	R	S	
17	4	---	420	2070	E	S	
18	4	---	420	2070	E	S	

SPECIAL INSTRUCTIONS: ALL WITH WHITE TAPE!

17 TO HAVS R/M RETURN
 18 TO HAVS L/M RETURN



ACCOUNT

SIGN OUT

[change password](#)

[PRODUCTS](#) [SERVICES](#) [BRANDS](#) [NEWS](#) [ABOUT US](#) [CONTACT US](#) [MEMBERS](#) [IMAGERY](#)

[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)

order reference: **347500**

We have sent a confirmation email to accounts@baileys-blinds.co.uk.

order reference

347500

delivery address

Baileys Blinds, DL166DB

line 10:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	175.0 cm
Drop *:	98.5 cm
Installation Height *:	235.0 cm
Controls Length:	50 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 20:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	70.0 cm
Drop *:	200.5 cm
Installation Height *:	235.0 cm
Controls Length:	50 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 30:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	140.5 cm
Drop *:	200.5 cm
Installation Height *:	235.0 cm
Controls Length:	50 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 40:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	140.5 cm
Drop *:	200.5 cm
Installation Height *:	235.0 cm
Controls Length:	50 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 50:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	68.0 cm
Drop *:	200.5 cm
Installation Height *:	235.0 cm

line 60:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	47.0 cm
Drop *:	150.0 cm
Installation Height *:	235.0 cm

Installation Height, you can use of installation height and

line 70:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	109.0 cm
Drop *:	206.0 cm
Installation Height *:	235.0 cm
Controls Length:	50 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

Contact Form
 Leave a message and we will be in touch
Call Arena
 On 0800 3897281
 Weekdays 8.30am - 5pm

line 80:

BRANDS 50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	47.0 cm
Drop *:	150.0 cm
Installation Height *:	235.0 cm
Controls Length:	50 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 90:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	174.0 cm
Drop *:	143.5 cm
Installation Height *:	235.0 cm
Controls Length:	50 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 100:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm version :
Width *:	152.0 cm
Drop *:	143.5 cm
Installation Height *:	235.0 cm
Controls Length:	50 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

© 2021 Arena Terms & Conditions Anti-Slavery Statement

line 110:**50mm cool white expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	62.5 cm
Drop *:	97.5 cm
Installation Height *:	235.0 cm
Qty:	1

line 120:**50mm cool white expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	85.5 cm
Drop *:	97.5 cm
Installation Height *:	235.0 cm
Controls Length:	50 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 130:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	83.0 cm
Drop *:	98.0 cm
Installation Height *:	235.0 cm
Controls Length:	50 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 140:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	86.0 cm
Drop *:	97.5 cm
Installation Height *:	235.0 cm
Controls Length:	50 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 150:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	152.0 cm
Drop *:	113.5 cm
Installation Height *:	235.0 cm
Controls Length:	50 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 160:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	174.5 cm
Drop *:	113.0 cm
Installation Height *:	235.0 cm
Controls Length:	50 cm
Cord or Tape Ladder *:	Tape
Tape Colour *:	White
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 170:

50mm cool white expressions

Exact or Recess *:	Exact
Units of Measurement *:	cm
Width *:	42.0 cm
Drop *:	207.0 cm
Installation Height *:	235.0 cm

line 180:

50mm cool white expressions

Exact or Recess *:	Exact
Units of Measurement *:	cm
Width *:	42.0 cm
Drop *:	207.0 cm
Installation Height *:	235.0 cm

By using this site, you confirm your use of our installation and