



34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB
TEL: 01388 813267 or 0191 258 5956
sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

347556

DATE
MEASURED/ORDERED
3 / 3 / 21

Measured By:

(Signature)

SPECIAL INSTRUCTIONS

Patio Rollers
BRING BKTS IN

barbara.bolam
@actionfor
Children.org
• UK

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Customer's Name BOLAM
Address ACTION FOR CHILDREN
EAST FARM COTTAGE
CHOLLINGTON Post Code NE62 5LU

CURTAINS	
PLEATED	
ROLLERS	✓ 10
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	✓ 8x8

Tel. home	01875045924
Tel. work	
mobile	
email	

Fitted By	DATE	DAY	AM	PM

rail type & colour	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face
alum white brown								

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
LOUNGE	1515	1260	50	COOL WHITE	ST	2300	
LIF	1495	2150	Roller	MEMPHIS BLAUT WHITE	L	2200	✓
RIF	1485	2150	Roller	"	L	2200	✓
D/R	1528	1260	50	OR COOL WHITE	ST	2300	
PATIO	1505	2150	Roller	MEMPHIS BLAUT WHITE	L	2200	✓
KIT	1055	1232	50	COOL WHITE 1068	ST	2400	
FRONT PATIO	1500	2200	Roller	MEMPHIS BLAUT WHITE	L	2300	✓
QUEEN ROOM	1216	1175	50	COOL WHITE	ST	2300	
BACK OFFICE	1151	1000	Roller	MEMPHIS BLAUT WHITE	R	2200	✓
TOP OF STAIRS (LAN)	532	1250	50	COOL WHITE	ST	2400	
LAN	1021	1255	50	"	ST	2400	
LAN	1028	1252	50	"	ST	2400	
LAN	538	1255	50	"	ST	2400	
BATH	1005	1250	Roller	SAMARA GOLD	R	2300	
RIF BBR	1025	1250	Roller	MEMPHIS BLAUT WHITE	L	2300	✓
CTR BBR	1516	1230	Roller	"	L	2300	✓
CTR BBR	1516	1230	Roller	"	L	2300	✓
LIF BBR	1035	1260	Roller	"	L	2300	✓
						JULIE TO	£1459.68 + VAR.

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 1751.62

DEPOSIT £

BALANCE £

PRICE ACCEPTANCE Customer's Signature

CASH	CHEQUE	CARD
------	--------	------

ALL BLINDS TO
BE PAID FOR
AT TIME OF
FITTING





Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Xpression WOOD VENETIAN BLINDS

Order Form

Date:	25-3-21
Retailer:	AGTON FOR CHURCH VOLAM
Address:	GOSFORTH
Date Required:	
Telephone:	
Email:	
Signature:	
Purchase Reference No:	347556

Special Instructions

Window	Slat Width			Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		TOTAL COST (£)	
	25mm (✓)	35mm (✓)	50mm (✓)						Operation			BOX (✓)	Width (mm)	Return (mm)	Price (£)		Qty
	STD (✓)	LHS (✓)	RHS (✓)						STANDARD (✓)	LHS (✓)	RHS (✓)						
1			✓	1515	1260	Rec	2350	COOL WHITE	✓					NO			
2			✓	1521	1260	✓	2350	1-1-1	✓					NO			
3			✓	1055	1232	✓	2600	1-1-1	✓					1068			
4			✓	1216	1175	✓	2350	1-1-1	✓					NO			
5			✓	532	1250	✓	2450	1-1-1	✓					✓			
6			✓	1021	1255	✓	2450	1-1-1	✓					✓			
7			✓	1028	1252	✓	2450	1-1-1	✓					✓			
8			✓	538	1255	✓	2450	1-1-1	✓					✓			

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

12 ROLLER BLINDS

Order Form

Date:	5-3-21	Telephone:	
Retailer:	ACTION FOR CHILDREN BOLAM	Email:	
Address:	GOSFORTH	Signature:	
Date Required:		Purchase Reference No:	347556

Special Instructions

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	BLIND SIZE			ORDER				
							Fabric Range	Fabric Colour	Louvolite, Benthin, Eclipse	LHC / RHC	C C h o a i r n u s	F i n i s	Price (£)	Qty
1	1495	2150	8	2200		40	MEMPHIS B/OUT	WHITE	L	W	1			
2	1485	2150	✓	2200		40			L	✓	1			
3	1505	2150	✓	2200		40			L	✓	1			
4	1500	2200	✓	2200		40			B	✓	1			
5	1151	1000	✓	2200		32			B	✓	1			
6	1075	1250	✓	2300		32			L	✓	1			
7	1516	1240	✓	2300		32			L	✓	1			
8	1516	1240	✓	2300		32			L	✓	1			

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVOLITE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

Customer has been advised on (✓): safety devices Minimum distances applying to operating cords

The Child Safety Regulations EN1320 and the use of child safety devices



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

ROLLER BLINDS

Order Form

2-2

Date: 5-3-21

Retailer: ACTION FOR CHILDREN DOLAM

Address: GOSFORTH

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No:

Special Instructions

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	BLIND SIZE			ORDER				
							Fabric Range	Fabric Colour	Louvolite, Benthin, Eclipse	LHC / RHC	C C h o l r i o n u s	F i n h i s	Price (£)	Qty
1	1035	1260	R	2300		32	MEMPHIS BLIND	WHITE	L	W	I			
2	1005	1250	R	2300		32	SAMARA	GOLD	R	W	I			
3														
4														
5														
6														
7														
8														

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVOLITE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords



ACCOUNT

SIGN OUT

[change password](#)

[PRODUCTS](#) [SERVICES](#) [BRANDS](#) [NEWS](#) [ABOUT US](#) [CONTACT US](#) [MEMBERS](#) [IMAGERY](#)

[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)

order reference: **347556**

We have sent a confirmation email to accounts@baileys-blinds.co.uk.

order reference

347556

delivery address

Baileys Blinds, DL166DB

line 10:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	151.5 cm
Drop *:	126.0 cm
Installation Height *:	235.0 cm
Controls Length:	50 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 30:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	105.5 cm
Drop *:	123.2 cm
Installation Height *:	250.0 cm
Controls Length:	50 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Non-Standard
Non-Standard Valance Length:	106.8 cm
Valance Returns Required *:	No
Qty:	1

line 50:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	53.2 cm
Drop *:	125.0 cm

line 20:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	152.1 cm
Drop *:	126.0 cm
Installation Height *:	235.0 cm
Controls Length:	50 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 40:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	121.6 cm
Drop *:	117.5 cm
Installation Height *:	235.0 cm
Controls Length:	50 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 60:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	102.1 cm
Drop *:	125.5 cm

By using our site, you consent to our use of cookies. I Understand

line 70:

50mm cool white expressions

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **102.8 cm**
 Drop *: **125.2 cm**
 Installation Height *: **245.0 cm**
 Controls Length: **50 cm**
 Cord or Tape Ladder *: **Cord**
 Raise / Lower Control Side *: **Split cm**
 Pull Type *: **None**
 Universal Extention Colour **None**
 *:
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No cm**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
1

line 80:

BRANDS

50mm cool white expressions

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **53.8 cm**
 Drop *: **125.5 cm**
 Installation Height *: **245.0 cm**
 Controls Length: **50 cm**
 Cord or Tape Ladder *: **Cord**
 Raise / Lower Control Side *: **Split cm**
 Pull Type *: **None**
 Universal Extention Colour **None**
 *:
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No cm**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
1

Contact Form

Leave a message and we will be in touch

Call Arena

On 0800 389 7281
 Weekdays 8.30am - 5pm

© 2021 Arena Terms & Conditions Anti-Slavery Statement

version :