



34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB  
TEL: 01388 813267 or 0191 258 5956  
sales@baileys-blinds.co.uk  
www.baileys-blinds.co.uk

DATE MEASURED/ORDERED  
04/03/21

Measured By:  
SHAUN HANLEY

345168

SPECIAL INSTRUCTIONS

RWR

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Customer's Name SNOWBALL  
Address 28, WALWORTH COUNTRY PARK  
HEIGHINGTON  
Post Code DL2 2XT

Tel. home	
Tel. work	
mobile	07456 574 069
email	

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	X 10

Fitted By		DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
KIT	1520	921	35	EXPRESSIONS	STD	2400	141
MASTER BED	1817	1074		SNOW	STD		166
ENSUITE	616	921			STD		79
BED 2	580	1065		PEL 600	STD		64
BAT	665	1065			STD		79
LTOR	585	1065		PEL 600	STD		64
OFFICE	616	1074			STD		79
LIV	580	1060		PEL 600	STD		64
BAT	665	1060			STD		79
LTOR	590	1060		PEL 600	STD		64
				STD CONTROL			579
				L- TILT			
				R- RAISE			
						P.M	659

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE	£ 659
DEPOSIT	£ 200
BALANCE	£ 459

PRICE ACCEPTANCE Customer's Signature

.....

CASH	CHEQUE	CARD	/
------	--------	------	---

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**





# Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

# WOOD VENETIAN BLINDS

## Order Form

Date: 04-03-21  
 Retailer: BAILERS  
 Address: S' Moor  
 Date Required:

Telephone:  
 Email:  
 Signature:  
 Purchase Reference No:  
 345/68 SNOWBALL

Special Instructions:  
 Page 1 of 2

Window	Slat Width			Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		ORDER		
	25mm (v)	35mm (v)	50mm (v)						Operation			BOX (v)	Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)	
									STD (v)	LHS (v)	RHS (v)							
1	/	/	/	1520	921	1/R	2400	EXPRESSION	/	/	/							
2	/	/	/	1817	1074			SNOW	/	/	/							
3	/	/	/	616	921				/	/	/							
4	/	/	/	580	1065				/	/	/			600				
5	/	/	/	665	1065				/	/	/							
6	/	/	/	585	1065				/	/	/			600				
7	/	/	/	616	1074				/	/	/							
8	/	/	/	580	1060				/	/	/			600				

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

The Child Safety Regulations EN1320 and the use of Child safety devices

Minimum distances applying to operating cords

# WOOD VENETIAN BLINDS

## Rainbow Blinds

### Order Form

Special Instructions  
 Page 2 of 2

Telephone: \_\_\_\_\_  
 Email: \_\_\_\_\_  
 Signature: \_\_\_\_\_  
 Purchase Reference No: **345168 SNOWBALL**

Date: **04-03-21**  
 Retailer: **BAILERS**  
 Address: **S Moor**  
 Date Required: \_\_\_\_\_

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wistahaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

Window	SLAT WIDTH				Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		ORDER		
	25mm (v)		35mm (v)								50mm (v)		Operation			Return (mm)	Width (mm)	Price (£)	Qty	TOTAL COST (£)
	(v)	(v)	(v)	(v)							(v)	(v)	(v)	(v)	(v)					
1					665	1060	1/R 2400			EXPRESSIONS	✓									
2					590	1060	1/L			SNOW	✓			600						
3																				
4																				
5																				
6																				
7																				
8																				

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):  The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords



ACCOUNT

SIGN OUT

[change password](#)

[PRODUCTS](#) [SERVICES](#) [BRANDS](#) [NEWS](#) [ABOUT US](#) [CONTACT US](#) [MEMBERS](#) [IMAGERY](#)

[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)

order reference: **345168**

We have sent a confirmation email to [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk).

**order reference**

34-5168

**delivery address**

Bcileys Blinds Ltd, DL166DB

**line items**

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)

**line 10:**

**38mm snow expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>152.0 cm</b>
Drop *:	<b>92.1 cm</b>
Installation Height *:	<b>240.0 cm</b>
Controls Length:	<b>60 cm</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

**line 20:**

**38mm snow expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>181.7 cm</b>
Drop *:	<b>107.4 cm</b>
Installation Height *:	<b>240.0 cm</b>
Controls Length:	<b>60 cm</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

**line 30:**

**38mm snow expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>61.6 cm</b>
Drop *:	<b>92.1 cm</b>
Installation Height *:	<b>240.0 cm</b>
Controls Length:	<b>60 cm</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

**line 40:**

**38mm snow expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>58.0 cm</b>
Drop *:	<b>106.5 cm</b>
Installation Height *:	<b>240.0 cm</b>
Controls Length:	<b>60 cm</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Non-Standard</b>
Non-Standard Valance Length:	<b>60.0 cm</b>
Valance Returns Required *:	<b>No</b>
Qty:	<b>1</b>

**line 50:**

**38mm snow expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>66.5 cm</b>
Drop *:	<b>106.5 cm</b>
Installation Height *:	<b>240.0 cm</b>
Controls Length:	<b>60 cm</b>

**line 60:**

**38mm snow expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>58.5 cm</b>
Drop *:	<b>106.5 cm</b>
Installation Height *:	<b>240.0 cm</b>
Controls Length:	<b>60 cm</b>

By using our site, you consent to our use of cookies. [Click here to learn more](#)

line 70:

### 38mm snow expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>61.6 cm</b>
Drop *:	<b>107.4 cm</b>
Installation Height *:	<b>240.0 cm</b>
Controls Length:	<b>60 cm</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

line 80:

### BRANDS 38mm snow expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>58.0 cm</b>
Drop *:	<b>106.0 cm</b>
Installation Height *:	<b>240.0 cm</b>
Controls Length:	<b>60 cm</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Non-Standard</b>
Non-Standard Valance Length:	<b>60.0 cm</b>
Valance Returns Required *:	<b>No</b>
Qty:	<b>1</b>

## Contact Form

Leave a message and we will be in touch

## Call Arena

On 0800 389 7281

Weekdays 8.30am - 5pm

line 90:

### 38mm snow expressions

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>66.5 cm</b>
Drop *:	<b>106.0 cm</b>
Installation Height *:	<b>240.0 cm</b>
Controls Length:	<b>60 cm</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

line 100:

### 38mm snow expressions

Exact or Recess *:	<b>Recess</b> version :
Units of Measurement *:	<b>cm</b>
Width *:	<b>59.0 cm</b>
Drop *:	<b>106.0 cm</b>
Installation Height *:	<b>240.0 cm</b>
Controls Length:	<b>60 cm</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Non-Standard</b>
Non-Standard Valance Length:	<b>60.0 cm</b>
Valance Returns Required *:	<b>No</b>
Qty:	<b>1</b>

© 2021 Arena Terms & Conditions Anti-Slavery Statement