



34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB
TEL: 01388 813267 or 0191 258 5956
sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

Customer's Name DARLING
Address 19, SNAPDRAGON WAY
STAINTON
Post Code T58 9FU

Tel. home	
Tel. work	
mobile	07976 935 324
email	

DATE MEASURED/ORDERED
25/03/21

Measured By:
SHAUN HANLEY

CURTAINS	
PLEATED	
ROLLERS	X 8
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	X 12

345295

SPECIAL INSTRUCTIONS

RWR
* R/M CONTROL
OP
£1860
REMOTE +
£150 PER
BLIND

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
MASTER FRONT	880	1147	50	EXPRESSIONS		2500	72
FRONT L	584	995		FLINT GR			51
BED R	1297	1150		ASTOR			102
STUDY	866	1147		NO TAPES			72
FRONT BED R	1298	1146					102
MASTER REAR	1300	1150	1/2W	* MEMPHIS ASH			90
1 LANDING	872	990	1/2W	SHADE 1	R		65
B' BED L	1298	1150	1/2W	*			90
HALL	590	845	50	EXPRESSIONS		2400	51
LIV L	592	844				2400	51
FRONT R	1731	1446		1x R/C		2600	179
DIN L	590	997		1x CHURCH		2500	51
" R	1734	1446				2600	179
KIT L	1298	1446				2600	136
" R	1300	1448				2600	136
KIT	1304	990	1/2W	* MEMPHIS			85
PATIO	1114	2070	1/2W	* ASH			100
HALL	587	1140	1/2W	SHADE 1	R		48
FRONT	1020	2060	1/2W	*	R		100
DOORS	1020	2060	1/2W	*	R		100

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 2760

PRICE ACCEPTANCE Customer's Signature


ALL BLINDS TO
BE PAID FOR
AT TIME OF
FITTING

DEPOSIT £ 1380

BALANCE £ 1380

CASH	CHEQUE	CARD	
------	--------	------	--





Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

WOOD VENETIAN BLINDS

Order Form

Date: 25-03-21

Retailer: BAILEYS

Address: S'MOOR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 345295 DARLING

Special Instructions: Page 1 of 2

BLIND SIZE

Window	Slat Width			Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		ORDER	
	25mm (v)	35mm (v)	50mm (v)						Operation	LHS (v)	RHS (v)	BOX (v)	Width (mm)	Return (mm)	Price (£)		Qty
1 MASTER FRONT			/	880	1147	1/R	2500	EXPRESSIONS	/	/	/						
2 FRONT L			/	584	995	/		FLINT	/	/	/						
3 BED L			/	1297	1150	/			/	/	/						
4 STUDY FRONT			/	866	1147	/			/	/	/						
5 BED R			/	1298	1146	/			/	/	/						
6 HALL			/	590	845	/	2400		/	/	/						
7 LIV L			/	592	844	/	"		/	/	/						
8 " R			/	1731	1446	/	2600		/	/	/						

NOTE:


UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

The Child Safety Regulations EN13300 and the use of child safety devices

Minimum distances applying to operating cords



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Bed / Spare

WOOD VENETIAN BLINDS

Order Form

Date: 25-03-21
 Retailer: BAILEYS
 Address: S MOOR
 Date Required:

Telephone:
 Email:
 Signature:
 Purchase Reference No: 345295 DARLING

Special Instructions:
 Page 2 of 2

Window	SLAT WIDTH				Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		TOTAL COST (£)			
	25mm (v)		50mm (v)							STD (v)	Operation		LHS (v)	RHS (v)	BOX (v)	Width (mm)		Return (mm)	Price (£)	Qty
	35mm (v)	50mm (v)	LHS (v)	RHS (v)																
1 DIN L	/	/	590	997	1/R	2500		EXPRESSIONS	/	/										
2 " R	/	/	1734	1446	/	2600		FLINT	/	/										
3 KIT L	/	/	1298	1446	/				/	/										
4 " R	/	/	1300	1448	/				/	/										
5																				
6																				
7																				
8																				

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v): The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wilsnaw
 ML2 0E6
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Best suit

ROLLER BLINDS

Order Form

Date: 25-03-21
 Retailer: BAILEYS BLINDS
 Address: SPENNYMOOR
 Date Required:

Telephone:
 Email:
 Signature:
 Purchase Reference No: 345295 DARLING

Special Instructions
 ALL SONY AOKI
 UP 28 A7E MOTORS
 INTERNA- LITHIUM
 BATTERIES
 2 X TENS H PIS PURE
 CONTROLS
 1 X CHARGER +
 EXTENSION WIRE
 Page 2 of 2

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	Fabric Range	Fabric Colour	BLIND SIZE					ORDER				
									Louvre/Bentho/Eclipse	LHC / RHC	C C h o a l f n h i o s	F i n i s	Price (£)	Qty	TOTAL COST (£)			
1	1300	1150	1/R	—	—	40	MEMPHIS	ASH	—	—	—	—	—	—	—	—	—	
2	1298	1150	1/R	—	—	40												
3	1304	990	1/R	—	—	40												
4	1114	2070	1/R	—	—	40												
5	1020	2060	1/R	—	—	40												
6	1020	2060	1/R	—	—	40												
7																		
8																		

(AREND)

NOTE:

UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVRE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13030 and the use of child safety devices

Minimum distances applying to operating cords

ROLLER BLINDS

Order Form

Special Instructions
 Page 1 of 2

Date: 25-03-21
 Retailer: BAILEYS BLINDS
 Address: SPENNYMOOR
 Date Required:

Telephone:
 Email:
 Signature:
 Purchase Reference No: 345295 DALLING

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wilsnaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	Fabric Range	Fabric Colour	Levolette / Berthine / Eclipse	LHC / RHC	ORDER					
											CC	FI	PH	Price (£)	Qty	TOTAL COST (£)
1	LAND	872	990	1/A	2200	32	MEMPHIS	ASH		R	C	I			1	
2	HALL	587	1140	1/A		"				R	C	I			1	
3								(ARENA)								
4																
5																
6																
7																
8																

NOTE:

UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVRE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

Customer has been advised on (✓):

The Child Safety Regulations EN13030 and the use of child safety devices

Minimum distances applying to operating cords



ACCOUNT

SIGN OUT

[change password](#)

[PRODUCTS](#) [SERVICES](#) [BRANDS](#) [NEWS](#) [ABOUT US](#) [CONTACT US](#) [MEMBERS](#) [IMAGERY](#)

[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)

order reference: **345295**

A confirmation email has already been sent for this order.

order reference

345295

delivery address

line 10:**50mm flint expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	88.0 cm
Drop *:	114.7 cm
Installation Height *:	250 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 30:**50mm flint expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	129.7 cm
Drop *:	115.0 cm
Installation Height *:	250 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 50:**50mm flint expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	129.8 cm
Drop *:	114.6 cm
Installation Height *:	250 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord

By using our site, you consent to our use of cookies. [Click here to learn more.](#)

line 20:**50mm flint expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	58.4 cm
Drop *:	99.5 cm
Installation Height *:	250 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 40:**50mm flint expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	86.6 cm
Drop *:	114.7 cm
Installation Height *:	250 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 60:**50mm flint expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	59.0 cm
Drop *:	84.5 cm
Installation Height *:	240 cm
Controls Length:	60 cm
Cord or Tape Ladder *:	Cord

By using our site, you consent to our use of cookies. [Click here to learn more.](#)

line 70:

50mm flint expressions

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **59.2 cm**
 Drop *: **84.4 cm**
 Installation Height *: **240 cm**
 Controls Length: **60 cm**
 Cord or Tape Ladder *: **Cord**
 Raise / Lower Control Side *: **Split cm**
 Pull Type *: **None**
 Universal Extention Colour **Silver**
 *:
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No cm**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Qty: **1**

line 80:

BRANDS
50mm flint expressions

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **173.1 cm**
 Drop *: **144.6 cm**
 Installation Height *: **260 cm**
 Controls Length: **80 cm**
 Cord or Tape Ladder *: **Cord**
 Raise / Lower Control Side *: **Split cm**
 Pull Type *: **None**
 Universal Extention Colour **Silver**
 *:
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No cm**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Qty: **1**

Contact Form

Leave a message and we will be in touch

Call Arena

On 0800 389 7281
 Weekdays 8.30am - 5pm

line 90:

50mm flint expressions

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **59.0 cm**
 Drop *: **99.7 cm**
 Installation Height *: **250 cm**
 Controls Length: **70 cm**
 Cord or Tape Ladder *: **Cord**
 Raise / Lower Control Side *: **Split cm**
 Pull Type *: **None**
 Universal Extention Colour **Silver**
 *:
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No cm**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Qty: **1**

line 100:

50mm flint expressions

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **173.4 cm**
 Drop *: **144.6 cm**
 Installation Height *: **260 cm**
 Controls Length: **80 cm**
 Cord or Tape Ladder *: **Cord**
 Raise / Lower Control Side *: **Split cm**
 Pull Type *: **None**
 Universal Extention Colour **Silver**
 *:
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No cm**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Qty: **1**

© 2021 Arena Terms & Conditions Anti-Slavery Statement

line 110:

line 120:

50mm flint expressions

50mm flint expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	129.8 cm
Drop *:	144.6 cm
Installation Height *:	260 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Qty:	1

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	130.0 cm
Drop *:	144.8 cm
Installation Height *:	260 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1