

# Order For Vertical

Supplier	Rainbow
Order No.	S 345318/1 STAFFORD
Agent Name	Pam
Contact Tel.	
Date of Order	27-05-2021
Date Required	08-06-2021
Acc No.	

Invoice Details	
Name	Baileys Blinds
Address	34 High Street Spennymoor Co Durham
Postcode	DL16 6DB
Phone	0191 258 5956

Delivery Details	
Name	Baileys Blinds
Address	34 High Street Spennymoor Co Durham
Postcode	DL16 6DB
Phone	0191 258 5956

Qty	Width	Drop	Fitting Height	Product Type	Fabric	Colours
1	500 mm	1166 mm	2400 mm	127mm Slats Only discount applied A	Warwick	White
<b>Blind or Recess</b>	<b>Control Side</b>	<b>Bunch</b>	<b>System Type</b>	<b>Headrail Color</b>	<b>Fixing Brackets</b>	<b>Extras</b>
Recess	RHC	Split	System Vogue	White	Top Fix	Weight and Chained
<b>Further Instructions</b>						
5 VANES NEEDED						

# Baileys

34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk  
www.baileys-blinds.co.uk

Customer's Name STAFFORD

Address 39, WINCHESTER DANE  
BRANDON

Post Code DH7 8UG

Tel. home	
Tel. work	
mobile	<u>07702 592 334</u>
email	

DATE MEASURED/ORDERED  
31 / 03 / 21

Measured By:  
SHAUN FINNLEY

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

70- AHEAD

34531

SPECIAL INSTRUCTIONS  
CHASE RWR

Fitted By \_\_\_\_\_ DATE \_\_\_\_\_ DAY \_\_\_\_\_ AM \_\_\_\_\_ PM \_\_\_\_\_

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face
	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<u>1/R</u>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
<u>LIV</u>	<u>2324</u>	<u>1483</u>	<u>5</u>	<u>WARWICK WHITE</u>	<u>RS</u>	<u>2400</u>	<u>149</u>
<u>DIN</u>	<u>20</u> <u>VANES</u>	<u>1166</u>	<u>5</u>				<u>78</u>
	<u>(2340 S)</u>						<u>227</u>

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 227

DEPOSIT £ 114

BALANCE £ 113

PRICE ACCEPTANCE Customer's Signature  
28/4/21 AUTH CODE 025759

CASH	CHEQUE	CARD	<input checked="" type="checkbox"/>
------	--------	------	-------------------------------------

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**



## Order Form

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

Date: 29-04-21  
 Retailer: BAILEYS BLINDS  
 Address: SPAINWOOD  
 Date Required:

Telephone:  
 Email:  
 Signature:  
 Purchase Reference No: 345318 STAFFORD

Special Instructions  
 INC WHITE  
 WTS &  
 CHAINS

Window	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Face or Side Fix	CONTROLS				OPTIONS		ORDER		
									Draw	Operation	Headrail Colour	Top/Face Fix	Price (£)	Qty	TOTAL COST (£)		
1	LIV	2324	1483	1/8	2400	WARWICK	WHITE										
2																	
3	DIN	20	1166	1/8		WARWICK	WHITE										
4																	
5																	
6																	
7																	
8																	

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

Customer has been advised on (✓)  The Child Safety Regulations EN13030 and the use of child safety devices

Minimum distances applying to operating cords