

Baileys

34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956
sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

Customer's Name FISHER
Address 64, MEADOW GREEN
SPENNYMOOR
Post Code DL16 6TW

Tel. home 01388 813314
Tel. work
mobile
email

DATE
MEASURED/ORDERED
31 / 03 / 21

Measured By:
SHAUN HANLEY

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

Go AHEAD

345320

SPECIAL INSTRUCTIONS

RWR
REMEMBER
REG'D
FIX ONTO
DOORS
FULL WIDTH ON
FRONT - FIX TO
FACING 1x WOOD
BLOCK REG'D

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face
					<u>1/2</u>		<u>PVC</u>			<input checked="" type="checkbox"/>

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
CON	890	1540	X4	FRESHANG			
SIDES	930	1540	X3	PLEATED			
LT9	740	1540	X1	STRATFORD			£1714
R	600	1900	X2	OR			
				<u>OLYMPIA LEAF</u>			<u>£1483</u>
CON	890	1540	50		570	2800	
SIDES	900	1540		OR			
LT9	895	1540					
R	810	1540		EXPRESSIONS			£1275
	925	1540		CIRRUS			
	940	1540		5TD CONTROLS			
	925	1540		L-TILT			
	720	1540		R-RAISE RTN R			
	553	1920	EX	RTNS L/R			
	553	1920	EX				

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 1275

DEPOSIT £ 637.50

BALANCE £ 637.50

PRICE ACCEPTANCE Customer's Signature

CASH CHEQUE CARD

**ALL BLINDS TO
BE PAID FOR
AT TIME OF
FITTING**

BBSA
BRITISH BLIND & SHUTTER ASSOCIATION

Rainbow Blinds



WOOD VENETIAN BLINDS

Rainbow Blinds & Interiors

61 Canyon Road

Excelcior Park

Wistaw

ML2 OEG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

Order Form

Special Instructions

Date: 06-04-21

Retailer: BAILEYS

Address: S' MOOR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 345320 FISHER

Page 1 of 2

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				PELMET	ORDER	
	25mm (v)	35mm (v)	50mm (v)							STD (v)	LHS (v)	RHS (v)	BOX (v)		Width (mm)	Return (mm)
1 CON	/	/	/	890	1540	1/R	2800		EXPRESSIONS	/	/	/			1	
2 SIDES	/	/	/	900	1540				CIRCUS	/	/	/			1	
3 LTO	/	/	/	895	1540					/	/	/			1	
4 R	/	/	/	810	1540					/	/	/			1	
5	/	/	/	925	1540					/	/	/			1	
6	/	/	/	940	1540					/	/	/			1	
7	/	/	/	925	1540					/	/	/			1	
8	/	/	/	720	1540					/	/	/			1	

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

Blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

The Child Safety Regulations advise and the use of child safety devices

Minimum distances applying to operating cords

Rainbow Blinds - 61 Canyon Road, Excelcior Park, Wistaw, ML2 OEG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

WOOD VENETIAN BLINDS

Order Form

Date: 06-04-21

Retailer: BAILEYS

Address: S' Moor

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 345320 FISHER

Special Instructions:

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				BRACKETS	PELMET	ORDER	TOTAL COST (£)
	25mm (✓)	35mm (✓)	50mm (✓)							STD (✓)	LHS (✓)	RHS (✓)	BOX (✓)				
1				553	1920	EX	2800		Slats Range and Colour								
2				553	1920	EX	"		EXPRESSIONS								
3									CIRROS								
4																	
5																	
6																	
7																	
8																	

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

If Blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13030 and the use of child safety devices

Minimum distances applying to operating cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wishaw, ML2 0EG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com



7/24/21
SPOKE TO
JILL

ACCOUNT

SIGN OUT

change password

PRODUCTS SERVICES BRANDS NEWS ABOUT US CONTACT US MEMBERS IMAGERY

HOME ► MEMBER HOME ► PLACE AN ORDER ► ORDER SUMMARY

ORDER
CONFIRMED

order reference: **345320**

Your order has been placed but we were unable to send your confirmation email.

order reference

345320

delivery address

Bcileys Blinds, DL166DB

line items

line 10:**50mm cirrus expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	89.0 cm
Drop *:	154.0 cm
Installation Height *:	280.0 cm
Controls Length:	100 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 30:**50mm cirrus expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	89.5 cm
Drop *:	154.0 cm
Installation Height *:	280.0 cm
Controls Length:	100 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 50:**50mm cirrus expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	92.5 cm
Drop *:	154.0 cm
Installation Height *:	280.0 cm
Controls Length:	100 cm
Cord or Tape Ladder *:	Cord

line 20:**50mm cirrus expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	90.0 cm
Drop *:	154.0 cm
Installation Height *:	280.0 cm
Controls Length:	100 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 40:**50mm cirrus expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	81.0 cm
Drop *:	154.0 cm
Installation Height *:	280.0 cm
Controls Length:	100 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 60:**50mm cirrus expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	94.0 cm
Drop *:	154.0 cm
Installation Height *:	280.0 cm
Controls Length:	100 cm
Cord or Tape Ladder *:	Cord

By using our site, you consent to our use of cookies. [Click here to learn more.](#)

line 70:

50mm cirrus expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	92.5 cm
Drop *:	154.0 cm
Installation Height *:	280.0 cm
Controls Length:	100 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

Contact Form

Leave a message and we will be in touch.

Call Arena

On 0800 389 7281

Weekdays 8.30am - 5pm

line 80:

BRANDS 50mm cirrus expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	172.0 cm
Drop *:	154.0 cm
Installation Height *:	280.0 cm
Controls Length:	100 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Manufacturers Notes:	Valance to have RH return only
Qty:	1

line 90: © 2021 Arena Terms & Conditions Anti-Slavery Statement

50mm cirrus expressions

Exact or Recess *:	Exact
Units of Measurement *:	cm
Width *:	55.3 cm
Drop *:	192.0 cm
Installation Height *:	280.0 cm
Controls Length:	100 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

50mm cirrus expressions

Exact or Recess *:	Exact
Units of Measurement *:	cm
Width *:	55.3 cm
Drop *:	192.0 cm
Installation Height *:	280.0 cm
Controls Length:	100 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

version :