

Baileys

34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB
TEL: 01388 813267 or 0191 258 5956
sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

9/1 ahead.

DATE MEASURED/ORDERED

26/04/21

Measured By:

SHAUN HANLIT

345630

SPECIAL INSTRUCTIONS

CALLING WITH DEPOSIT RWR

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Customer's Name YATES
Address 43 ETHERLEY GRANGE
BISHOP AUCKLAND
Post Code DL14 052

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

Tel. home	
Tel. work	
mobile	07977 126 846
email	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face
					1/R					

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
BACH	465	1162	50	EXPRESSIONS RTN L	STD	2500	58
BED	385	1162		SNOW			58
BAY	2075	1162		NO TAPES			200
L TO	380	1162					58
R	470	1162		RTNR			58
BACH	480	1167	50	RTN L	STD	2500	58
BED	385	1167					58
BAY	2075	1167					200
R	380	1167					58
	470	1167		RTNR			58
STOOD	2.2m			BAILEYS WHITE METAL CTN TRACH			45
							£ 909

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE	£ 909.00
DEPOSIT	£ 454.50
BALANCE	£ 454.50

PRICE ACCEPTANCE Customer's Signature

28/4/21. AUM:- 442003

CASH	CHEQUE	CARD	<input checked="" type="checkbox"/>
------	--------	------	-------------------------------------

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING



Rainbow Blinds

WOOD VENETIAN BLINDS

Order Form

Special Instructions

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wisnaw
 ML2 0EG
 T: 01698 331 888
 F: 01698 331 999
 sales@rainbow-blinds.com

Date: 29-04-21
 Retailer: BAILEYS BLINDS
 Address: SPENNYMOOR
 Date Required:

Telephone:
 Email:
 Signature:
 Purchase Reference No: 345630 YATES

Pg 1 of 2

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				PELMET	ORDER	
	25mm (v)	35mm (v)	50mm (v)							STD (v)	LHS (v)	RHS (v)	BOX (v)		Width (mm)	Return (mm)
1 B'gas				465	1162	1/2	2500		EXPANSIONS				L		1	
2 B'AT				385	1162				SNOW						1	
3 L'70				2075	1162										1	
4 A				380	1162										1	
5				470	1162								R		1	
6																
7																
8																

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS NECESS

Blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v)

The Child Safety Regulations restrict and the use of child safety devices
 Minimum distances applying to operating cords

Rainbow Blinds

WOOD VENETIAN BLINDS

Order Form

Rainbow Blinds & Interiors
61 Canyon Road
Excelsior Park
Wishaw
ML2 0EG
T: 01698 351 888
F: 01698 351 999
sales@rainbow-blinds.com

Wishaw
ML2 0EG
T: 01698 351 888
F: 01698 351 999
sales@rainbow-blinds.com

Wishaw
ML2 0EG
T: 01698 351 888
F: 01698 351 999
sales@rainbow-blinds.com

Date: 29-04-21

Retailer: BAILEYS BLINDS

Address: SPENNYMOOR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 34563074755

Special Instructions: Pg 2 of 2

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				PELNET	ORDER	
	25mm (✓)	35mm (✓)	50mm (✓)							STD (✓)	LHS (✓)	RHS (✓)	BOX (✓)		Width (mm)	Return (mm)
1 B' Bed				480	1167	1/R	2500		EXPRESSIONS				L		1	-
2 B07				385	1167				SNOW						1	-
3				2075	1167										1	-
4				380	1167										1	-
5				470	1167								R		1	-
6															1	-
7															1	-
8															1	-

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13202 and the use of child safety devices

Minimum distances applying to operating cords



ACCOUNT

SIGN OUT

[change password](#)

[PRODUCTS](#) [SERVICES](#) [BRANDS](#) [NEWS](#) [ABOUT US](#) [CONTACT US](#) [MEMBERS](#) [IMAGERY](#)

[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)

order reference: **345630**

We have sent a confirmation email to accounts@baileys-blinds.co.uk.

order reference

345630

delivery address

Baileys Blinds Ltd, DL166DB

line items

BRANDS

AQUARIUS

Contact Form

Leave a message and we will be in touch

Call Arena

On 0800 389 7281

Weekdays 8.30am - 5pm

line 10:

50mm snow expressions standard express same day

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	46.5 cm
Drop *:	116.2 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Manufacturers Notes:	Valance to have LH return only
Location (this will appear on label):	BED BAY
Qty:	1

line 20:

50mm snow expressions standard express same day

version :

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	38.5 cm
Drop *:	116.2 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	BED BAY
Qty:	1

line 30:

50mm snow expressions standard express same day

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	207.5 cm
Drop *:	116.2 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	BED BAY
Qty:	1

line 40:

50mm snow expressions standard express same day

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	38.0 cm
Drop *:	116.2 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	BED BAY
Qty:	1

line 50:

**50mm snow
expressions
standard express
same day**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	47.0 cm
Drop *:	116.2 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Manufacturers Notes:	Valance to have RH return only
Location (this will appear on label):	BED BAY
Qty:	1

line 70:

**50mm snow
expressions
standard express
same day**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	38.5 cm
Drop *:	116.7 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	BK BAY BE
Qty:	1

<https://www.arena-blinds.com/member-home/place-an-order/order..>

line 60:

**50mm snow
expressions
standard express
same day**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	48.0 cm
Drop *:	116.7 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Manufacturers Notes:	Valance to have LH return only
Location (this will appear on label):	BK BAY BE
Qty:	1

line 80:

**50mm snow
expressions
standard express
same day**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	207.5 cm
Drop *:	116.7 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	BK BAY BE
Qty:	1

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)

line 90:

**50mm snow
expressions
standard express
same day**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	38.0 cm
Drop *:	116.7 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	BK BAY BE
Qty:	1

**50mm snow
expressions
standard express
same day**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	47.0 cm
Drop *:	116.7 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Manufacturers Notes:	Valance to have RH return only
Location (this will appear on label):	BK BAY BE
Qty:	1