



34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk

www.baileys-blinds.co.uk

Customer's Name LEONARD

Address 4, CARR LANE

KIRK LEVINGTON

YOAM Post Code TS15 9YE

Tel. home	
Tel. work	
mobile	<u>07795 664 233</u>
email	

DATE MEASURED/ORDERED
06/05/21

Measured By:
STANUN HANLEY

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

Go AHEAD

345681

SPECIAL INSTRUCTIONS

~~SHADE~~ RWR

2 MAN FIT

EST SIZES

~~ORIT~~

FIT WITH

ORDER 345729

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
B1-	520	1870	x5	INTO VEN			
FOLD				<u>0150 (A)</u>			<u>860</u>
DOORS	735			<u>0159/0292 (B)</u>		OR	<u>945</u>
OR/	7320	2070		<u>SOFT R/L ROLLER</u>			
	<u>1430</u>	2070		<u>BLINDS</u>		ROLLERS	<u>1047</u>
	<u>1410</u>	2070		<u>ACACIA</u>			
				<u>SILVER</u>			
				<u>IN WHITE 70mm CASSETTE</u>			
LIV	330	490	x2	INTO VEN			<u>752</u>
	<u>430</u>	<u>1270</u>	<u>x2</u>	<u>0150 (A)</u>			OR
	<u>390</u>	<u>1790</u>	<u>x2</u>	<u>0159 (B) 0292 (B)</u>			<u>830</u>
OR/							
	<u>1200</u>	2070	<u>1/2</u>	<u>ROLLER BLINDS</u>			<u>314</u>
	1200	2070	<u>1/2</u>	<u>ACACIA SILVER</u>		R/L	677
	<u>1195</u>			<u>IN WHITE 70mm</u>			
				<u>CASSETTE</u>			

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.


TOTAL PRICE	£ <u>1361</u>
DEPOSIT	£ <u>680.50</u>
BALANCE	£ <u>680.50</u>

PRICE ACCEPTANCE Customer's Signature

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING

CASH	CHEQUE	CARD	<input checked="" type="checkbox"/>
------	--------	------	-------------------------------------





Rainbow Blinds

Rainbow Blinds & Interiors

61 Canyon Road
Excelsior Park

Wishaw

ML2 OEG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

ROLLER BLINDS

Order Form

Date:	13-05-21	Telephone:	
Retailer:	BALLEYS BLINDS	Email:	
Address:	5 Moor	Signature:	
Date Required:		Purchase Reference No:	345681 LEONARD

Special instructions
 - BLINDS 1-3 COMET
 - RTS 25 INTERNAL
 - LITHIUM RECOGNISABLE
 - BATTERY OP
 - 1X TELUS 4 PAGE CONTRAL
 - 1X CHORDS 2.4m EXT
 - BLINDS 4x5 CONTINUOUS
 - CHROME 5 WINDERS
 - BLINDS 1-3 IN 70mm WHITE
 - OPEN CONSISTE 2588 1/2 TOP PIX
 - BLINDS 4x5 IN 70mm WHITE OPEN
 - CONSISTE 2588 1/2 TOP PIX

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	Fabric Range	Fabric Colour	Louvres		Price (£)	Qty	TOTAL COST (£)
									LHC	Bentlin / RHC			
1	735	2070	1/0	✓		40	ACACIA	SILVER	1	1	1		
2	1430	2070	1	✓					1	1	1		
3	1410	2070	1						1	1	1		
4													
5													
6	1200	2070	1/2		650	32	ACACIA	SILVER	1	1	1		
7	1195	2070	1/2		650	32			1	1	1		
8													

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVRE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords