

BD No

ESPATCH DATE:


Blinds

By Design

FORMING DIVISION

ORDER FORM FOR CURVED HEADRAILS

Name Address:	STOREY	Date:	8-6-21
Telephone:	3 47998	Fax:	



ITEM	INFORMATION REQUIRED	PLEASE FILL IN
A	QUANTITY REQUIRED	
B	DIMENSION A	2650
C	DIMENSION B	630
D	LOUVRE WIDTH 127MM OR 89MM	89
E	DRAW TYPE SPLIT OR O/W	SP
F	CONTROLS LH OR RH	L+R
G	COLOUR SILVER/WHITE	WHITE
H	CORD DROP	1908
J	SYSTEM	LOUVOLITE
K	FIXINGS/HANGERS/CORD WEIGHT IF REQ (THESE ARE NOT SUPPLIED UNLESS REQUESTED)	

ITEMS A-H MUST BE COMPLETED BY CUSTOMER FOR MANUFACTURE

FAX YOUR ORDER THROUGH TO US ON 0845 130 9867

Showroom
 131 Chestergate
 Macclesfield
 Cheshire SK11 6DS
 Tel: 01625 619660
 Fax: 01625 619661

Head Office & Factory
 94 Wagg Street
 Congleton
 Cheshire CW12 4BA
 Tel: 01260 299866/0845 130 9866
 Fax: 01260 290099/0845 130 9867

Showroom
 48 Park Lane
 Payton
 Cheshire SK12 1RE
 Tel: 01625 836538

Blinds By Design Partners: Jim Stanfield, Maurice Nahmad. www.blindsbydesignuk.com

contracts.bbd@btconnect.com forming.bbd@btconnect.com

VERTICAL BLINDS

Order Form

Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wileman
 NZL2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Date	8-6-21	Telephone:	
Retailer:	STORE	Email:	
Address		Signature:	
Date Required	G	Purchase Reference No:	34-7998

Special Instructions

Window	Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	Control Guard Face or Side Fit	CONTROLS				OPTIONS		ORDER				
									Draw	Operation		Headrail Colour	Top/Face Fit	Slat Size 89mm or 127mm	Wand and Chained	Weight			
									RHS (v)	LHS (v)	SPUR (v)	RHS (v)	LHS (v)						
1	3280	1908	R			FLORENCE	WHITE												
2																			
3																			
4																			
5																			
6																			
7																			
8																			

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v): The Child Safety Regulations Enforce the use of child safety device

Minimum distances applying to operating cords