



34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB  
TEL: 01388 813267 or 0191 258 5956  
sales@baileys-blinds.co.uk  
www.baileys-blinds.co.uk

DATE MEASURED/ORDERED  
16 6 121

Measured By:  
PS

348037

SPECIAL INSTRUCTIONS

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Customer's Name URWIN  
Address 52 CRESSWELL RD  
WALSLEY  
NE28 8QE Post Code

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	✓ 1+4RF
VERTICALS	
VISION	
WOODEN	✓ 6

Tel. home	2633216
Tel. work	
mobile	
email	

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price	
D/ROOM	T	528	507	25	0150	L	24	95
CTF	B	529	1078	25	0150	L	24	130
CTR	272X	1773	50	0150	ST	2500	239	
	T	543	507	25	0150	R	24	95
	B	542	1072	25	0150	R	24	130
	LIF	650	1807	50	PURE WHITE	R	3000	100
R/R	CTR	1780	1807	50	"	ST	3000	280
	RIF	650	1807	50	"	L R-R	3000	100
	MEBA	1760	1447	50	"	ST	2700	280
	BBR	910	1450	50	"	ST	2700	130
		604	1055	50	"	ST	2500	70

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 1,649

DEPOSIT £ 800

BALANCE £ 849

PRICE ACCEPTANCE Customer's Signature

.....

CASH	CHEQUE	CARD	✓
------	--------	------	---

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING



# Rainbow Blinds

# PERFECT FIT BLINDS

## Order Form

**Rainbow Blinds & Interiors**  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T: 01698 351 888  
 F: 01698 351 999  
 sales@rainbow-blinds.com

Date: 16.6.21  
 Retailer: WRMW  
 Address: G  
 Date Required:

Telephone:  
 Email:  
 Signature:  
 Purchase Reference No: 348037

Special Instructions

Window	Width (mm)	Drop (mm)	FRAME Colour	FABRIC/SLAT RANGE & COLOUR	SLAT WIDTH		BRACKET		CONTROLS				ROLLER		Price (£)	Qty	TOTAL COST (£)
					16mm (✓)	25mm (✓)	18/20mm (✓)	24/30mm (✓)	STD	LH	RH	REV	Tensord	YES			
1	528	507	W	0150													
2	529	1078	✓					24									
3	543	507	✓														
4	542	1072	✓														
5																	
6																	
7																	
8																	

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device  
 Venetian blinds will be tensioned unless stated otherwise.

Customer has been advised on (✓):  
 The Child Safety Regulations EN13030 and the use of child safety devices  
 Minimum distances applying to operating cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wishaw, ML2 0EG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com

# VENETIAN BLINDS

## Rainbow Blinds

### Order Form

Special Instructions

Date:	16.6.21	Telephone:	
Retailer:	URUINS	Email:	
Address:	G	Signature:	
Date Required:		Purchase Reference No:	348037

ML2 OEG  
 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

T.

Window	Slat Width				Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				ORDER	
	16mm (✓)	25mm (✓)	35mm (✓)	50mm (✓)							STD (✓)	REV (✓)	RHS (✓)	LHS (✓)	Price (£)	Qty
1				✓	2128	1773	R	2500		0150	✓					
2																
3																
4																
5																
6																
7																
8																

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (a)  The Child Safety Regulations Eniguro and the use of child safety devices  Minimum distances applying to operating cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, WISHAW, ML2 OEG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com

# Rainbow Blinds

# (WOOD) VENETIAN BLINDS

Rainbow Blinds & Interiors  
61 Canyon Road  
Encelador Park  
Wickham  
MIL2 0BC

T. 01698 331 898  
F. 01698 331 999  
sales@rainbow-blinds.com

## Order Form

Special Instructions

Date: 16.6.21

Receiver: URMW

Address: G

Date Required:

Telephone:

Branch:

Signature:

Purchase Reference No: 348037

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Eject	Child Safety Inspection Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				PEELNET		ORDER	
	25mm (v)	35mm (v)	50mm (v)							STD (v)	LAS (v)	RHS (v)	BOX (v)	Width (mm)	Radius (mm)	Price (£)	Qty
1																	
2			✓	650	1807	MAX	3000		Pure white								
3			✓	1780	1807	MAX											
4			✓	650	1807	MAX											
5				1760	1447	R	2700										
6				910	1450	MAX	2700										
7				604	1057	R	2500										
8																	

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved child safety device

Customer has been advised on (v)

The Child Safety Regulations apply and the use of child safety devices

Additional measures apply to equality code

Rainbow Blinds - 61 Canyon Road, Encelador Park, Wickham, MIL2 0BC T: 01698 331 898 - F: 01698 331 999 - E: sales@rainbow-blinds.com

Issue June 2015

order reference: **348037**

We have sent a confirmation email to [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk).

### **order reference**

348037

### **delivery address**

Baileys Blinds, ML20EG

### **line items**

## line 10:

**50mm pure white  
sherwood**

Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>65.0 cm</b>
Drop *:	<b>180.7 cm</b>
Installation Height *:	<b>300.0 cm</b>
Controls Length:	<b>120 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Left cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Swivel Brackets *:	<b>No</b>
Valance Type *:	<b>Standard</b>
Manufacturers Notes:	<b>Valance to have LH return only</b>
Location (this will appear on label):	<b>BAY</b>
Qty:	<b>1</b>

## line 30:

**50mm pure white  
sherwood**

Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>65.0 cm</b>
Drop *:	<b>180.7 cm</b>
Installation Height *:	<b>300.0 cm</b>
Controls Length:	<b>120 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Right cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Swivel Brackets *:	<b>No</b>
Valance Type *:	<b>Standard</b>
Manufacturers Notes:	<b>Valance to have RH return only</b>
Location (this will appear on label):	<b>BAY</b>
Qty:	<b>1</b>

## line 50:

**50mm pure white  
sherwood**By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)

## line 20:

**50mm pure white  
sherwood**

Exact or Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>178.0 cm</b>
Drop *:	<b>180.7 cm</b>
Installation Height *:	<b>300.0 cm</b>
Controls Length:	<b>120 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Swivel Brackets *:	<b>No</b>
Valance Type *:	<b>Standard</b>
Location (this will appear on label):	<b>BAY</b>
Qty:	<b>1</b>

## line 40:

**50mm pure white  
sherwood**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>176.0 cm</b>
Drop *:	<b>144.7 cm</b>
Installation Height *:	<b>270.0 cm</b>
Controls Length:	<b>120 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Swivel Brackets *:	<b>No</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 60:

**50mm pure white  
sherwood**

Exact of Recess *:	<b>Exact</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>91.0 cm</b>
Drop *:	<b>145.0 cm</b>
Installation Height *:	<b>270.0 cm</b>
Controls Length:	<b>120 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Swivel Brackets *:	<b>No</b>
Valance Type *:	<b>Non-Standard</b>
Non-Standard Valance Length:	<b>97.5 cm</b>
Valance Returns Required *:	<b>Yes</b>
Qty:	<b>1</b>

Exact of Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>60.4 cm</b>
Drop *:	<b>105.5 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>120 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Swivel Brackets *:	<b>No</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

**BRANDS**

AQUARIUS

**Contact Form**

Leave a message and we will be in touch

**Call Arena**

On 0800 389 7281

Weekdays 8.30am - 5pm

© 2021 Arena Terms & Conditions Anti-Slavery Statement

version :