



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

WOOD VENETIAN BLINDS

Order Form

Date:	23-06-21
Retailer:	B AILEYS
Address:	SPENNYMOOR
Date Required:	
Telephone:	
Email:	
Signature:	
Purchase Reference No:	345922 DENHAM

Special Instructions

Page 1 of 3

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				BRACKETS		PELMET		ORDER			
	25mm (✓)	35mm (✓)	50mm (✓)							Operation				LHS (✓)	RHS (✓)	BOX (✓)	Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)
										STD (✓)	LHS (✓)	RHS (✓)	BOX (✓)								
1 DIN	✓	✓	✓	1738	2046	1/R	2600		EXPRESSIONS	✓	✓	✓	✓			1763			1		
2 SITTING	✓	✓	✓	905	1460				CHIFFON	✓	✓	✓	✓						1		
3 ROOM	✓	✓	✓	890	1468					✓	✓	✓	✓						1		
4 LTO	✓	✓	✓	897	1451					✓	✓	✓	✓						1		
5 R	✓	✓	✓	1315	2042					✓	✓	✓	✓			1320			1		
6 "	✓	✓	✓	1315	2042					✓	✓	✓	✓			1320			1		
7 HALL	✓	✓	✓	893	1450					✓	✓	✓	✓						1		
8 PORCH	✓	✓	✓	605	1150					✓	✓	✓	✓						1		

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

WOOD VENETIAN BLINDS

Order Form

Date:	23-06-21
Retailer:	BAILEYS
Address:	SPENNYMOOR
Date Required:	
Telephone:	
Email:	
Signature:	
Purchase Reference No:	345922 DENHAM
Special Instructions:	Page 2 of 3

Window	Slat Width			Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				BRACKETS		PELMET		TOTAL COST (£)
	35mm (✓)	50mm (✓)	50mm (✓)							Operation			BOX (✓)	Width (mm)	Return (mm)	Price (£)	Qty	
										STD (✓)	LHS (✓)	RHS (✓)						
1 POSEY			✓	620	1148	1/R	2600		EXPRESSIONS	/								
2 LIV			✓	892	1457				CHIFFON	/								
3 MASTER			✓	872	1002					/								
4 BED			✓	869	998					/								
5 LTO			✓	592	996					/								
6 R			✓	609	1010					/								
7 ENCLITE			✓	572	983					/								
8 BATH			✓	840	976					/								

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

WOOD VENETIAN BLINDS

Order Form

Date:	
Retailer:	B AILEY'S
Address:	SPENNYMOOR
Date Required:	
Telephone:	
Email:	
Signature:	
Purchase Reference No:	

Special Instructions

Page 3 of 3

Window	SLAT WIDTH				Width (mm)	Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET		TOTAL COST (£)	
	35mm (✓)		50mm (✓)								Operation			Width (mm)	Return (mm)	Price (£)	Qty		
	35mm (✓)	50mm (✓)	STD (✓)	LHS (✓)							RHS (✓)	BOX (✓)							
1 BED 2					875	992	1/R	2600		EXPRESSIONS	/								
2 "					876	998				CHIPFAN	/								
3 BED 3					872	1008					/								
4 "					875	1011					/								
5 BED 4					595	1008					/								
6																			
7																			
8																			

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords

[ACCOUNT](#)[SIGN OUT](#)[change password](#)[PRODUCTS](#)[SERVICES](#)[BRANDS](#)[NEWS](#)[ABOUT US](#)[CONTACT US](#)[MEMBERS](#)[IMAGERY](#)[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)order reference: **345922**We have sent a confirmation email to accounts@baileys-blinds.co.uk.

order reference

345922

delivery address

Baileys Blinds Ltd, DL166DB

line items

line 10:

50mm chiffon expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	173.8 cm
Drop *:	204.6 cm
Installation Height *:	260.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Non-Standard
Non-Standard Valance Length:	176.3 cm
Valance Returns Required *:	Yes
Location (this will appear on label):	DINING
Qty:	1

line 20:

50mm chiffon expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	90.5 cm
Drop *:	146.0 cm
Installation Height *:	260.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	SIT1
Qty:	1

line 30:

50mm chiffon expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	89.0 cm
Drop *:	146.8 cm
Installation Height *:	260.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	SIT2
Qty:	1

line 50:

50mm chiffon expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	131.5 cm
Drop *:	204.2 cm
Installation Height *:	260.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Non-Standard
Non-Standard Valance Length:	132.0 cm
Valance Returns Required *:	Yes
Location (this will appear on label):	SIT4
Qty:	1

line 70:

line 40:

50mm chiffon expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	89.7 cm
Drop *:	145.1 cm
Installation Height *:	260.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	SIT3
Qty:	1

line 60:

50mm chiffon expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	131.5 cm
Drop *:	204.2 cm
Installation Height *:	260.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Non-Standard
Non-Standard Valance Length:	132.0 cm
Valance Returns Required *:	Yes
Location (this will appear on label):	SIT5
Qty:	1

line 80:

50mm chiffon expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	89.3 cm
Drop *:	145.0 cm
Installation Height *:	260.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	HALL
Qty:	1

line 90:

50mm chiffon expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	62.0 cm
Drop *:	114.8 cm
Installation Height *:	260.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	PORCH
Qty:	1

line 110:

50mm chiffon expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	87.2 cm
Drop *:	100.2 cm
Installation Height *:	260.0 cm

50mm chiffon expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	60.5 cm
Drop *:	115.0 cm
Installation Height *:	260.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	PORCH
Qty:	1

line 100:

50mm chiffon expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	89.2 cm
Drop *:	145.7 cm
Installation Height *:	260.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	LIV
Qty:	1

line 120:

50mm chiffon expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	86.9 cm
Drop *:	99.8 cm
Installation Height *:	260.0 cm

Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	MB1
Qty:	1

line 130:

50mm chiffon expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	59.2 cm
Drop *:	99.6 cm
Installation Height *:	260.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	MB3
Qty:	1

line 150:

50mm chiffon expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	57.2 cm
Drop *:	98.3 cm
Installation Height *:	260.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No

Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	MB2
Qty:	1

line 140:

50mm chiffon expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	60.9 cm
Drop *:	101.0 cm
Installation Height *:	260.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	MB4
Qty:	1

line 160:

50mm chiffon expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	84.0 cm
Drop *:	97.6 cm
Installation Height *:	260.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No

Side Fix Brackets *: **No cm**
Is Valance Required *: **Yes**
Valance Type *: **Standard**
Location (this will appear on label): **ENSUITE**
Qty: **1**

Side Fix Brackets *: **No cm**
Is Valance Required *: **Yes**
Valance Type *: **Standard**
Location (this will appear on label): **BATH**
Qty: **1**

line 170:

50mm chiffon expressions

Exact or Recess *: **Recess**
Units of Measurement *: **cm**
Width *: **87.5 cm**
Drop *: **99.2 cm**
Installation Height *: **260.0 cm**
Controls Length: **80 cm**
Cord or Tape Ladder *: **Cord**
Raise / Lower Control Side *: **Split cm**
Pull Type *: **None**
Universal Extention Colour *: **Silver**
Hold Down Brackets *: **No**
Side Fix Brackets *: **No cm**
Is Valance Required *: **Yes**
Valance Type *: **Standard**
Location (this will appear on label): **BED2**
Qty: **1**

line 180:

50mm chiffon expressions

Exact or Recess *: **Recess**
Units of Measurement *: **cm**
Width *: **87.6 cm**
Drop *: **99.8 cm**
Installation Height *: **260.0 cm**
Controls Length: **80 cm**
Cord or Tape Ladder *: **Cord**
Raise / Lower Control Side *: **Split cm**
Pull Type *: **None**
Universal Extention Colour *: **Silver**
Hold Down Brackets *: **No**
Side Fix Brackets *: **No cm**
Is Valance Required *: **Yes**
Valance Type *: **Standard**
Location (this will appear on label): **BED2**
Qty: **1**

line 190:

50mm chiffon expressions

Exact or Recess *: **Recess**
Units of Measurement *: **cm**
Width *: **87.2 cm**
Drop *: **100.8 cm**
Installation Height *: **260.0 cm**
Controls Length: **80 cm**
Cord or Tape Ladder *: **Cord**
Raise / Lower Control Side *: **Split cm**
Pull Type *: **None**
Universal Extention Colour *: **Silver**
Hold Down Brackets *: **No**
Side Fix Brackets *: **No cm**
Is Valance Required *: **Yes**
Valance Type *: **Standard**
Location (this will appear on label): **BED3**
Qty: **1**

line 200:

50mm chiffon expressions

Exact or Recess *: **Recess**
Units of Measurement *: **cm**
Width *: **87.5 cm**
Drop *: **101.1 cm**
Installation Height *: **260.0 cm**
Controls Length: **80 cm**
Cord or Tape Ladder *: **Cord**
Raise / Lower Control Side *: **Split cm**
Pull Type *: **None**
Universal Extention Colour *: **Silver**
Hold Down Brackets *: **No**
Side Fix Brackets *: **No cm**
Is Valance Required *: **Yes**
Valance Type *: **Standard**
Location (this will appear on label): **BED3**
Qty: **1**

line 210:

50mm chiffon expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	59.5 cm
Drop *:	100.8 cm
Installation Height *:	260.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	Silver
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	BED4
Qty:	1

BRANDS

AQUARIUS

Contact Form

Leave a message and we will be in touch

Call Arena

On 0800 389 7281

Weekdays 8.30am - 5pm