

Baileys

34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk

www.baileys-blinds.co.uk

Customer's Name **JONES**

Address **129, BIRCH WAY**

NEWTON ATCLIFFE

Post Code **DL5 7BH**

Tel. home	
Tel. work	
mobile	07706 032 025
email	

DATE MEASURED/ORDERED

02/07/21

Measured By:

STUART HANLEY

SPECIAL INSTRUCTIONS

Email Q

*loopy10288_3
@hotmail.com*

345974

P/COUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	3x INTU
VERTICALS	6x P'FIT
VISION	
WOODEN	X 5

Fitted By

DATE

DAY

AM

PM

rail type & colour			white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets	
alum	white	brown			1/2			<input checked="" type="checkbox"/>	top	face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price	P'FIT
							WOOD	INTU
FRONT BED L	1773	1135		SEE EXP		2500	261	390
-- R	1770	1140		5x WOOD VEN - COOL			261	390
B' BED L	1094	1135		OR WHITE BEDS			175	260
-- R	1094	1140		P'FIT VEN			175	290
STUDY	640	1137					112	130
KIT	1098	990		7x P'FIT		2600	175	200
				0150 (A)				
LIV	1770	1290		EXP STRIPS		2600	242	
				3 x INTU				
				0150 (A) LIV				
CLOAK	415	990				2500	80	130
BATH	418	985					80	130
ENSUITE	530	986					80	130
				P'FIT VEN - WHITE				
PATIO L	631	1732	25	FRAME - TENSIONED	L			180
-- R	631	1737	25	24mm BKT	R			180

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE

£ **1700**

PRICE ACCEPTANCE Customer's Signature

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING

BBSA
BRITISH BLIND & SHUTTER ASSOCIATION

DEPOSIT

£ **700**

BALANCE

£ **1000**

CASH

CHEQUE

CARD

Registered No.: 02814869



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

PERFECT FIT BLINDS

Order Form

Date: 16-07-21

Retailer: BAILEYS BLINDS

Address: SPENNYMOOR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 345974 JONES

Special Instructions: SUP17
 H x SMALL
 WHITE HANDLE
 RAISERS

PLEATED

VENETIAN

ROLLER

GLASS SIZE				BLIND				CONTROLS						ORDER		
Window	Width (mm)	Drop (mm)	FRAME Colour	FABRIC/SLAT RANGE & COLOUR	SLAT WIDTH		BRACKET	VENETIAN Controls			ROLLER Cover Weight Bar		Price (£)	Qty	TOTAL COST (£)	
					16mm (v)	25mm (v)		18/20mm (v)	24/30mm (v)	STD	LH	RH				REV
1	ENSUITE	347	781	WHITE	OISO (A)	/	/	SUP17	/	/	/	/	/	/	/	
2	BATH	235	780			/	/	20x24	/	/	/	/	/	/	/	
3	PANOR	631	1737			/	/	8423	/	/	/	/	/	/	/	
4	" R	631	1739			/	/		/	/	/	/	/	/	/	
5	KIL	409	780			/	/		/	/	/	/	/	/	/	
6	R	436	873			/	/		/	/	/	/	/	/	/	
7	CLOTH	235	782			/	/		/	/	/	/	/	/	/	
8																


All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (v):

The Child Safety Regulations EN13200 and the use of child safety devices

Venetian blinds will be tensioned unless stated otherwise.

Minimum distances applying to operating cords



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

INTU VENETIAN BLINDS

Order Form

Date: 16-07-21

Retailer: BAILEYS

Address: S'MOOR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 345974 JONES

Special Instructions:

Window	BLIND SIZE		WINDOW PROFILE				BEAD DEPTH				SLAT SIZE		BLIND				CONTROLS				ORDER	
	Width (mm)	Drop (mm)	A	B	C	D	11mm: 12mm 13mm: 14mm 15mm: 16mm 17mm: 18mm	16mm (✓)	25mm (✓)	Slat & Colour Reference	White (✓)	Silver (✓)	Brown (✓)	No Rod (✓)	0.3m Rod (✓)	0.6m Rod (✓)	Yes (✓)	No (✓)	Price (£)	Qty	TOTAL COST (£)	
1	LN L 408	1080			✓			✓	✓	01501A	✓		✓			✓				1		
2	S M 544	1172			✓			✓	✓	ff	✓		✓			✓				1		
3	S R 407	1080			✓			✓	✓		✓		✓			✓				1		
4																						
5																						
6																						
7																						
8																						

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

WOOD VENETIAN BLINDS

Order Form

Date: 16-07-21

Telephone:

Retailer: BAILEYS

Email:

Address: S' MOOR

Signature:

Special Instructions:

Purchase Reference No: 345974 JONES

Window	SLAT WIDTH				Drop (mm)	Recess on Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS		PELMET	ORDER				
	25mm (✓)	35mm (✓)	50mm (✓)	Operation						LHS (✓)	RHS (✓)	BOX (✓)	Width (mm)	Return (min)		Price (£)	Qty	TOTAL COST (£)		
				STD (✓)															LHS (✓)	RHS (✓)
1																				
2				✓	1137	1/R	2500		EXPRESSIONS											
3				✓	1142				COOL											
4				✓	1137				WHITE											
5				✓	1140															
6				✓	1142															
7																				
8																				

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

Blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13520 and the use of child safety devices

Minimum distances applying to operating cords

Sales Callout Sheet

File Name
 Name / Company Quote No.
 Department Order No.
 Floor Sales Person
 Road Name Day to Cell
 Plate Time to Call
 Post Town Time Called
 Post Code Address Verified Yes/No
 Source Action Req'd
 Were did you get your name Measure Data
 Sales By 21700

Comments	ALL TYPES										VERTICAL		ROLLERS			VEN		Special		Price		
	Type	Material Code	Width	Drop	Rad	Cont.	Blkt	Location	Blmt	H/R	Col	Blmt	H/R	Col	Shape	Roller Colour	Roller Code	Roller Colour	H/R		Col	Instruction
/	VEN	EXG	1770	1137	1/R			F/BEED L							SD						FM 2500	224
/		COOL	1770	1142				-- R														224
/		WHITE	1094	1137				B'BEED L														152
/		Sonn	641	1140				-- M.														107
/			1095	1142				-- R														152
/		P'FIT	347	781		R		"ENROUTE									1x H/R				200.24	
/		VEN	347					BATH													BEAD 24mm	134
/		OISOCA	235	780		R															T7PEC	114



ACCOUNT

SIGN OUT

[change password](#)

[PRODUCTS](#) [SERVICES](#) [BRANDS](#) [NEWS](#) [ABOUT US](#) [CONTACT US](#) [MEMBERS](#) [IMAGERY](#)

[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)

order reference: **345974 s**

We have sent a confirmation email to accounts@baileys-blinds.co.uk.

order reference

345974 S

delivery address

Baileys Blinds, DL166DB

line items

line 10:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	177.0 cm
Drop *:	113.7 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	F BED L
Qty:	1

line 30:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	109.4 cm
Drop *:	113.7 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	B BED L
Qty:	1

line 50:

50mm cool white expressions

Exact or Recess *: **Recess** |

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)

line 20:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	177.0 cm
Drop *:	114.2 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	F BED R
Qty:	1

line 40:

50mm cool white expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	64.1 cm
Drop *:	114.0 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Location (this will appear on label):	B BED M
Qty:	1