

092826

1-2

ON OTHER SHEET



34 HIGH STREET, SPENNYMOOR, DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk

www.baileys-blinds.co.uk

Customer's Name FORSTER

Address 38 MAPLE DRIVE MORPETH

NE623DL Post Code

Tel. home	07471655509
Tel. work	
mobile	
email	

DATE MEASURED/ORDERED

2 17 121

Measured By: PD

CURTAINS	
PLEATED	
ROLLERS	6
ROMANS	
SHUTTERS	
VENETIAN	✓ 4 RIF
VERTICALS	
VISION	
WOODEN	✓ 15 XP

SPECIAL INSTRUCTIONS

Master Bedroom
 LIF 860 x 992 2400
 RIF 860 x 1040 OR
 RIF 872 x 992 2400
 RIF 870 x 1040 OR
 SIDE 630 x 1127
 SIDE 795 x 1250 OR
 RIF BBR 1750 x 1130
 RIF 1920 x 1230 MEAS
 CIRUS + LANE HEADS

348112

PCUST	
NET	
PRESS	80
RADIO	100
MAG.	80
VAN	100
RECC.	
SHOP	55
TV	85
YELL P	132
OTHER	153
PEACOCK	SILVER
BRANDY	XP

Fitted By DATE DAY AM PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
KIT	1742	1425	50	SNOW	ST	2700	165
LIF	455	1505	50	SNOW	R ST	2700	65-
Door	334	1750	25	0159	L	22	130
Door	334	1750	25	0159	R	22	130
RIF	455	1501	50	SNOW	L ST	2700	65-00
LIF SIDE	707	1420	50	SNOW	ST	2700	85-
LIF FRONT	845	1425	50	SNOW	R ST	2700	95-
Door	339	1750	25	0159	L	220	130
Door	339	1750	25	0159	R	220	130
RIF FRONT	840	1425	50	SNOW	L ST	2700	95-
RIF SIDE	709	1421	50	SNOW	ST	2700	85-
LIF OFFICE	1283	1435	50	SNOW	ST	2700	130-
RIF O/R	1290	1435	50	SNOW	ST	2700	130-
LIF FBR	1283	1133	50	CIRUS	ST	2600	95
LIF FBR	1460	1250	Roller	OR ✓ REMY MULTI	R	2100	150
LIF FBR	1285	1135	50	CIRUS	ST	2600	95-
LIF FBR	1450	1250	Roller	OR ✓ RAINBOW UNICORN	R	2100	150

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made.

TOTAL PRICE £ 2,713

PRICE ACCEPTANCE Customer's Signature

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING

DEPOSIT £ 1,300

[Handwritten Signature]

BALANCE £ 1,413

CASH	CHEQUE	CARD	✓
------	--------	------	---



Registered No.: 02814869

Rainbow Blinds

PERFECT FIT BLINDS

Order Form

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wiskaw
 ML2 OEG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Date: 2-7-21

Retailer: FORSTER

Address: G

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 348112

Special Instructions

GLASS SIZE	BLIND	BRACKET				VENETIAN CONTROLS			ROLLER		ORDER			
		16mm (✓)	25mm (✓)	18/20mm (✓)	24/30mm (✓)	STD	LH	RH	REV	YES	NO	Price (£)	Qty	TOTAL COST (£)
1	334 1750	✓	✓	22	✓	✓	✓	✓	✓					
2	334 1750	✓	✓	✓	✓	✓	✓	✓	✓					
3	334 1750	✓	✓	✓	✓	✓	✓	✓	✓					
4	339 1750	✓	✓	✓	✓	✓	✓	✓	✓					
5														
6														
7														
8														

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Venetian blinds will be tensioned unless stated otherwise.

Customer has been advised on (✓) The Child Safety Regulations EN1320 and the use of child safety devices

Minimum distances applying to operating cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wiskaw, ML2 OEG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com

ROLLER BLINDS

Order Form

Special Instructions
B/C covers

Rainbow Blinds

Rainbow Blinds & Interiors

67 Canyon Road
Excelsior Park

Waltham
MA 02451

T. 617.898.3518
F. 617.898.3519

sales@rainbowblinds.com

Date: 2-7-21

Dealer: FORSTER

Address: LG

Trade Required:

Telephone:

Signature:

Purchase Reference No: 348112

BLIND SIZE

Window	Width (mm)	Drop (mm)	Recess or Recess side	Child Safety Installation Height (mm)	Length of Cord Chain (mm)	Tube Diameter (mm)	Fabric Range	Fabric Colour	Control: LHC / RHC	CC	FF	Face (5)	Qty	TOTAL COST (6)
1	1460	1250	R	2100		32	REMY	MULTI		R	U			
2	1450	1250	R	2100		32	RAINBOW	UNICORN		R	U			
3	860	1040	R	2400		32	KARA	WHITE		R	U			
4	870	1040	R	2400		32				R	U			
5	795	1250	R	2400		40	MEMPHIS	PEACOCK		R	U			
6	1920	1250	R	2400			MEMPHIS	PEACOCK		R	U			
7														
8														

NOTE

UNLESS OTHERWISE STATED ALL DIMENSIONS WILL BE TAKEN AS RECESSED AND SYSTEM WILL BE LOWVOLTAGE 240V. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WIDTH, DROP OR FABRIC WEIGHT.

Customers has been advised on (*)

This Child Safety Regulation requires that the use of child safety devices

Children's Blinds supplied to operating cords

ISSUE June 2016

Rainbow Blinds - 67 Canyon Road, Excelsior Park, Waltham, MA 02451 - T: 617.898.3518 - F: 617.898.3519 - E: sales@rainbowblinds.com



Rainbow Blinds

EXPRESSIONS

(WOOD)VENETIAN BLINDS

Order Form

Rainbow Blinds & Interiors

44 Oregon Road

Woodbury Park

Wickham

W13 0BB

T. 01293 390 939

F. 01293 390 939

order@rainbow-blinds.co.uk

Page: 2-1-21

Part: FORSTER

Reference: 4

Reference:

Part:

Quantity:

Product Reference: 348112

Special Instructions:

Window	Size Width			Width (mm)	Drop (mm)	Rosen or Brackets (mm)	classical installation height (mm)	length of cord (mm)	Slat Range and Colour	OPERATIONS				PULLEY		OTHER	
	open (v)	close (v)	open (v)							Size (v)	ops (v)	ops (v)	ops (v)	width (mm)	height (mm)	Qty	total cost (v)
1	✓			1290	1435	R	2700		SNOW	✓					NO		
2	✓			1283	1133	R	2600		CIRIS	✓					NO		
3	✓			1285	1155	R	2600		---	✓					NO		
4	✓			860	992	R	2400		---	✓					NO		
5	✓			872	992	R	2400		---	✓					NO		
6	✓			630	1121	R	2400		---	✓					NO		
7	✓			1150	1130	R	2400		---	✓					NO		

NOTE: Please ensure window and door frames are square and level before fitting. If not, please contact us for advice.

Quantity of brackets included (v):

Do you require any other accessories or hardware? (v)

Additional comments (v):

Rainbow Blinds - 44 Oregon Road, Woodbury Park, Wickham, W13 0BB - T. 01293 390 939 - E. order@rainbow-blinds.co.uk

Form No: RB013

EXPRESSIONS

(WOOD)VENETIAN BLINDS

Order Form

Rainbow Blinds



Rainbow Blinds & Interiors
 64 Campbell Road
 Rosedale Park
 Victoria
 3123 0104
 T. 0393 331 031
 F. 0393 331 039
 info@rainbow-blinds.com

1-2

Project:	2-7-21	Reference:	
Address:	FORSEK	Order No:	
Order No:		Product Reference:	348112
Product Reference:		Special Reference:	

Window	Slat Width			Width (mm)	Drop (mm)	Rear or Back (mm)	Obstruction (mm)	Length of Cord (mm)	Slat Range and Colour	OPERATIONS				FELT (mm)	FIBRE (g)	Qty	TOTAL COST (€)
	1st (mm)	2nd (mm)	3rd (mm)							1st (mm)	2nd (mm)	3rd (mm)	4th (mm)				
1	✓			142	145	R	210		5000								
2	✓			455	150	R	✓										
3	✓			455	150	R	✓										
4	✓			707	1420	R	✓										
5	✓			845	1425	R	✓										
6	✓			840	1425	R	✓										
7	✓			709	1421	R	✓										
8	✓			1283	1435	R	✓										

Rainbow Blinds - 64 Campbell Road Rosedale Park, Victoria 3123 0104 - T. 0393 331 031 - F. 0393 331 039 - info@rainbow-blinds.com



ACCOUNT

SIGN OUT

[change password](#)

[PRODUCTS](#) [SERVICES](#) [BRANDS](#) [NEWS](#) [ABOUT US](#) [CONTACT US](#) [MEMBERS](#) [IMAGERY](#)

[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)

order reference: **348112**

We have sent a confirmation email to accounts@baileys-blinds.co.uk.

order reference

348112

delivery address

Baileys Blinds, DL166DB

line items

line 10:

**50mm snow
expressions
standard express
same day**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	174.2 cm
Drop *:	142.5 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 30:

**50mm snow
expressions
standard express
same day**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	45.5 cm
Drop *:	150.1 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Manufacturers Notes:	Valance to have LH return only
Qty:	1

line 20:

**50mm snow
expressions
standard express
same day**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	45.5 cm
Drop *:	150.5 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Manufacturers Notes:	Valance to have RH return only
Qty:	1

line 40:

**50mm snow
expressions
standard express
same day**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	70.7 cm
Drop *:	142.0 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 50:

50mm snow expressions standard express same day

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	84.5 cm
Drop *:	142.5 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Manufacturers Notes:	Valance to have RH return only

Qty: 1

line 60:

50mm snow expressions standard express same day

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	84.0 cm
Drop *:	142.5 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Manufacturers Notes:	Valance to have LH return only

Qty: 1

Contact Form

Leave a message and we will be in touch

Call Arena

On 0800 389 7281
Weekdays 8:30am - 5pm

© 2021 Arena Blinds Terms & Conditions Anti-Slavery Statement

line 70:

50mm snow expressions standard express same day

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	70.9 cm
Drop *:	142.1 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 90:

50mm snow expressions standard express

line 80:

version :

50mm snow expressions standard express same day

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	128.3 cm
Drop *:	143.5 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 100:

50mm cirrus expressions

By using our site, you consent to our use of cookies. I Understand [Learn More](#)

same day

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	129.0 cm
Drop *:	143.5 cm
Installation Height *:	270.0 cm
Controls Length:	90 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 110:

50mm cirrus expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	128.5 cm
Drop *:	113.5 cm
Installation Height *:	260.0 cm
Controls Length:	80 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 120:

50mm cirrus expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	86.0 cm
Drop *:	99.2 cm
Installation Height *:	240.0 cm
Controls Length:	60 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 130:

50mm cirrus expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	87.2 cm
Drop *:	99.2 cm
Installation Height *:	240.0 cm
Controls Length:	60 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None

line 140:

50mm cirrus expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	63.0 cm
Drop *:	112.7 cm
Installation Height *:	240.0 cm
Controls Length:	60 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None

*: By using our site, you consent to our use of cookies. I Understand Learn More

line 150:

50mm cirrus expressions

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	175.0 cm
Drop *:	113.0 cm
Installation Height *:	240.0 cm
Controls Length:	60 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split cm
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1