

DWG Shutter Survey Sheet

BALLETTS - SPENNYMOOR

Page 1 of 2

Number of Shutters: **Total 6** Survey Date: **20/7/21**
 Survey Sheets: **2** Surveyor: **SHOON**

Customer Name: **ORIGLIA**
 Order Number: **346002**

Fitters Required: **2**
 Estimated Fit Time:

Item Number	Room Name	Material	Quantity	Width	Height	Lowest Size	Colour	Mounting Type	Wind Rail 1	Wind Rail 2
1	B' BED	FIBER L	1	1775	1340	64	WHITE	FULL HEIGHT		
2	NEW YORK WOOD	FIBER L	1	1770	1340		WHITE			
3	FIBER R	FIBER R	1	1212	1340					
4	LV L	LV L	1	635	1645					
5	LV M	LV M	1	1660	1645					
6	DOUBLE INSEAT L	FRAME	4	1000	600					
7	LL RR	LL RR	4	1000	1200					
8	AGT	LL RR	4	1000	1200					
9	WHITE	LL RR	4	1000	1200					
10	SIDE TILT	RODS	4	1000	1200					

Customers Signature:

Date:

Balance to Pay:

Battens Required

Y N

Standard Batten Sizes	Length	Quantity
53.5 mm (width) x 5mm (depth)		
27mm (width) x 4mm (depth)		
21mm (width) x 21mm (depth)		
25mm (width) x 40mm (depth)		
25mm (width) x 50mm (depth)		
25mm (width) x 50mm (depth)		
25mm (width) x 75mm (depth)		
Custom:		

Order Information:

SPLIT TILT RODS ON ALL SHUTTERS
2 x BOTTOMS 110 x 5 x 1645
W D L

BAILEYS - SPENNYMOOR

Pge 2 of 2

DWG Shutter Survey Sheet

Number of Shutters: 2
 Survey Date: 20/7/21
 Surveyor: SHAWN

Customer Name: ORIGLIA
 Order Number: 346002
 Fitters Required: 2
 Estimated Fit Time:

Panel Limitations (Single Panel / Bi Fold)	63mm	75mm	89mm	114mm	Height
New York Wood	850 / 650	850 / 650	850 / 650	850 / 650	3000
Los Angeles PVC	900 / 650	900 / 650	900 / 650	900 / 650	3000

View Panel Configuration #1028

Item Number	Room Name	Material	Quantity	Width	Height	Louvre Size	Colour	Mounting Type	Wild Rail	Wild Rail 2	Louvre Spilt	Frame Type	No. of Sizes	Build Out	Config	Stile Type	Hardware	Tilt Rod	Post Location 1	Post Location 2	Post Location 3	Post Location 4	Post Location 5	Post Angle 1	Post Angle 2	Post Angle 3	Post Angle 4	Post Angle 5	
46	LIV R	NEW YORK WOOD	1	640	1645	64	WIMBOURNE WHITE	FULL HEIGHT			1200	DOUBLE INSERT	4	60mm	RR	AST	WHITE	SIDE TILT											
47																													
48																													
49																													
50																													
51																													
52																													
53																													
54																													
55																													

Battens Required Y / N

Standard Batten Size	Length	Quantity
53.5 mm (width) x 5mm (depth)		
27mm (width) x 4mm (depth)		
21mm (width) x 21mm (depth)		
25mm (width) x 40mm (depth)		
25mm (width) x 50mm (depth)		
25mm (width) x 50mm (depth)		
25mm (width) x 75mm (depth)		
Custom		

Order Information:

Balance to Pay:

Customers Signature:

Date: