

# Baileys

34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB  
TEL: 01388 813267 or 0191 258 5956  
sales@baileys-blinds.co.uk  
www.baileys-blinds.co.uk

345968

DATE MEASURED/ORDERED

01/07/21

Measured By:

SHAUN HANLEY

**SPECIAL INSTRUCTIONS**

RWR - B3DP

950 / 750 / 830

420 1075  
209  
165  
165

|        |  |
|--------|--|
| P/CUST |  |
| NET    |  |
| PRESS  |  |
| RADIO  |  |
| MAG.   |  |
| VAN    |  |
| RECC.  |  |
| SHOP   |  |
| TV     |  |
| YELL P |  |
| OTHER  |  |

Customer's Name MULDOON  
Address 6, TULIP CLOSE  
WYNYARD MANNOR  
WYNYARD Post Code TS22 5UU

|           |               |
|-----------|---------------|
| Tel. home |               |
| Tel. work |               |
| mobile    | 07917 202 630 |
| email     |               |

|           |     |
|-----------|-----|
| CURTAINS  |     |
| PLEATED   |     |
| ROLLERS   |     |
| ROMANS    |     |
| SHUTTERS  |     |
| VENETIAN  |     |
| VERTICALS |     |
| VISION    |     |
| WOODEN    | X 6 |

|           |      |     |    |    |
|-----------|------|-----|----|----|
| Fitted By | DATE | DAY | AM | PM |
|           |      |     |    |    |

|      |       |       |             |                  |             |           |          |           |              |               |
|------|-------|-------|-------------|------------------|-------------|-----------|----------|-----------|--------------|---------------|
| alum | white | brown | white chain | welded in weight | recess size | motorised | wood fix | stone fix | brackets top | brackets face |
|      |       |       |             |                  | 1/R         |           |          | ✓         | ✓            |               |

| Room     | Width | Drop | Slat Size | Colour           | Control LH or RH | Fitting Height | Price |
|----------|-------|------|-----------|------------------|------------------|----------------|-------|
| LIV ROOM | 445   | 1440 | 50        | EXPRESSIONS SNOW | STD              | 2600           |       |
| BAY      | 435   | 1440 |           |                  |                  |                |       |
| STUDY    | 1299  | 1436 |           |                  |                  | 2600           |       |
| F/BED L  | 1304  | 1136 |           |                  |                  | 2500           |       |
| -- R     | 1299  | 1135 |           |                  |                  | 2500           |       |
|          |       |      |           | STD CTALS        |                  |                |       |
|          |       |      |           | L- TILT          |                  |                |       |
|          |       |      |           | R- RMSE          |                  |                |       |

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 750

PRICE ACCEPTANCE Customer's Signature

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**

473751  
DEPOSIT £ 250

BALANCE £ 500

|      |        |      |   |
|------|--------|------|---|
| CASH | CHEQUE | CARD | ✓ |
|------|--------|------|---|

**BBSA**  
BRITISH BLIND & SHUTTER ASSOCIATION



# Rainbow Blinds

# WOOD VENETIAN BLINDS

## Order Form

Rainbow Blinds & Interiors

61 Canyon Road  
Excelsior Park

Wishaw  
ML2 0EG

T. 01698 351 888  
F. 01698 351 999

sales@rainbow-blinds.com

Date: 01-07-21

Retailer: BALENS

Address: SPENNYMOR

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 345968 MILDON

Special Instructions

| Window  | Slat Width |          |          | Width (mm) | Drop (mm) | Recess or Exact | Child Safety Installation Height (mm) | Length of Control (mm) | Slat Range and Colour | CONTROLS |         |         |         | Width (mm) | Return (mm) | Price (£) | Qty | TOTAL COST (£) |
|---------|------------|----------|----------|------------|-----------|-----------------|---------------------------------------|------------------------|-----------------------|----------|---------|---------|---------|------------|-------------|-----------|-----|----------------|
|         | 25mm (✓)   | 35mm (✓) | 50mm (✓) |            |           |                 |                                       |                        |                       | STD (✓)  | LHS (✓) | RHS (✓) | BOX (✓) |            |             |           |     |                |
| 1 LIN   |            |          |          | 445        | 1440      | 1/2             | 2600                                  |                        | EXPRESSIONS           |          |         |         |         |            |             |           | 1   |                |
| 2 Room  |            |          |          | 1384       | 1440      |                 |                                       |                        | SNOW                  |          |         |         |         |            |             |           | 1   |                |
| 3 BHT   |            |          |          | 435        | 1440      |                 |                                       |                        |                       |          |         |         |         |            |             |           | 1   |                |
| 4 STUDY |            |          |          | 1299       | 1436      |                 |                                       |                        |                       |          |         |         |         |            |             |           | 1   |                |
| 5 PLAY  |            |          |          | 1304       | 1136      |                 | 2500                                  |                        |                       |          |         |         |         |            |             |           | 1   |                |
| 6 R     |            |          |          | 1299       | 1135      |                 |                                       |                        |                       |          |         |         |         |            |             |           | 1   |                |
| 7       |            |          |          |            |           |                 |                                       |                        |                       |          |         |         |         |            |             |           |     |                |
| 8       |            |          |          |            |           |                 |                                       |                        |                       |          |         |         |         |            |             |           |     |                |

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13120 and the use of child safety devices

Minimum distances applying to operating cords



ACCOUNT

SIGN OUT

[change password](#)

[PRODUCTS](#) [SERVICES](#) [BRANDS](#) [NEWS](#) [ABOUT US](#) [CONTACT US](#) [MEMBERS](#) [IMAGERY](#)

[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)

order reference: **345968**

We have sent a confirmation email to [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk).

### order reference

345968

### delivery address

Baileys Blinds, DL166DB

**line items****line 10:****50mm snow  
expressions  
standard express  
same day**

|                                       |                 |
|---------------------------------------|-----------------|
| Exact or Recess *:                    | <b>Recess</b>   |
| Units of Measurement *:               | <b>cm</b>       |
| Width *:                              | <b>44.5 cm</b>  |
| Drop *:                               | <b>144.0 cm</b> |
| Installation Height *:                | <b>260.0 cm</b> |
| Controls Length:                      | <b>80 cm</b>    |
| Cord or Tape Ladder *:                | <b>Cord</b>     |
| Raise / Lower Control Side *:         | <b>Split cm</b> |
| Pull Type *:                          | <b>None</b>     |
| Universal Extention Colour *:         | <b>None</b>     |
| Hold Down Brackets *:                 | <b>No</b>       |
| Side Fix Brackets *:                  | <b>No cm</b>    |
| Is Valance Required *:                | <b>Yes</b>      |
| Valance Type *:                       | <b>Standard</b> |
| Location (this will appear on label): | <b>BAY</b>      |
| Qty:                                  | <b>1</b>        |

**line 30:****50mm snow  
expressions  
standard express  
same day**

|                                       |                 |
|---------------------------------------|-----------------|
| Exact or Recess *:                    | <b>Recess</b>   |
| Units of Measurement *:               | <b>cm</b>       |
| Width *:                              | <b>43.5 cm</b>  |
| Drop *:                               | <b>144.0 cm</b> |
| Installation Height *:                | <b>260.0 cm</b> |
| Controls Length:                      | <b>80 cm</b>    |
| Cord or Tape Ladder *:                | <b>Cord</b>     |
| Raise / Lower Control Side *:         | <b>Split cm</b> |
| Pull Type *:                          | <b>None</b>     |
| Universal Extention Colour *:         | <b>None</b>     |
| Hold Down Brackets *:                 | <b>No</b>       |
| Side Fix Brackets *:                  | <b>No cm</b>    |
| Is Valance Required *:                | <b>Yes</b>      |
| Valance Type *:                       | <b>Standard</b> |
| Location (this will appear on label): | <b>BAY</b>      |
| Qty:                                  | <b>1</b>        |

**line 20:****50mm snow  
expressions  
standard express  
same day**

|                                       |                 |
|---------------------------------------|-----------------|
| Exact or Recess *:                    | <b>Recess</b>   |
| Units of Measurement *:               | <b>cm</b>       |
| Width *:                              | <b>138.4 cm</b> |
| Drop *:                               | <b>144.0 cm</b> |
| Installation Height *:                | <b>260.0 cm</b> |
| Controls Length:                      | <b>80 cm</b>    |
| Cord or Tape Ladder *:                | <b>Cord</b>     |
| Raise / Lower Control Side *:         | <b>Split cm</b> |
| Pull Type *:                          | <b>None</b>     |
| Universal Extention Colour *:         | <b>None</b>     |
| Hold Down Brackets *:                 | <b>No</b>       |
| Side Fix Brackets *:                  | <b>No cm</b>    |
| Is Valance Required *:                | <b>Yes</b>      |
| Valance Type *:                       | <b>Standard</b> |
| Location (this will appear on label): | <b>BAY</b>      |
| Qty:                                  | <b>1</b>        |

**line 40:****50mm snow  
expressions  
standard express  
same day**

|                               |                 |
|-------------------------------|-----------------|
| Exact or Recess *:            | <b>Recess</b>   |
| Units of Measurement *:       | <b>cm</b>       |
| Width *:                      | <b>129.9 cm</b> |
| Drop *:                       | <b>143.6 cm</b> |
| Installation Height *:        | <b>260.0 cm</b> |
| Controls Length:              | <b>80 cm</b>    |
| Cord or Tape Ladder *:        | <b>Cord</b>     |
| Raise / Lower Control Side *: | <b>Split cm</b> |
| Pull Type *:                  | <b>None</b>     |
| Universal Extention Colour *: | <b>None</b>     |
| Hold Down Brackets *:         | <b>No</b>       |
| Side Fix Brackets *:          | <b>No cm</b>    |
| Is Valance Required *:        | <b>Yes</b>      |
| Valance Type *:               | <b>Standard</b> |
| Qty:                          | <b>1</b>        |

line 50:

line 60:

**50mm snow  
expressions  
standard express  
same day**

**50mm snow  
expressions  
standard express  
same day**

AQUARIUS

|                               |                 |
|-------------------------------|-----------------|
| Exact or Recess *:            | <b>Recess</b>   |
| Units of Measurement *:       | <b>cm</b>       |
| Width *:                      | <b>130.4 cm</b> |
| Drop *:                       | <b>113.6 cm</b> |
| Installation Height *:        | <b>250.0 cm</b> |
| Controls Length:              | <b>80 cm</b>    |
| Cord or Tape Ladder *:        | <b>Cord</b>     |
| Raise / Lower Control Side *: | <b>Split cm</b> |
| Pull Type *:                  | <b>None</b>     |
| Universal Extention Colour *: | <b>None</b>     |
| Hold Down Brackets *:         | <b>No</b>       |
| Side Fix Brackets *:          | <b>No cm</b>    |
| Is Valance Required *:        | <b>Yes</b>      |
| Valance Type *:               | <b>Standard</b> |
| Qty:                          | <b>1</b>        |

|                               |                 |
|-------------------------------|-----------------|
| Exact or Recess *:            | <b>Recess</b>   |
| Units of Measurement *:       | <b>cm</b>       |
| Width *:                      | <b>129.9 cm</b> |
| Drop *:                       | <b>113.5 cm</b> |
| Installation Height *:        | <b>250.0 cm</b> |
| Controls Length:              | <b>80 cm</b>    |
| Cord or Tape Ladder *:        | <b>Cord</b>     |
| Raise / Lower Control Side *: | <b>Split cm</b> |
| Pull Type *:                  | <b>None</b>     |
| Universal Extention Colour *: | <b>None</b>     |
| Hold Down Brackets *:         | <b>No</b>       |
| Side Fix Brackets *:          | <b>No cm</b>    |
| Is Valance Required *:        | <b>Yes</b>      |
| Valance Type *:               | <b>Standard</b> |
| Qty:                          | <b>1</b>        |

### Contact Form

Leave a message and we will be in touch

### Call Arena

On 0800 389 7281

Weekdays 8.30am - 5pm

© 2021 Arena Terms & Conditions Anti-Slavery Statement

version :