

# Baileys

34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB  
TEL: 01388 813267 or 0191 258 5956  
sales@baileys-blinds.co.uk  
www.baileys-blinds.co.uk

Customer's Name CHAPMAN  
Address 3 CHAFFINCH DR  
HEBBURN  
NE311BF Post Code

Tel. home 01969683950  
Tel. work  
mobile  
email

DATE MEASURED/ORDERED  
4/8/21  
Measured By:  
AD

348251

CURTAINS	
PLEATED	
ROLLERS	<input checked="" type="checkbox"/> 2
ROMANS	
SHUTTERS	
VENETIAN	<input checked="" type="checkbox"/> 4 RIF
VERTICALS	
VISION	
WOODEN	<input checked="" type="checkbox"/> 6

SPECIAL INSTRUCTIONS	
P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Fitted By \_\_\_\_\_ DATE \_\_\_\_\_ DAY \_\_\_\_\_ AM \_\_\_\_\_ PM \_\_\_\_\_

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	brackets face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
R/R	1732	990	50	PURE WHITE	R/R	2500	210
Patio L/R	610	1762	25	0150	L	22	290
R/R	610	1764	✓	0150	R	22	290
K.I.S	1730	985	50	---	R	2500	210
Patio L/R	610	1764	25	0150	L	22	290
R/R	610	1764	25	0150	R	22	290
LAND	632	1145	50	---	R/R	2600	80
R/R FBR	1180	1137	50	---	SL	2600	150
L/R BBR	1180	1137	50	---	SL	2600	150
R/R BBR	1192	1145	50	---	SL	2600	150
ENSUITE	850	960	Roller	PEYTON NOIR	R	2100	90
BATH	856	960	---	RIBBON ORANGE	R	2100	90
							1,710
							110.00

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT, YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 1,700.  
DEPOSIT £ 850  
BALANCE £ 850

PRICE ACCEPTANCE Customer's Signature

*[Handwritten Signature]*

CASH  CHEQUE  CARD

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**

**BBSA**  
BRITISH BLIND & SHUTTER ASSOCIATION

Registered No.: 02814869

# Rainbow Blinds

# PERFECT FIT BLINDS

## Order Form

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 W/Iskaw  
 ML2 OEG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

Date: 4-8-21  
 Retailer: CHARMAN  
 Address: G  
 Date Required:

Telephone:  
 Email:  
 Signature:  
 Purchase Reference No: 348251

Special Instructions

PRE-ANNEAL

WEAVE FINISH

FRONT LETTER

Window	CLASS SIZE		FRAME Colour	FABRIC/SLAT RANGE & COLOUR	SLAT WIDTH			BRACKET		CONTROLS				ROLLER		ORDER		
	Width (mm)	Drop (mm)			16mm (v)	25mm (v)	18/20mm (v)	24/30mm (v)	STD	LH	RH	REV	Tension d	Cover Weight Bar	YES	NO	Price (£)	Qty
1	610	1762	W	0150					22									
2	610	1764	✓						✓									
3	610	1764	✓						✓									
4	610	1764	✓						✓									
5																		
6																		
7																		
8																		

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device  
 Venetian blinds will be tensioned unless stated otherwise.

Customer has been advised on (v):

The Child Safety Regulations EHS200 and the use of child safety devices  
 Minimum distances applying to opening cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, W/Iskaw, ML2 OEG T: 01698 351 888 - F: 01698 351 999 - E: sales@rainbow-blinds.com

# ROLLER BLINDS

## Order Form

### Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wisnau  
 MIL 2 086  
 T. 07698 381 888  
 F. 07698 381 899  
 sales@rainbowblinds.com

Date: 4-8-21

Customer: CHALMAN

Address: G

Phone Required:

Telephone:

Email:

Signature:

Purchase Reference No:

Special Instructions:

Window (mm)	Drop (mm)	Process or fabric size	Child safety bracket height (mm)	Length of Control Chain (mm)	Tube diameter (mm), square	Fabric Range	Fabric Colour	ORDER					
								LWC	CC	F	Price	QTY	TOTAL COST
								1	2	3	(4)	(5)	(6)
850	960	L	2100		32	PETON	NOIR	R	C	I			
856	960	L				RIBBON	ORANGE	R	C	I			

**NOTE:** UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS PER THE ABOVE SYSTEM. PLEASE CONTACT APPROPRIATE TRADE FOR BLIND WIDTH, DROP OR FABRIC WEIGHT.

Customer has been advised on (✓)

Children's safety regulations apply to operating cords

Issue Date 20/6

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wisnau, MIL 2 086 - T: 07698 381 888 - F: 07698 381 899 - E: sales@rainbowblinds.com

# Rainbow Blinds

# (WOOD)VENETIAN BLINDS

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wilmette  
 IL 2 0698  
 T. 0698 391 898  
 F. 0698 351 999  
 sales@rainbow-blinds.com

Date: 4-8-21  
 Reorder: CHARMAN  
 Address: G  
 Date Required:

Telephone:  
 Email:  
 Signature:  
 Purchase Reference No: 348251

Order Form  
 Special Instructions:

Window	Slat Width			Width (mm)	Drop or Recess (mm)	Recess or Exact Height (mm)	Child Safety Installation (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS				Width (mm)	Brown (mm)	Price (£)	Qty	TOTAL COST (£)
	25mm (✓)	35mm (✓)	50mm (✓)							STB (✓)	LBS (✓)	RHS (✓)	EQH (✓)					
1																		
2	✓			1732	990	2500			White									
3	✓			1730	985													
4	✓			632	1145													
5	✓			1180	1137													
6	✓			1180	1137													
7	✓			1192	1145													
8																		

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

Customer has been notified on (✓)

Site Child Safety Regulations apply and the use of child safety practices  
 Children's distances applying to opening cords

Rainbow Blinds - 61 Canyon Road, Excelsior Park, Wilmette, IL 2 0698  
 T: 0698 391 898 - F: 0698 351 999 - E: sales@rainbow-blinds.com

Issue June 2016



ACCOUNT

SIGN OUT

[change password](#)

[PRODUCTS](#)[SERVICES](#)[BRANDS](#)[NEWS](#)[ABOUT US](#)[CONTACT US](#)[MEMBERS](#)[IMAGERY](#)

[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)

order reference: **348251 g**

We have sent a confirmation email to [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk).

### order reference

348251 G

### delivery address

Baileys Blinds, ML20EG

### line items

## line 10:

**50mm pure white  
sherwood**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>173.2 cm</b>
Drop *:	<b>99.0 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Right cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Swivel Brackets *:	<b>No</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 30:

**50mm pure white  
sherwood**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>63.2 cm</b>
Drop *:	<b>114.5 cm</b>
Installation Height *:	<b>260.0 cm</b>
Controls Length:	<b>80 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Right cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Swivel Brackets *:	<b>No</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 50:

**50mm pure white  
sherwood**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>118.0 cm</b>
Drop *:	<b>113.7 cm</b>
Installation Height *:	<b>260.0 cm</b>
Controls Length:	<b>80 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>

## line 20:

**50mm pure white  
sherwood**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>173.0 cm</b>
Drop *:	<b>98.5 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Swivel Brackets *:	<b>No</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 40:

**50mm pure white  
sherwood**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>118.0 cm</b>
Drop *:	<b>113.7 cm</b>
Installation Height *:	<b>260.0 cm</b>
Controls Length:	<b>80 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Swivel Brackets *:	<b>No</b>
Valance Type *:	<b>Standard</b>
Qty:	<b>1</b>

## line 60:

**50mm pure white  
sherwood**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>119.2 cm</b>
Drop *:	<b>114.5 cm</b>
Installation Height *:	<b>260.0 cm</b>
Controls Length:	<b>80 cm</b>
Cord or Tape Ladder *:	<b>Cord</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>

By using our site, you consent to our use of cookies. [Click here to understand more](#)