

Ref 2

Collins

321430

Quote No: _____
 Order No: _____
 Sales Person: RAF
 Day to Call: _____
 Time to Call: _____
 Time Called: _____
 Address Verified: Yes / No
 Action Required: _____

A/c: _____
 Ref: _____
 Date Enquiry: _____
 Contact: _____
 Tel. No.: _____
 Ext: _____
 Fax No.: _____
 A-Z Ref: _____
 Measure Date: _____
 Sale By: _____

Filename: _____
 Name/Company: _____
 Department: _____
 House: _____
 Road Name: _____
 Place: _____
 Post Town: _____
 Post Code: _____
 Source: _____
 Where did you get our name: _____

Type	Material Code	ALL TYPES										VERTICAL				ROLLERS				VEN		Price (inc vat)		
		Width	Drop	Rec	Cont	Bkt	Location	Bndt	H/R	Wgt	Col	Shape	Pole	Code	Trim	Colour	Trim	Type	HIR	Cal	Special Instructions			
		567	195	J	R	R	RAF	(11)																
		660	953		R			(12)																
		696	290		R			(13)																
		696	953		R			(14)																
		571	195		R			(15)																
		665	953		R			(16)																
		561	290		R			(17)																
		561	953		R			(18)																
		750	1020	I	R		T	TRM																
		605	725	I	R		T	TRM																

RAF
2030

RAF

Gosforth

Baileys Blinds

Unit 8, Jupiter Court
Orion Business Park
Tyne Trading Estate
Newcastle
NE29 7SE

Website: www.baileys-blinds.co.uk Email: sales@baileys-blinds.co.uk

Perfect Fit Venetian order form

Order Reference: 321430 (COLLINS)

Ordered by: Dave

Order Date: 17-2-15

Date Required: 3-3-15.

Cord tilt / Tension system	Quantity	Slat Colour	Width	Drop	Controls	Frame Colour	Bracket size
TENSION	1	2SPOLAR WHITE	565	953	L	WHITE	18 / 20 24 / 30
#	1	#	565	290	L	#	18 / 20 24 / 30
#	1	#	665	953	L	#	18 / 20 24 / 30
#	1	#	570	195	L	#	18 / 20 24 / 30
#	1	#	700	953	L	#	18 / 20 24 / 30
#	1	#	700	290	L	#	18 / 20 24 / 30
#	1	#	660	953	L	#	18 / 20 24 / 30
#	1	#	568	195	L	#	18 / 20 24 / 30
#	1	#	500	1822	L	#	18 / 20 24 / 30
#	1	#	500	1822	R	#	18 / 20 24 / 30
#	1	#	567	195	R	#	18 / 20 24 / 30
#	1	#	660	953	R	#	18 / 20 24 / 30
#	1	#	696	290	R	#	18 / 20 24 / 30
#	1	#	696	953	R	#	18 / 20 24 / 30
#	1	#	571	195	R	#	18 / 20 24 / 30
#	1	#	665	953	R	#	18 / 20 24 / 30
#	1	#	561	290	R	#	18 / 20 24 / 30
#	1	#	561	953	R	#	18 / 20 24 / 30
							18 / 20 24 / 30

Further Instructions

