



34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk

www.baileys-blinds.co.uk

Customer's Name CROSBY

Address 8 FOXTON CLOSE  
N/SHIELDS

NE296YE Post Code

Tel. home	<u>01450165554</u>
Tel. work	
mobile	
email	

DATE MEASURED/ORDERED	<u>21/7/21</u>
Measured By:	<u>AD</u>

348186

**SPECIAL INSTRUCTIONS**

WOOD 412-  
120  
163  
100  
  
Blinds Down

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	<input checked="" type="checkbox"/> <u>9 x 2</u>

Fitted By	DATE	DAY	AM	PM

alum	white	brown	white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets top	face

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
<u>L/R</u> <u>LIF</u>	<u>510</u>	<u>1285</u>	<u>38</u>	<u>COOL WHITE</u>	<u>P</u>	<u>2500</u>	
<u>C/R</u>	<u>502</u>	<u>1290</u>	<input checked="" type="checkbox"/>	<u>---</u>	<u>555</u>	<input checked="" type="checkbox"/>	
<u>R/R</u>	<u>507</u>	<u>1290</u>	<input checked="" type="checkbox"/>	<u>---</u>	<u>558</u>	<input checked="" type="checkbox"/>	<u>340</u>
<u>D/R</u> <u>L/R</u>	<u>501</u>	<u>1281</u>	<input checked="" type="checkbox"/>	<u>---</u>	<u>548</u>	<input checked="" type="checkbox"/>	<u>2500</u>
<u>R/R</u>	<u>506</u>	<u>1285</u>	<input checked="" type="checkbox"/>	<u>---</u>	<u>548</u>	<input checked="" type="checkbox"/>	
<u>B/R</u> <u>L/R</u>	<u>513</u>	<u>1130</u>	<input checked="" type="checkbox"/>	<u>---</u>			
<u>R/R</u>	<u>511</u>	<u>1130</u>	<input checked="" type="checkbox"/>	<u>---</u>	<u>548</u>	<input checked="" type="checkbox"/>	<u>110</u>
					<u>550</u>	<input checked="" type="checkbox"/>	
<u>L/R</u> <u>M/R</u>	<u>1290</u>	<u>1440</u>	<input checked="" type="checkbox"/>	<u>---</u>	<u>51</u>	<u>2700</u>	<u>147</u>
<u>R/R</u> <u>F/R</u>	<u>1193</u>	<u>145</u>	<input checked="" type="checkbox"/>	<u>---</u>	<u>51</u>	<u>2200</u>	<u>90</u>
					<u>xp</u>	<u>Total -</u>	<u>687-</u>
					<u>work</u>	<u>→</u>	<u>795-</u>

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 687

DEPOSIT £ 340

BALANCE £ 347

PRICE ACCEPTANCE Customer's Signature

G. Crosby

CASH	CHEQUE	CARD	<input checked="" type="checkbox"/>
------	--------	------	-------------------------------------

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**



# EXPRESSIONS

## (WOOD)VENETIAN BLINDS

### Order Form



**Rainbow Blinds**

Rainbow Blinds & Interiors  
 64 Canyon Blvd  
 Boulder Park  
 WILSON  
 WA3 0885  
 T. 0690 391 888  
 F. 0690 391 999  
 sales@rainbow-blinds.com

1-2

Page: 21-7-21	Telephone:
Reseller: CROSBY	Branch:
Address: G	Signature:
Date Requested:	Production Reference No: 348186
Special Instructions:	

Window	Slat Width			Width (mm)	Drop (mm)	Raccoon or Brackets	Child Safety Protection (mm)	Length of Cord (mm)	Slat Range and Colour	CONTROLS					PELANT		TOTAL COST (£)
	35mm (v)	35mm (v)	35mm (v)							SW (v)	LRS (v)	RLS (v)	EM (v)	Width (mm)	Beam (mm)	Pico (v)	
1	✓	✓	✓	510	1250	✓	2500		COOL WHITE	✓				535			
2	✓	✓	✓	502	1240	✓	✓		✓					538			
3	✓	✓	✓	507	1240	✓	✓		✓					548			
4	✓	✓	✓	501	1281	✓	✓		✓					548			
5	✓	✓	✓	506	1285	✓	✓		✓					548			
6	✓	✓	✓	513	1130	✓	✓		✓					548			
7	✓	✓	✓	511	1130	✓	✓		✓					550			
8	✓	✓	✓	1240	1440	✓	2100		✓					NO			

ALL INFORMATION REGARDING RAINBOW BLINDS & INTERIORS IS FILLED WITH CAPTIONED DATA SAFETY DEVICE

Customer Reference Number (v)

This order is only valid if the reference number is entered in the correct box.  
 Signature (Name and Surname) of the customer

Rainbow Blinds - 64 Canyon Blvd, Boulder Park, WILSON, WA3 0885 Tel: 0690 391 888 - Fax: 0690 391 999 - Email: sales@rainbow-blinds.com

Form BR03 2013



Rainbow Blinds

EXPRESSIONS

(WOOD)VENETIAN BLINDS

Order Form

2-2

Rainbow Blinds & Interiors  
61 Canyon Road  
Essexford Park  
Wickham  
M13 0BB  
T: 01292 399 099  
F: 01292 399 099  
sales@rainbow-blinds.com

Project: 2.1-7-21

Product: CROSBY

Reference: G

Order Reference:

Telephone:

Branch:

Region:

Project Reference No: 348186

Special instructions:

Window	Slat Width			Width (mm)	Drop or Bunch (mm)	Raccoon Installation (mm)	Length of Control (mm)	Slat Range and Colour	OPERATION				PANELS		PAINT		TOTAL COST (£)	
	Open (v)	Open (v)	Open (v)						STO (v)	LIF (v)	RHS (v)	DRH (v)	Width (mm)	Depth (mm)	FIN (v)	QTY		
1		✓		1193	545	✓		COOL WHITE										
2																		
3																		
4																		
5																		
6																		
7																		
8																		

PLEASE PRINT CLEARLY IN CAPITAL LETTERS. ALL DIMENSIONS MUST BE GIVEN AS ABOVE.

Customer Reference No (v):

Site Address:

Installation Address (if different to above):

Rainbow Blinds - 61 Canyon Road, Essexford Park, Wickham, Hampshire, PO13 0BB - Tel: 01292 399 099 - Email: sales@rainbow-blinds.com

Form BFB 2015



ACCOUNT

SIGN OUT

[change password](#)

[PRODUCTS](#)[SERVICES](#)[BRANDS](#)[NEWS](#)[ABOUT US](#)[CONTACT US](#)[MEMBERS](#)[IMAGERY](#)

[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)

order reference: **348186 g**

We have sent a confirmation email to [accounts@baileys-blinds.co.uk](mailto:accounts@baileys-blinds.co.uk).

### order reference

348186 G

### delivery address

Baileys Blinds, ML20EG



line 10:

**38mm cool white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>51.0 cm</b>
Drop *:	<b>128.5 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Non-Standard</b>
Non-Standard Valance Length:	<b>55.5 cm</b>
Valance Returns Required *:	<b>No</b>
Qty:	<b>1</b>

line 30:

**38mm cool white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>50.7 cm</b>
Drop *:	<b>129.0 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Non-Standard</b>
Non-Standard Valance Length:	<b>55.8 cm</b>
Valance Returns Required *:	<b>No</b>
Qty:	<b>1</b>

line 50:

**38mm cool white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>50.6 cm</b>

line 20:

**38mm cool white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>50.2 cm</b>
Drop *:	<b>129.0 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Non-Standard</b>
Non-Standard Valance Length:	<b>55.5 cm</b>
Valance Returns Required *:	<b>No</b>
Qty:	<b>1</b>

line 40:

**38mm cool white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>50.1 cm</b>
Drop *:	<b>128.1 cm</b>
Installation Height *:	<b>250.0 cm</b>
Controls Length:	<b>70 cm</b>
Raise / Lower Control Side *:	<b>Split cm</b>
Pull Type *:	<b>None</b>
Universal Extention Colour *:	<b>None</b>
Hold Down Brackets *:	<b>No</b>
Side Fix Brackets *:	<b>No cm</b>
Is Valance Required *:	<b>Yes</b>
Valance Type *:	<b>Non-Standard</b>
Non-Standard Valance Length:	<b>54.8 cm</b>
Valance Returns Required *:	<b>No</b>
Qty:	<b>1</b>

line 60:

**38mm cool white expressions**

Exact or Recess *:	<b>Recess</b>
Units of Measurement *:	<b>cm</b>
Width *:	<b>51.3 cm</b>

By using our site, you consent to our use of cookies. I Understand [Learn More](#)

line 70:

**38mm cool white expressions**

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **51.1 cm**  
 Drop \*: **113.0 cm**  
 Installation Height \*: **250.0 cm**  
 Controls Length: **70 cm**  
 Raise / Lower Control Side \*: **Split cm**  
 Pull Type \*: **None**  
 Universal Extention Colour **None**  
 \*:  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No cm**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Non-Standard**  
 Non-Standard Valance **55.0 cm**  
 Qty: **1**  
 Returns Required \*: **No**  
 On 0800 389178  
 Weekdays 8:30am - 5pm

line 80:

**BRANDS 38mm cool white expressions**

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **129.0 cm**  
 Drop \*: **144.0 cm**  
 Installation Height \*: **270.0 cm**  
 Controls Length: **90 cm**  
 Raise / Lower Control Side \*: **Split cm**  
 Pull Type \*: **None**  
 Universal Extention Colour **None**  
 \*:  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No cm**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Qty: **1**

AQUARIUS

**Contact Form**  
 Leave a message and we will be in touch  
**Call Arena**

line 90:

**38mm cool white expressions**

Exact or Recess \*: **Recess**  
 Units of Measurement \*: **cm**  
 Width \*: **119.3 cm**  
 Drop \*: **54.5 cm**  
 Installation Height \*: **220.0 cm**  
 Controls Length: **40 cm**  
 Raise / Lower Control Side \*: **Split cm**  
 Pull Type \*: **None**  
 Universal Extention Colour **None**  
 \*:  
 Hold Down Brackets \*: **No**  
 Side Fix Brackets \*: **No cm**  
 Is Valance Required \*: **Yes**  
 Valance Type \*: **Standard**  
 Qty: **1**

version :

© 2021 Arena Terms & Conditions Anti-Slavery Statement