



Rainbow Blinds

WOOD VENETIAN BLINDS

Rainbow Blinds & Interiors

61 Canyon Road
Excelsior Park

Wishaw
ML2 9EG

T: 01693 351 838
F: 01693 351 999

sales@rainbow-blinds.com

Order Form

Special Instructions

Date: 22-09-21

Retailer: BALLETYS

Address: SPENNYMOOR

Telephone: _____

Email: _____

Signature: _____

Date Required: _____

Purchase Reference No: 345526 BOHANNAN

WINDOW	Slat Width	Slat	Width	Depth	RANGE OF SLATS	Child Safety Installation Height: mm	Length of Control	Slat Range and Colour	CONTROLS			Width	Return	Price	Qty	TOTAL COST (£)
									STC	LHS	RHS					
1 L/V	✓	600	1587	EX	2500			EXPRESSIONS	✓							
2 Room	✓	580	1587	HLR				COOL	✓							
3 BAY	✓	580	1587	HLR				WHITE	✓							
4	✓	600	1587	EX					✓							
5																
6																
7																
8																

NOTE: ALL MEASUREMENTS ARE IN MILLIMETERS UNLESS STATED OTHERWISE

PLEASE CHECK ALL MEASUREMENTS WITH AN ASSISTANT

Customer Ref: 345526

For Child Safety Regulations EN 13030 the use of child proof devices

Minimum slat width is 25mm

Rainbow Blinds 61 Canyon Road, Excelsior Park, Wishaw, ML2 9EG T: 01693 351 838 F: 01693 351 999 E: sales@rainbow-blinds.com

Issue June 2015



ACCOUNT

SIGN OUT

[change password](#)

[PRODUCTS](#)[SERVICES](#)[BRANDS](#)[NEWS](#)[ABOUT US](#)[CONTACT US](#)[MEMBERS](#)[IMAGERY](#)

[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)

order reference: **345526 s**

We have sent a confirmation email to accounts@baileys-blinds.co.uk.

order reference

345526 S

delivery address

Baileys Blinds, DL166DB

line items**line 10:****50mm cool white expressions**

Exact or Recess *:	Exact
Units of Measurement *:	cm
Width *:	60.0 cm
Drop *:	158.7 cm
Installation Height *:	280.0 cm
Controls Length:	100 cm
Cord or Tape Ladder *:	Cord
Location (this will appear on label):	BAY
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Manufacturers Notes:	Valance to have LH return only
Qty:	1

line 30:**50mm cool white expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	58.0 cm
Drop *:	158.7 cm
Installation Height *:	280.0 cm
Controls Length:	100 cm
Cord or Tape Ladder *:	Cord
Location (this will appear on label):	BAY
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 20:**50mm cool white expressions**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	58.0 cm
Drop *:	158.7 cm
Installation Height *:	280.0 cm
Controls Length:	100 cm
Cord or Tape Ladder *:	Cord
Location (this will appear on label):	BAY
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 40:**50mm cool white expressions**

Exact or Recess *:	Exact
Units of Measurement *:	cm
Width *:	60.0 cm
Drop *:	158.7 cm
Installation Height *:	280.0 cm
Controls Length:	100 cm
Cord or Tape Ladder *:	Cord
Location (this will appear on label):	BAY
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Manufacturers Notes:	Valance to have RH return only
Qty:	1