

Baileys

34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB
TEL: 01388 813267 or 0191 258 5956
sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

345521

DATE MEASURED/ORDERED
21 / 09 / 21

Measured By:
SHAWN HANLEY

SPECIAL INSTRUCTIONS

RWR
* ASAP *

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Customer's Name MALLIDAY
Address 86 CHESTNUT WAY
NEWTON ATCLIFFE
Post Code DL5 7AW

Tel. home
Tel. work
mobile 07865 479 130
email

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	X 7

Fitted By	DATE	DAY	AM	PM

rail type & colour			white chain	welded in weight	recess size	motorised	wood fix	stone fix	brackets	
alum	white	brown			i/r			✓	top	face
									✓	

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
TOP BED	1278	1126	50	EXPRESSIONS MISTY GALE NO TAPES	STD	2500	110
F' BED L	1151	1132	50		STD	2500	96
" R	1142	1136	50		STD	"	96
BATH	553	965	50	PEL 570	STD	2500	55
B' BED	1710	1131	50		STD	"	140
CLOAK	555	968	50	PEL 568	STD	"	55
KIT	1141	984	50		STD	2600	96
				STD CONTROLS L - TILT R - RAISE			£2648
LN	3.5M			WAVE TRACK TOP FIX		1105	755

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 6448.755

PRICE ACCEPTANCE Customer's Signature

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING

DEPOSIT £ 200 SH

BALANCE £ 4448.555

CASH	✓	CHEQUE		CARD
------	---	--------	--	------

BBSA
BRITISH BLIND & SHUTTER ASSOCIATION



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

WOOD VENETIAN BLINDS

Order Form

Date: 21-09-21

Telephone: _____

Retailer: BAILEYS

Email: _____

Address: SPENNYMOOR

Signature: _____

Purchase Reference No: 345521 HALLIDAY

Special Instructions

Window	Slat Width		Drop (mm)	Recess or Exact	Child Safety Installation Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			BRACKETS	PELMET	ORDER					
	25mm (✓)	35mm (✓)						Operation						Width (mm)	Return (mm)	Price (£)	Qty	TOTAL COST (£)
	50mm (✓)	LHS (✓)						RHS (✓)	BOX (✓)									
1 TOP BED	✓	✓	1278	1126	11R	2509	EXPRESSIONS	✓	✓	✓								
2 F'BED L	✓	✓	1151	1132			MISTY GREY	✓	✓	✓								
3 -- R	✓	✓	1142	1136				✓	✓	✓								
4 BATH	✓	✓	553	965				✓	✓	✓								
5 B'BED	✓	✓	1710	1131				✓	✓	✓		570						
6 CLOAK	✓	✓	555	968				✓	✓	✓								
7 KIT	✓	✓	1141	984		2600		✓	✓	✓								
8																		

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):

The Child Safety Regulations EN13030 and the use of child safety devices

Minimum distances applying to operating cords

Baileys Blinds
 34 High Street
 Spennymoor
 Durham
 DL16 6DB

Curtain Fax Back Order form

Customer Ref: 345521 HALLIDAY
 Delivery Address:
 BAILEYS - SPENNYMOOR

Date: 22/09/21
 Date Required: 19/10/21

Tel No: 01388 813267

email: spennymoor@baileys-blinds.co.uk

Curtain Ref	Single / Pair	No of Widths	Drop	Fabric Range & Colour (Also code if applicable eg. PR5111)	Fabric Supplier	Pattern repeat	Heading Type (Pinched Pleat, Double Pleat, Goblet, Standard)	Headed Size (For Pinched Pleat, Double Pleat and Goblet Headings)	Hook Position (Top / Middle / Bottom)	Lined / B/Out / Unlined	Lining Colour	Eyelet / Ring Colour (if req'd)	Tiebacks (YES / NO)	D/Ring and hook colour

Special Instructions:

Qty	Supplier	Width	Pole or track description (Curtain Track / Cubicle Track / 1080 etc)	Part Code	Brackets req?	Extras required (Hanger Rods / Fixing Kits etc)
1	ARENA	3.5M	WHITE WAVE CURTAIN TRACK TOP FIX			

Special Instructions:

Please state how curtains have been measured i.e from top of pole or from top to bottom of curtain. If Matching tiebacks are required, please state which colour of "D" ring required or if any piping required in the special instructions box.



ACCOUNT

SIGN OUT

[change password](#)

[PRODUCTS](#) [SERVICES](#) [BRANDS](#) [NEWS](#) [ABOUT US](#) [CONTACT US](#) [MEMBERS](#) [IMAGERY](#)

[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)

order reference: **345521 s**

We have sent a confirmation email to accounts@baileys-blinds.co.uk.

order reference

345521 S

delivery address

Baileys Blinds, DL166DB

line items

line 10:

**wave track 80mm
top fix 350cm**

Track Type *:

**Wave Track
80mm Top Fix
350cm**

Qty:

1

line 20:

**wave wall bracket
set(8) 350cm**

Track Type *:

**Wave Wall
Bracket Set(8)
350cm**

Qty:

1

Contact Form

Leave a message and we will be in touch

Call Arena

On 0800 389 7281

Weekdays 8.30am - 5pm



ACCOUNT

SIGN OUT

[change password](#)

[PRODUCTS](#) [SERVICES](#) [BRANDS](#) [NEWS](#) [ABOUT US](#) [CONTACT US](#) [MEMBERS](#) [IMAGERY](#)

[HOME](#) ▶ [MEMBER HOME](#) ▶ [PLACE AN ORDER](#) ▶ [ORDER SUMMARY](#)

order reference: **345521/1 s**

We have sent a confirmation email to accounts@baileys-blinds.co.uk.

order reference

345521/1 S

delivery address

Baileys Blinds, DL166DB

line items**line 10:****50mm misty grey
expressions
standard express
same day**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	127.8 cm
Drop *:	112.6 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 30:**50mm misty grey
expressions
standard express
same day**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	114.2 cm
Drop *:	113.6 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 50:

By using our site, you consent to our use of cookies. [I Understand](#) [Learn More](#)

line 20:**50mm misty grey
expressions
standard express
same day**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	115.1 cm
Drop *:	113.2 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Standard
Qty:	1

line 40:**50mm misty grey
expressions
standard express
same day**

Exact or Recess *:	Recess
Units of Measurement *:	cm
Width *:	55.3 cm
Drop *:	96.5 cm
Installation Height *:	250.0 cm
Controls Length:	70 cm
Cord or Tape Ladder *:	Cord
Raise / Lower Control Side *:	Split
Pull Type *:	None
Universal Extention Colour *:	None
Hold Down Brackets *:	No
Side Fix Brackets *:	No cm
Is Valance Required *:	Yes
Valance Type *:	Non-Standard
Non-Standard Valance Length:	57.0 cm
Valance Returns Required *:	No
Qty:	1

line 60:

**50mm misty grey
expressions
standard express
same day**

**50mm misty grey
expressions
standard express
same day**

Contact Form

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **171.0 cm**
 Drop *: **113.1 cm**
 Installation Height *: **250.0 cm**
 Controls Length: **70 cm**

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **55.5 cm**
 Drop *: **96.8 cm**
 Installation Height *: **250.0 cm**
 Controls Length: **70 cm**

Cord or Tape Ladder *: **Cord**
 Raise / Lower Control Side *: **Split**
 Pull Type *: **None**
 Universal Extention Colour *: **None**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No cm**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Qty: **1**

Cord or Tape Ladder *: **Cord**
 Raise / Lower Control Side *: **Split**
 Pull Type *: **None**
 Universal Extention Colour *: **None**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No cm**
 Is Valance Required *: **Yes**
 Valance Type *: **Non-Standard**
 Non-Standard Valance Length: **56.8 cm**

Call Arena

On 0800 389 7281
 Weekdays 8:30am - 5pm

line 70:

**50mm misty grey
expressions
standard express
same day**

Exact or Recess *: **Recess**
 Units of Measurement *: **cm**
 Width *: **114.1 cm**
 Drop *: **98.4 cm**
 Installation Height *: **260.0 cm**
 Controls Length: **70 cm**
 Cord or Tape Ladder *: **Cord**
 Raise / Lower Control Side *: **Split**
 Pull Type *: **None**
 Universal Extention Colour *: **None**
 Hold Down Brackets *: **No**
 Side Fix Brackets *: **No cm**
 Is Valance Required *: **Yes**
 Valance Type *: **Standard**
 Qty: **1**