



34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB  
TEL: 01388 813267 or 0191 258 5956  
sales@baileys-blinds.co.uk  
www.baileys-blinds.co.uk

Customer's Name DUNNING  
Address 20 ALLERTON WAY  
SPENNYMOOR  
Post Code DL16 7FG

Tel. home	
Tel. work	
mobile	07773 491 938
email	

DATE MEASURED/ORDERED	25/11/21
Measured By:	SHAUN HANLEY

S 351695

**SPECIAL INSTRUCTIONS**

RWR  
57/1/832  
165/126  
Job

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

Fitted By	DATE	DAY	AM	PM

alum	anthracite	black	brown	champ-gold	chrome	silver	white	recess size	motorised	wood fix	stone fix	brackets top	brackets face
							✓	1/2			✓	✓	

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
PATIO	2350	2041	3 1/2	VERTICAL BLIND POLARIS STEEL	L 5	2200	197
KIT	859	1120	1/2 RW	ROLLER POLARIS STEEL	L	2500	74
F'BED L	864	1130	1/2 RW	* CHARONIE 5 WINDLARS *	R	2200	74
B'BED R	1777	1130	1/2 RW	— — —	R	"	118
— L	868	1130	1/2 RW	— — —	R	"	74
F'BLD R	1780	1130	1/2 RW	MONTE BLACKOUT IRON - SHAPE 1	R	"	165
LIV	1768	1281	50	ESSENCE MOONSHINE	STD	2600	169
							£ 871

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay 50% deposit and the remaining balance on the day of fitting. If payment is not made in full at that time Baileys Blinds has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE	£ 871
768 460 c/c DEPOSIT	£ (400)
BALANCE	£ 471

PRICE ACCEPTANCE Customer's Signature  
Pd Visa 25/11/21

CASH	CHEQUE	CARD	✓
------	--------	------	---

**ALL BLINDS TO BE PAID FOR AT TIME OF FITTING**





# ROLLER BLINDS

## Order Form

### Rainbow Blinds

Rainbow Blinds & Windows  
 61 Canyon Road  
 Boulder, CO 80501  
 Tel: 303-440-1111  
 Fax: 303-440-1112

Order No: 25-11-21  
 Location: BAYLEYS  
 Installer: S MOOR


Product: 351695 DUNNING

Customer Name: CHROME S' WINDERS

Window	Width (Inch)	Height (Inch)	Material	Color	Blind Type	Notes
1 KIT	859	1120	1/R	2500	32	POLARIS STEEL
2 F'OLD	864	1130		2200		
3 B'OLD	1777	1130				
4 1"-L	868	1130				
5						
6 F'OLD	1780	1130	1/R	2200	32	MONTE B'OUT IRON
7 R						(ARENA)
8						

Notes: All blinds supplied by Rainbow Blinds & Windows are fitted with an approved Child Safety Device.  
 All blinds supplied by Rainbow Blinds & Windows are fitted with an approved Child Safety Device.  
 All blinds supplied by Rainbow Blinds & Windows are fitted with an approved Child Safety Device.

Signature: \_\_\_\_\_  
 Date: \_\_\_\_\_



# Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Walsley  
 M13 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

# WOOD VENETIAN BLINDS

## Order Form

Date:	25-11-21	Telephone:	
Product:	BAILEYS	Email:	
Address:	S Moor	Signature:	
Site Reference:		Purchase Reference No:	351695 DUNNING

Special Instructions

Window	BLIND SIZE				Slat Range and Colour	Child Safety Installation Height (mm)	Length of Control (mm)	CONTROLS			PEL-MET		TOTAL COST (£)				
	Slat Width		Drop (mm)	Recess or Exact				Operation			Width (mm)	Return (mm)		Price (£)	Qty		
	25mm (v)	35mm (v)						50mm (v)	STD (v)	LUS (v)						RHS (v)	BOX (v)
1				1281	1/R	2600											
2				1768													
3																	
4																	
5																	
6																	
7																	
8																	

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS ABOVE

Customer has been advised on (v):  The Child Safety Regulations apply to the use of child safety devices

Minimum clearance applying to operating cords