



34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB
TEL: 01388 813267 or 0191 258 5956
sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

DATE
MEASURED/ORDERED
01 / 03 / 22

350558

Measured By:
SHAUN HANLEY

SPECIAL INSTRUCTIONS

RWR

1/0

3

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Customer's Name MORTON
Address 5, CHURCH VIEW
HASWELL
Post Code DH6 2EA

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

Tel. home	0191 517 1820
Tel. work	
mobile	07827 917 132
email	

Fitted By	DATE	DAY	AM	PM

alum	anthracite	black	brown	champ-gold	chrome	silver	white	recess size	motorised	wood fix	stone fix	brackets top	face
								1/R		TILE	✓	✓	

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
				P'FIT VEN			
PATIO L	370	1753	25	WHITE FRAME	L		135
" R	370	1753	25	TENSIONED	R		135
				24 mm BKT			
				0150 (A)			
* KIT	2385	1010	25	VENETIAN		2300	150 *
				0150 (A)			* FILE
BATH	872	553	50	EXPRESSIONS	STD	2200	88
				MISTY GREY			
							£ 358
							P.M.

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay 50% deposit and the remaining balance on the day of fitting. If payment is not made in full at that time Baileys Blinds has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.


TOTAL PRICE	£ 358
CASH DEPOSIT Pd 01/03/22 9104	£ 100
BALANCE	£ 258

PRICE ACCEPTANCE Customer's Signature

CASH	✓	CHEQUE	CARD
------	---	--------	------

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING





Rainbow Blinds

PERFECT FIT BLINDS

Order Form

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T. 01698 351 888
 F. 01698 351 999
 sales@rainbow-blinds.com

Date: 01-03-22

Retailer: BILLY'S BLINDS

Address: SPENNYMOSS

Date Required:

Telephone:

Email:

Signature:

Purchase Reference No: 350558 MORSON

Special Instructions


MINI BLIND

VENETIAN

ROLLER

CLASS SIZE	BLIND	CONTROLS				ORDER								
		VENETIAN	ROLLER	COVER WEIGHT	PRICE									
Window Width (mm)	Drop (mm)	FRAME COLOUR	FABRIC SLAT RANGE & COLOUR	SLAT WIDTH	BRACKET	STC	LH	RH	REV	Terolone	YES	NO	QTY	TOTAL COST (£)
1	Ptial 370	1753	WHITE	0150 (A)	/	24	/	/	/	/	/	/	1	
2	1/2 370	1753	"	"	/	24	/	/	/	/	/	/	1	
3														
4														
5														
6														
7														
8														

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device
 Venetian blinds will be tensioned unless stated otherwise.
 Customer has been advised on the use of child safety devices
 Minimum distances applying to operating cords



Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Excelsior Park
 Wishaw
 ML2 0EG
 T: 01698 351 888
 F: 01698 351 999
 sales@rainbow-blinds.com

WOOD VENETIAN BLINDS

Order Form

Date: 01-03-22

Retailer: BAILEYS

Address: SPAINWATER

Phone Required:

Telephone:

Email:

Signature:

Purchase Reference No:
 350558 MORTON

Special Instructions:

Window	BLIND SIZE				Child Safety Installation Height (mm)	Slat Range and Colour	CONTROLS			BRACKETS	PELMET	ORDER
	Slat Width		Drop (mm)	Recess or Exact			Operation					
	35mm (✓)	50mm (✓)					STD (✓)	LHS (✓)	RHS (✓)			
1	B97M	✓	872	553	1/R	2200	EXPRESSIONS	✓				1
2							MISTY GREY					
3												
4												
5												
6												
7												
8												

NOTE: UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS

Customer has been advised on (✓):

The Child Safety Regulations 2010 and the use of child safety devices

Minimum distances applying to operating cords