



34 HIGH STREET,
SPENNYMOOR,
DURHAM DL16 6DB
TEL: 01388 813267 or 0191 258 5956
sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

DATE
MEASURED/ORDERED
05/09/22

S351274

Measured By:

SHAUN
HANLEY

SPECIAL INSTRUCTIONS

RWR

P/CUST	
NET	
PRESS	
RADIO	
MAG.	
VAN	
RECC.	
SHOP	
TV	
YELL P	
OTHER	

Customer's Name *RDE*
Address *33 BATES AVENUE*
DARLINGTON
Post Code *DL307L*

CURTAINS	
PLEATED	
ROLLERS	
ROMANS	
SHUTTERS	
VENETIAN	
VERTICALS	
VISION	
WOODEN	

1683
(153)

Tel. home	
Tel. work	
mobile	07909 664 647
email	

Fitted By	DATE	DAY	AM	PM

alum	anthracite	black	brown	champ-gold	chrome	silver	white	recess size	motorised	wood fix	stone fix	brackets top	face
								<i>Ø/R</i>					

Room	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
PATIO L	432	1527		P'FIT ROLLERS WHITE FRAMES			189
---	R	433	1526	20 MM BHTS SPLASH SNOW			189
	580						
LIV	600	1686	50	WOOD VEN RSWL	STD	2600	109
Room	1200	1686	1	SUNWOOD	STD	1	218
BAY	600	1686	1	PURE RSWR	STD	1	109
	580						
				1686 WIDTHS			814
				STD CONTROLS			LESS 20%
				L-TILT			215
				R-RAISE			£650

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay 50% deposit and the remaining balance on the day of fitting. If payment is not made in full at that time Baileys Blinds has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 650
251622 Pd
05/09/22
c/c DEPOSIT £ 300

PRICE ACCEPTANCE Customer's Signature

ALL BLINDS TO
BE PAID FOR
AT TIME OF
FITTING

PERFECT FIT BLINDS

Rainbow Blinds

Order Form

Special Instructions

Date: 05-09-22
 Telephone: _____
 Retailer: RAILENS BLINDS
 Email: _____
 Address: SPENNINGER
 Signature: _____
 City/State/Zip: 35127 RAE

Blind Type: VENETIAN
 Color: _____
 Material: _____
 Headboard: _____
 Bottom Rail: _____
 Cord: _____
 Control: _____

OTHER

VENETIAN

Window	Class Size	Blind	Slat Width	Bracket	Material	Control	Roller Cover Weight	Price	Qty	Total Cost
1	PANEL 432	1527	WHITE	SPLASH	20mm	BHS	STK		1	
2	" R 432	1526	"	SNOW			PK		1	
3										
4										
5										
6										
7										
8										

Blinds supplied by Rainbow Blinds & Interiors. All blinds are made with an approved child safety device.
 Minimum distance applying to operating cords: _____
 Total Cord Strength Regulations apply to all child safety devices.
 Customer has been advised of this.
 Minimum distance applying to operating cords: _____

WOOD VENETIAN BLIND

Order Fo

Rainbow Blinds

Rainbow Blinds & Interiors
 61 Canyon Road
 Explorer Park
 Webster
 MO 65204
 T. 636-581-888
 F. 636-581-999
 sales@rainbowblinds.com

Date: 05-09-22

Telephone: 351274 RAE

Special Instructions:

Repeller: BAILEYS

Address: SPANISH COUNTRY

Phone Required:

Telephone: _____

Email: _____

Signature: _____

Product Reference No: _____

Window	Slat Width		Drop (mm)	Cord Safety Instruction Height (mm)	Length of Control (mm)	Slat Range and Colour	CONTROLS			PELMET	ORDER			
	Slotted (✓)	Slatted (✓)					STD (✓)	LWS (✓)	RWS (✓)			BOX (✓)	WHEAT (mm)	PLATE (mm)
1 LIN	✓	✓	580	1686	1/R	2600	SUNWOOD	✓				L		1
2 ROOM	✓	✓	1200	1686			PURE	✓					R	1
3 BAY	✓	✓	580	1686				✓						1
4														
5														
6														
7														
8														

NOTE: UNITS DIMENSIONS GIVEN ARE MEASUREMENTS WILL BE TAKEN AS SHOWN

Units supplied by Rainbow Blinds & Interiors are fitted with an approved Cord Safety Device

Customer has been advised on L.R.H.

The Child Safety Regulation applies and the use of child resistant devices

Information obtained regarding to operating unit