





**Rainbow Blinds**

Rainbow Blinds & Interiors  
61 Canyon Road  
Excelesior Park

Wishaw

AML2 OEG

T. 01698 351 888

F. 01698 351 999

sales@rainbow-blinds.com

# ROLLER BLINDS

## Order Form

03-10-22  
BAILEYS BLINDS  
SPENNYMOOR

354/60 HORNER

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Tube Diameter 32mm, 40mm, 45mm	Fabric Range	Fabric Colour	Louvre, Beztain, Eclipse	LHC / RHC	C C h o z i r i o n d e	F i n i s h	Price (£)	Qty	TOTAL COST (£)
KIT	1190	1060	1/A	2500		32	POLARIS	BURNT ORANGE		R	W	SHADE			
												Z A			
												NO TRIM			

UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVRE TYPE. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OF FABRIC WEIGHT.

All blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device

Customer has been advised on (✓):  The Child Safety Regulations (EN13030) and the use of child safety devices  (Optional) discounts applying to operating costs

14 High Street  
Spennymoor  
Durham  
DL16 6DB

Tel No: 01388 813267

Email: [spennymoor@baileys-blinds.co.uk](mailto:spennymoor@baileys-blinds.co.uk)

Customer Ref: 354/69 HORNOR  
 Delivery Address: BAILEYS - SPENNYMOOR

Date: 03/10/22  
 Date Required:

Curtain Ref	Single / Pair	No of Widths	Drop	Fabric Range & Colour (Also code if applicable eg. PR5111)	Fabric Supplier	Pattern repeat	Heading Type (Pinched Pleat, Double Pleat, Goblet, Standard)	Headed Size (For Pinched Pleat, Double Pleat and Goblet Headings)	Hook Position (Top / Middle / Bottom)	Lined / B/Out / Unlined	Lining Colour	Eyelet / Ring Colour (if req'd)	Tiebacks (YES / NO)	D/Ring and hook colour

Special Instructions:

Qty	Supplier	Width	Pole or track description (Curtain Track / Cubicle Track / 1080 etc)	Part Code	Brackets req?	Extras required (Hanger Rods / Fixing Kits etc)
1	ARENA	1.5M	28MM PAINTED WOOD POLE PAPER WHITE WITH BALL FINIALS INC RINGS			

Special Instructions:

Please state how curtains have been measured i.e from top of pole or from top to bottom of curtain. Matching tiebacks are required, please state which colour of "D" ring required or if any piping required in the special instructions box.