



34 HIGH STREET,  
SPENNYMOOR,  
DURHAM DL16 6DB  
TEL: 01388 813267 or 0191 258 5956  
sales@baileys-blinds.co.uk  
www.baileys-blinds.co.uk

Customer's Name ORFORD  
Address THE OLD STEADING  
SHERBURN HOUSE  
DURHAM Post Code DH1 2SA

Tel. home  
Tel. work  
mobile 07711 071 098  
email

DATE MEASURED/ORDERED  
10 / 07 / 123

Measured By:  
SHAUN HANLEY

GO AHEAD 5355013

SPECIAL INSTRUCTIONS

~~CONGR~~ AWR  
BAILL TO TAKE  
OLD BLINDS DOWN  
FIX ONTO DOORS  
FIX SIDES TO  
FACIA.  
1259

|        |  |
|--------|--|
| P/CUST |  |
| NET    |  |
| PRESS  |  |
| RADIO  |  |
| MAG.   |  |
| VAN    |  |
| RECC.  |  |
| SHOP   |  |
| TV     |  |
| YELL P |  |
| OTHER  |  |

|           |  |
|-----------|--|
| CURTAINS  |  |
| PLEATED   |  |
| ROLLERS   |  |
| ROMANS    |  |
| SHUTTERS  |  |
| VENETIAN  |  |
| VERTICALS |  |
| VISION    |  |
| WOODEN    |  |

Fitted By DATE DAY AM PM

|      |            |       |       |            |        |        |       |             |           |          |           |              |                                     |
|------|------------|-------|-------|------------|--------|--------|-------|-------------|-----------|----------|-----------|--------------|-------------------------------------|
| alum | anthracite | black | brown | champ-gold | chrome | silver | white | recess size | motorised | wood fix | stone fix | brackets top | brackets face                       |
|      |            |       |       |            |        |        |       | <u>1/2</u>  |           |          | <u>PV</u> |              | <input checked="" type="checkbox"/> |

| Room                    | Width       | Drop        | Slat Size    | Colour                        | Control LH or RH | Fitting Height | Price           |
|-------------------------|-------------|-------------|--------------|-------------------------------|------------------|----------------|-----------------|
| <u>SIDE &amp; FRONT</u> |             |             |              | <u>NIGHT &amp; DAY BLINDS</u> |                  |                | <u>£2042</u>    |
| <u>FULL CON</u>         |             |             |              | <u>P/FIT ON DOORS</u>         |                  |                | <u>£2898</u>    |
|                         |             |             |              | <u>FERRARA LIVEN</u>          |                  |                |                 |
| <u>CON</u>              | <u>885</u>  | <u>1560</u> | <u>1/2RW</u> | <u>ROLLERS RANGE A</u>        | <u>R</u>         | <u>2600</u>    | <u>117</u>      |
| <u>SIDES</u>            | <u>660</u>  | <u>1980</u> |              | <u>ATLANTEX ASC</u>           | <u>L</u>         |                | <u>112</u>      |
| <u>FRONT</u>            | <u>660</u>  | <u>1980</u> |              | <u>WHITE</u>                  | <u>R</u>         |                | <u>£800 112</u> |
| <u>FRONT</u>            | <u>908</u>  | <u>1560</u> |              | <u>SHAPE 1</u>                | <u>R</u>         |                | <u>117</u>      |
| <u>LTOP</u>             | <u>1525</u> | <u>1560</u> |              | <u>CHROME S' WINDERS</u>      | <u>L</u>         |                | <u>173</u>      |
| <u>FULL</u>             | <u>770</u>  | <u>1560</u> |              |                               | <u>L</u>         |                | <u>£135 99</u>  |
|                         | <u>1525</u> | <u>1560</u> |              |                               | <u>R</u>         |                | <u>173</u>      |
|                         | <u>1686</u> | <u>1560</u> |              |                               | <u>L</u>         |                | <u>178</u>      |
|                         | <u>1717</u> | <u>1560</u> |              |                               | <u>L</u>         |                | <u>178</u>      |
| <u>LIV</u>              | <u>727</u>  | <u>1120</u> | <u>1/2RV</u> |                               | <u>R</u>         | <u>2400</u>    | <u>89</u>       |

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

I have ordered the above goods and agree to pay 50% deposit and the remaining balance on the day of fitting. If payment is not made in full at that time Baileys Blinds has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £ 1200  
DEPOSIT £ 600  
BALANCE £ 600

PRICE ACCEPTANCE Customer's Signature

CASH CHEQUE CARD

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING



# ROLLER BLINDS

## Order Form

### Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

Special Instructions  
 Page 2 of 2

Telephone:  
 Email:  
 Signature:  
 Purchase Reference No:  
 355013 ORFORD

Date: 13-07-23  
 Retailer: BAILEYS  
 Address: SMOOR  
 Date Required:

| Window | Width (mm) | Drop (mm) | Recess or Fabric size | Child Safety Installation Height (mm) | Length of Control Chain (mm) | Tube Diameter 32mm, 40mm, 45mm | BLIND SIZE |     | Fabric Range | Fabric Colour | Louvrolite, Benthin, Eclipse, RHC | ORDER |           |        |                |
|--------|------------|-----------|-----------------------|---------------------------------------|------------------------------|--------------------------------|------------|-----|--------------|---------------|-----------------------------------|-------|-----------|--------|----------------|
|        |            |           |                       |                                       |                              |                                | C C        | F I |              |               |                                   | h     | Price (£) | Qty    | TOTAL COST (£) |
| 1      | CON 1717   | 1560      | 1/R                   | 2600                                  |                              | 32                             |            |     | ATLANTIX ASC | WHITE         | L                                 | C     | I         | FABRIC |                |
| 2      | LIV 727    | 1120      |                       | 2400                                  |                              | "                              |            |     |              |               | R                                 | C     | I         | WARP   |                |
| 3      |            |           |                       |                                       |                              |                                |            |     |              |               |                                   |       |           |        |                |
| 4      |            |           |                       |                                       |                              |                                |            |     |              |               |                                   |       |           |        |                |
| 5      |            |           |                       |                                       |                              |                                |            |     |              |               |                                   |       |           |        |                |
| 6      |            |           |                       |                                       |                              |                                |            |     |              |               |                                   |       |           |        |                |
| 7      |            |           |                       |                                       |                              |                                |            |     |              |               |                                   |       |           |        |                |
| 8      |            |           |                       |                                       |                              |                                |            |     |              |               |                                   |       |           |        |                |

**NOTE:** UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVROLITE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

Customer has been advised on (✓):  
 The Child Safety Regulations EN1320 and the use of child safety devices  
 Minimum distances applying to operating cords

# ROLLER BLINDS

## Order Form

### Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Excelsior Park  
 Wishaw  
 ML2 0EG  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbow-blinds.com

Telephone: \_\_\_\_\_  
 Email: \_\_\_\_\_  
 Signature: \_\_\_\_\_  
 Purchase Reference No: **355013 ORFORD**

Date: **13-07-20**  
 Retailer: **BALKES**  
 Address: **S'MOOR**  
 Date Required: \_\_\_\_\_

Special Instructions  
**Page 1 of 2**

| Window | Width (mm) | Drop (mm) | Recess or Fabric size | Child Safety Installation Height (mm) | Length of Control Chain (mm) | Tube Diameter 32mm, 40mm, 45mm | BLIND SIZE    |                         |                                  | Fabric Range | Fabric Colour | Louvrolite, Benthin, Eclipse | LHC / RHC | C C h o i r n u s | F i n i s | Price (£) | Qty | TOTAL COST (£) |  |  |
|--------|------------|-----------|-----------------------|---------------------------------------|------------------------------|--------------------------------|---------------|-------------------------|----------------------------------|--------------|---------------|------------------------------|-----------|-------------------|-----------|-----------|-----|----------------|--|--|
|        |            |           |                       |                                       |                              |                                | Tube Diameter | Length of Control Chain | Child Safety Installation Height |              |               |                              |           |                   |           |           |     |                |  |  |
| 1      | CON        | 885       | 1560                  | 1A                                    | 2600                         | 32                             | ATLANTEX ASC  |                         | WHITE                            |              |               | R                            | C         | I                 |           |           |     |                |  |  |
| 2      | SIDE       | 660       | 1980                  |                                       |                              |                                |               |                         |                                  |              |               | L                            | H         | I                 |           |           |     |                |  |  |
| 3      | L70        | 660       | 1980                  |                                       |                              |                                |               |                         |                                  |              |               | R                            | R         | I                 |           |           |     |                |  |  |
| 4      | R          | 908       | 1560                  |                                       |                              |                                |               |                         |                                  |              |               | R                            | O         | I                 |           |           |     |                |  |  |
| 5      |            | 1525      | 1560                  |                                       |                              |                                |               |                         |                                  |              |               | L                            | M         | I                 |           |           |     |                |  |  |
| 6      |            | 770       | 1560                  |                                       |                              |                                |               |                         |                                  |              |               | L                            | E         | I                 |           |           |     |                |  |  |
| 7      |            | 1525      | 1560                  |                                       |                              |                                |               |                         |                                  |              |               | R                            | I         | I                 |           |           |     |                |  |  |
| 8      |            | 1686      | 1560                  |                                       |                              |                                |               |                         |                                  |              |               | L                            | I         | I                 |           |           |     |                |  |  |

**NOTE:** UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND SYSTEM WILL BE LOUVROLITE 32MM. PLEASE SELECT APPROPRIATE TUBE FOR BLIND WITH, DROP OR FABRIC WEIGHT.

The Child Safety Regulations EN1320 and the use of child safety devices

Customer has been advised on (✓):

Minimum distances applying to operating cords