



# FAUXWOOD VENETIAN BLINDS

## Order Form

Company / Shop:  
**BAILEYS - S' MOOR**

Sales Rep:  
**SHAUN H**

Customer Name:  
**ALLEN**

Date:  
**06-02-24**

Order Reference:  
**356675**

Special Instructions

### BLIND SIZE & SYSTEM

BLIND SIZE & SYSTEM							OPTIONS					
	Location	Width (mm)	Drop (mm)	Recess (✓)	Exact (✓)	Child Safety Installation Height (mm)	Slat Width	Slat Range & Colour	Tapes	Tassel	Valance	Fixing Brackets
1	LIN	1800	1327	1/2		2600	50	SERENE	NO	STD	1800	STD
2	DIN	1220	1342					FINE GRAIN			YES	
3	FIBED L	1227	1189									
4	R	1230	1190									
5	B BED	1817	1187									
6												
7												
8												

NOTE:

UNLESS OTHERWISE STATED ALL MEASUREMENTS WILL BE TAKEN AS RECESS AND ALL OPTIONS WILL BE DEFAULT. CONTROLS ARE STANDARD ONLY.

FITTING NOTES:

# ROLLER BLINDS

## Order Form

### Rainbow Blinds

Rainbow Blinds & Interiors  
 61 Canyon Road  
 Escalator Park  
 Walsley  
 W12 2 6J 5  
 T. 01698 351 888  
 F. 01698 351 999  
 sales@rainbowblinds.com

Date: 06-02-24  
 Retailer: BAILEYS  
 Address: 5' Floor  
 Telephone:  
 Email:  
 Signature:  
 Purchase Reference No: 356675 ALLEN

Window	Width (mm)	Drop (mm)	Recess or Fabric size	Child Safety Installation Height (mm)	Length of Control Chain (mm)	Fabric Range	Fabric Colour	BLIND SIZE			TOTAL COST (£)
								Tube Diameter (mm)	Roller (mm)	Chain (mm)	
1 KIT	710	1240	1/2	2200		SPLASH	TROPEZ	32	6		
2 Door	630	1170	1/2								
3											
4											
5											
6											
7											
8											

NOTE: UNLESS OTHERWISE SPECIFIED ALL ROLLER BLINDS WILL BE TAKEN AS RECESSED TYPE WITH DEPTH OF 32MM. PLEASE SELECT APPROPRIATE CURTAIN FOR BLIND WITH DROP OR FABRIC WEIGHT.

Roller blinds supplied by Rainbow Blinds & Interiors are fitted with an approved Child Safety Device. Customer has been advised on the use of Child Safety Devices. The Child Safety Regulations (1999) and the use of Child Safety Devices.