

Baileys Blinds

313568

CUSTOMER ORDER No.

34 HIGH STREET, SPENNYMOOR,
DURHAM DL16 6DB

TEL: 01388 813267 or 0191 258 5956

sales@baileys-blinds.co.uk
www.baileys-blinds.co.uk

DATE MEASURED/ORDERED
19 / 01 / 16

VAT Reg. No. 607 6561 34

SPECIAL INSTRUCTIONS

R.W.R. MUST BE
EARLY AM & ~~START~~
BE GLEN TO FIT *

(Apr 1198 - 2150 L L
2200
BED L FINISH IN SLATS.)

Customer's Name GREENWELL

Address 3, ESSEX WAY
DARLINGTON. DL1 2LF

PHONE No.	home	354300
	work	
	mobile	
	fax	

VENETIAN	
ROLLERS	
VERTICALS	
PLEATED	

ALL BLINDS TO BE PAID FOR AT TIME OF FITTING

Room	No.	Width	Drop	Slat Size	Colour	Control LH or RH	Fitting Height	Price
KIT	1	178 8	1028 1/2	25	POLAR WHITE	LL	2400	100
LIV L	1	585	1507 1/2	25	}	LL	11	63
LIV M	1	118 0	1507 1/2	11/2		RR	11	95
LIV R	1	590	1507 1/2	11/2		RR	11	63
								321
B/BED	1	1198	2155 EXT	25	---	LL	2200	

SAFETY DEVICES SUPPLIED WITH GOODS MUST BE FITTED BY US AT THE TIME OF INSTALLATION. IF YOU REFUSE TO ALLOW A SAFETY DEVICE TO BE FITTED, THEN THE GOODS WILL NOT BE INSTALLED, AND UNDER THESE CIRCUMSTANCES YOU WILL STILL BE LIABLE TO PAY THE FULL PRICE UNDER YOUR CONTRACT. YOU ARE STILL BOUND TO ACCEPT DELIVERY OF THE GOODS AND TO PAY FOR BOTH THE FITTING AND INSTALLATION EVEN ALTHOUGH INSTALLATION HAS NOT BEEN CARRIED OUT.

PLEASE NOTE THAT WHEN SLATS ONLY ARE SUPPLIED TO EXISTING HEADRAIL, THIS IS DONE AT CUSTOMERS OWN RISK. BAILEYS BLINDS CANNOT BE HELD RESPONSIBLE FOR BREAKAGE WHICH MAY HAVE BECOME BRITTLE WITH AGE.

I have ordered the above goods and agree to pay the amount shown in full at the time of fitting. If payment is not made in full at that time Baileys Blinds, has the right to remove the goods until full settlement is made. Title of the goods does not pass to the customer until payment has been made in full. Declaring that there shall be no liability for normal damage occasioned by such removal.

TOTAL PRICE £321

PRICE ACCEPTANCE Customer's Signature

Measured By:

CASH DEPOSIT £100

M Greenwell

SHAUN HANLEY

BALANCE £221
CASH

27/1/16
FGG x M Greenwell

