



1 First Floor
1 : 50

Revision Schedule		
Rev	Date	Description
C1	30-09-20	CONSTRUCTION ISSUE Parcel B1 plots omitted

Wall Legend	
	Standard External Insulated Cavity Wall 102.5mm facing brickwork 100mm cavity filled with blown mineral fibre insulation 100mm aerated concrete block (2.9N/mm ²) 12.5mm gypsum board on adhesive dabs
	Party Wall 100mm aircrete block (3.5N/mm ²) 100mm Party Wall blown glass mineral wool insulation 100mm aircrete block (3.5N/mm ²) 12.5mm gypsum board on adhesive dabs
	Internal Blockwork Partition 12.5mm gypsum board on adhesive dabs 100mm aerated concrete block (2.9N/mm ²) 12.5mm gypsum board on adhesive dabs
	Structural Stud Partition 12.5mm gypsum board 12.5mm OSB2 sheathing 63 x 38mm timber studs (studs and noggings rotated through 90°) 12.5mm gypsum board 12.5mm OSB2 sheathing
	Non-Load Bearing Stud Partition 12.5mm gypsum board 63 x 38mm timber studs 12.5mm gypsum board
	Stud Partition with Acoustic Insulation 12.5mm gypsum board 63 x 38mm timber studs, with 65mm thick Isover APR 1200 acoustic insulation packed between 12.5mm gypsum board

Note:- all blockwork drawn magenta to be 3.6N/mm²
 Note:- all blockwork drawn blue to be 7.3N/mm²
 Refer to current Bellway Construction Specification for further details

For Country Tile (CT), Country Weatherboard (CW) and Town Tile (TT), external skin to be replaced with 3.6N/mm² lightweight aggregate blocks to areas which are to receive alternative external treatment only.
 This drawing must be read in conjunction with 25 series drawings.

Bellway
www.bellway.co.uk

Bellway Homes Northern Home Counties
 St Andrews House, Caldecotte Lake Drive, Caldecotte,
 Milton Keynes MK7 8LE
 Tel: 01908 364 200 | Fax: 01908 364 201

Project
145 - PARCEL B2, GLEBE FARM
 WAVENDON
 (AMENDED BY MANORHOUSE
 ARCHITECTURE LIMITED)

Drawing Title
The Quilter
 3b Det | All Contemporary Variants
 First Floor Setting Out Plan
QU-3B-2S-AC

Drawn By WSP	First Issue Date 22-05-20	Scale(s) 1 : 50
Job No 20402	Drg Status CONSTRUCTION	Revision C1
Drawing No. 145-A-QUI-201		

Do not scale - if in doubt, ask