


La Greve d'Azette

Coastlands Avenue

La Greve d'Azette



Date: 15/04/2019

Location Plan

SCALE 1:500



Frame colour RAL 9007 | Pattern 3-718

Cassita II/LED

A jewel amongst cassette awnings

Slim design and jam-packed with technology – with its puristic shape and ultra-slim cassette, the Cassita II is a perfect match for modern domestic trends. With numerous options for added comfort and convenience.




Cassita II/LED – Highlights and features



Youthful living with slim cassette design

For contemporary home decor aficionados: the outstanding feature of the Cassita II is its puristic, harmoniously flat, oval-shaped design

- beautifully-shaped aluminium end caps
- concealed fixings and screws
- easy end fix installation with only two brackets



High-performance technology in minimal space

Fully sheltered: inside the cassette is the very latest in weinor awning technology.

- durable and very quiet weinor LongLife arm (10-year warranty)
- torsion-resistant Optinut tube ensures ideal fabric positioning



LED lighting – long evenings on the patio included

Pleasant summer evenings on your patio – the Cassita II LED provides warm, white atmospheric LED light.

- highly energy-efficient
- operating life of 30,000 hours
- infinitely dimmable when used with BiConnect radio control
- can be used even when awning is retracted

Cassita II/LED

| | |
|------------|-----------------|
| max. width | max. projection |
| 550 cm | 300 cm |

A | 3-878 120 cm ca. 20 cm UPF 50+

Empfehlung | Aanbeveling | Recommendation | Recommendation
 no. 3 no. 87 3-509-240; screens by weinor® WT 029/90147; WT 029/70786; WT 029/80081

60 %

P | 6-412 120 cm ca. 30 cm UPF 50+

Empfehlung | Aanbeveling | Recommendation | Recommendation
 no. 3 no. 18 6-374; screens by weinor® WT 029/10797; WT 029/90146; WT 029/80077

60 %

P | 6-385 120 cm ca. 20 cm UPF 50+

Empfehlung | Aanbeveling | Recommendation | Recommendation
 no. 3 no. 727 6-378; screens by weinor® WT 029/10797; WT 029/70786; WT 029/80077

60 %

P | 6-386 120 cm ca. 20 cm UPF 50+

Empfehlung | Aanbeveling | Recommendation | Recommendation
 no. 3 no. 727 6-378; screens by weinor® WT 029/90146; WT 029/70786; WT 029/80077

60 %