

Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

C P Interiors

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

reference: Wheeler SO8666
Your order no.:
weinor customernumber: 165708
creation Date: 27.05.2020
weinor pers. in charge: Chris Nicholson
phone / fax number: +49-221-59709-452
representat.: Chris Spickett
tel (representat.): 0044 (0) 7894443907

pos	quantity	article	price
1	1	weinor	7.205,00
Scheduling delivery : Please contact your person in charge for planning the expected date of delivery.			
Permissible snow-bearing load : 750 N/m ²			
Roofsystem : Terrazza L Originale			
External dimensions : 5500mm x 3500mm Depth: wall up to INSIDE edge of post			5.195,00
Bottom edge gutter (mm) : 2100 mm			
Bottom edge connection to wall (mm) : 2750 mm			
Top edge connection to wall (mm) : 2943 mm			
Pitch of roof [°] : 8,31 °			
Basic colour : WT029/90147 Approx. RAL 9007 Metallic			
Covering : prepared for 10mm LSG			
Information about roofing : Caution! The dimensions for web plates and/or glass cannot be changed and only apply to the covering you have selected!!			
basic element : 101 Type A pent roof			
Seals : silicone-containing seals			
Connection to wall left? : No wall connection on left			
Connection to wall right? : No wall connection on right			
Static adjustment of the roof for glazing element under side roof -beams on left and / or right? : Yes, statics for GEs (w50-c lite side element)			
Roof support type, inner roof supports : 150 roof support without steel			
Roof support type, outer roof supports left : 150 roof support with steel			279,00
Roof support type, outer roof supports right : 150 roof support with steel			279,00

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 2 of 16

pos	quantity	article	price
		Transom over all roof panels : yes	
		Further transoms across all roof sections : no	
		Axial dimension rafter : 902,3 mm	
		version post : square post	
		Post type left : Post outside	
		Post type right : Post outside	
		Number of posts : 2 Piece	
		Post position on the left : 60,5 mm	
		Post position on the right : 60,5 mm	
		Maximum spacing for posts when gutter has 2 x steel : 5700 mm for 2 x steel in gutter	
		Length of post : 2600 mm	
		Steel reinforcement for roof gutter : 2 * Galvanised flat steel	732,00
		Post attachment left : 196x196 post plate	
		Post attachment right : 196x196 post plate	
		Number of post base plates 196x196 : 2 Piece	
		Number of caps for post plate : 2 Piece	62,00
		Drain on left side? : Drain through the left post	
		Drain on right side? : Drain through the right post	
		Number of drains through posts incl. down pipes with bends 87° : 2 incl. downspout and 87° elbow	115,00
		Leaf protection screen (no extra cost) : Leaf guard same width as roof	
		Provision for fitting Sottezza. : 6 Piece	168,00
		Sottezza-Type : Sottezza stretch/optistretch (alle variants)	
		Substructure elements available (from outside) : UBB glazing elements on both sides	
		Projection Sottezza [mm] : 3469,6 mm	
		The specified length does account for 40 mm spacing from the wall or 20 mm from the guttering.	
		Distance from Sottezza to the wall : 40 mm	
		Distance from Sottezza to the gutter : 20 mm	
		Projection of WGM : 3631 mm	
		The specified length does account for 20 mm and an overhang on the end of rafter 30 mm from the guttering.	
		Preparation for LED Design light bar below roof support? : yes	

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer:	165708	reference:	Wheeler SO8666	Page 3 of 16
pos	quantity	article		price
How many rafters to be prepared for light bars ? : 3 Piece				
Do you want a cable track with the wall connection ? : yes 105,00				
Left-hand wall : Rectangular pipe 100x30 135,00 Rectangular pipe 50x30				
Right-hand wall : Rectangular pipe 100x30 135,00 Rectangular pipe 50x30				
Weight [kg] : 225 kg				
				value of goods
				7.205,00

2	1	weinor		1.047,00
Scheduling delivery : Please contact your person in charge for planning the expected date of delivery.				
Product use : private house				
Frame profile : blind frame section 105 w50-c bottom blind frame section 35 w50-c top				
Width of element [mm] : 3460 mm				
Incline : 8,31 Degree(s) 1.035,00				
Installation side (as seen from inside) : right				
Number of vertical glass panels : two parts				
Prepared for : prepared for 6mm (for cold use)				
Wind load bracket : yes, with wind load profile				
Basic colour : WT029/90147 Approx. RAL 9007 Metallic				
gap seal : Gap seals for 6 mm glass, length 2000 mm 12,00				
Cardboard container : edges reinforcement				
				value of goods
				1.047,00

Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 4 of 16

pos	quantity	article	price
-----	----------	---------	-------

3	1	weinor	2.989,00
---	---	--------	----------

Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.	
Product use	: private house	
Width of element [mm]	: 3460 X 2100	2.348,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Selection of leaves + tracks	: 4-track with 4 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: handle bar standard	
side of the handling	: handling on both sides	
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob From bottom edge of guide track (mm)	: 1050 mm	
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic	
wall connection profile left	: yes	48,00
wall connection profile right	: yes	48,00
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm	93,00
with threshold profile	: on both sides positioned threshold profile	146,00
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
extra charge glass pallet	: 2 x wooden pallet	306,00
weight	: 199 kg	

value of goods

2.989,00

Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 5 of 16

pos	quantity	article	price
4	1	weinor	1.047,00
Scheduling delivery		: Please contact your person in charge for planning the expected date of delivery.	
Product use		: private house	
Frame profile		: blind frame section 105 w50-c bottom blind frame section 35 w50-c top	
Width of element [mm]		: 3460 mm	
Incline		: 8,31 Degree(s)	
Installation side (as seen from inside)		: left	
Number of vertical glass panels		: two parts	
Prepared for		: prepared for 6mm (for cold use)	
Wind load bracket		: yes, with wind load profile	
Basic colour		: WT029/90147 Approx. RAL 9007 Metallic	
gap seal		: Gap seals for 6 mm glass, length 2000 mm	
Cardboard container		: edges reinforcement	
			value of goods
			1.047,00

Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 6 of 16

pos	quantity	article	price
-----	----------	---------	-------

5	1	weinor	2.683,00
---	---	--------	----------

Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.	
Product use	: private house	
Width of element [mm]	: 3460 X 2100	2.348,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Selection of leaves + tracks	: 4-track with 4 leaves	
Position of active leaf?	: right, as seen from inside	
Direction of opening	: sliding to the left	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: handle bar standard	
side of the handling	: handling on both sides	
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob From bottom edge of guide track (mm)	: 1050 mm	
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic	
wall connection profile left	: yes	48,00
wall connection profile right	: yes	48,00
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm	93,00
with threshold profile	: on both sides positioned threshold profile	146,00
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
weight	: 199 kg	

value of goods

2.683,00

Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 7 of 16

pos	quantity	article	price
-----	----------	---------	-------

6	1	weinor	3.555,00
---	---	--------	----------

Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.	
Product use	: private house	
Width of element [mm]	: 5264 X 2100	3.088,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Selection of leaves + tracks	: 3-track with 6 leaves (lock plate version)	
Direction of opening	: sliding to the left and the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: handle bar standard	
side of the handling	: handling inside	
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob From bottom edge of guide track (mm)	: 1050 mm	
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic	
wall connection profile left	: yes	48,00
wall connection profile right	: yes	48,00
brush seal	: 4 x Brush profile transparent for 10 mm glass, length 2800 mm	124,00
gap seal	: 2 x Spaltdichtungen für 10 mm Glas, Länge 2500 mm	
with threshold profile	: on both sides positioned threshold profile	163,00
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
30 x 2 mm flat aluminium	: 4 Piece	
Length of 30 x 2 mm flat aluminium	: 3000 mm	84,00
weight	: 302,7 kg	

value of goods

3.555,00

Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 8 of 16

pos	quantity	article	price
-----	----------	---------	-------

7	1	weinor Sottezza II OptiStretch	2.733,00
---	---	--------------------------------	----------

Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.	
Product use	: private house	
Sales order Terrazza	: 502325315	
Posn. of the sales order for Terrazza	: 1	
LED Design light bar below roof support?	: yes	
Number of panels	: 1 Field System	
width Terrazza [mm]	: 5500 mm	
Distance centre to centre	: 5352 mm	
Width of cassette total [mm]	: 5388 mm	
Projection [mm]	: 3469,6 mm	2.667,00
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic	
Note on distance bar:	:	
Cable clips along the back of the cassette	: with cable clips along the back of the cassette	
type of control	: motor (Becker)	
Side of control (seen from the front)	: right	
with remote control BiConnect	: Yes! Please remind the separate order!	
Information on BiConnect	: The BiConnect has been done in 502325315 position 9!	
Type of engine	: 121060-0000	
Side channel bracket	: 4 Piece	
brackets top plate	: 2 Piece	
colour of parts	:	
Colour, cassette	:	
colour front rail	:	
Colour, side channel	:	
colour of guide rail end caps	:	
colour of guide bar brackets	:	
real-design	: WE3-515 my collections	
colour of thread Saba	: white	
100 x 30 x 35 mm rectangular pipes with Screwset	: 6 Piece	66,00
Cardboard container	: edges reinforcement	

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 9 of 16

pos	quantity	article	price
		weight : 84 kg	
			value of goods
			2.733,00

8	1	weinor LED Design light bar 3Spot	906,00
---	---	-----------------------------------	--------

Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.	
Product use	: private house	
Type of use	: LED Design attachement Vivienda/Terrazza	
Sales order Terrazza	: 502325315	
Lighting controls	: wireless dimmer BiConnect	
No. of light bars	: three light bars	
width [cm]	: 321,96 cm	906,00
number of lamps	: 3 Piece	
Light bars coupled?	: yes, connection leads between strips	
light receiver	: with light receiver	
with remote control BiConnect	: Yes! Please remind the separate order!	
Information on BiConnect	: The BiConnect has been done in 502325315 position 9!	
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic	
weight	: 10 kg	
		value of goods
		906,00

Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 10 of 16

pos	quantity	article	price
9	1	weinor BiConnect	901,00
		Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.
		deliver BiConnect separate?	: No; supply receiver and handheld remote control with awning
		shipment info	: The pre set receivers (except LED) and the handset will be packed with contract number 502325315 pos 7!
		receiver for motor	: 2 BiRec MA, basic 182,00
		receiver for light	: 1 BiRec LED, basic 277,00
		receiver for tempura control	: 2 BiRec HD, basic 336,00
		learned on channel 1	: BiConnect BiEasy 5M (black version) 106,00
		learned on channel 2	: weinor BiConnect BiRec MA with black cable for order 502325315/10: VertiTex II Schiene engine right
		learned on channel 3	: BiRec LED, basic for order 502325315/8: Lichtleiste 3Spot
		learned on channel 4	: BiRec HD, basic for order 502325315/11
		learned on channel 5	: BiRec HD, basic for order 502325315/11
			value of goods
			901,00

Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 11 of 16

pos	quantity	article	price
-----	----------	---------	-------

10	1	weinor VertiTex II rail	1.197,00
----	---	-------------------------	----------

Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.	
Product use	: private house	
Execution	: square cassette	
size of cassette	: small cassette 75	
total width of cassette	: 3500 mm	
height [mm]	: 2300 mm	
Base price	: 1197	1.197,00
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic	
Casing fixing	: wall bracket Vertitex universal	
Number of housing brackets	: 3 Piece	
type of control	: motor (Becker)	
Side of control (seen from the front)	: right	
with remote control BiConnect (external BiRec MA)?	: Yes! Please remind the separate order!	
Information on BiConnect	: The BiConnect has been done in 502325315 position 9!	
electrical engine connection	: Standard	
Type of engine	: 125262-0000	
Collection	: screens by weinor	
real-design	: FE86-2135-267 (extra-wide fabrics) beige Soltis 86	
cloth type	: made without seams	
Cardboard container	: edges reinforcement	
weight	: 22 kg	

value of goods

1.197,00

Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 12 of 16

pos	quantity	article	price
-----	----------	---------	-------

11	2	weinor Tempura	994,00
----	---	----------------	--------

Execution	: Tempura 1,5 KW	
Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.	
Product use	: private house	
Utilisation	: universal	
width	: 50 cm	460,00
with remote control BiConnect	: Yes! Please remind the separate order!	
Information on BiConnect	: The BiConnect has been done in 502325315 position 9!	
designer receiver bar 330 mm operation	: yes	37,00
	: Birec remote receiver, dimmable	
	: Please remember separate entry of data	
access	: Hirschmann plug (standard)	
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic	
weight	: 2 kg	

value of goods

994,00

value of goods GBP	VAT (0 %)	Total GBP
25.257,00	0,00	25.257,00



Configuration details


weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708


reference: Wheeler SO8666

Page 13 of 16

isometric view



top view





Configuration details


weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708


reference: Wheeler SO8666

Page 14 of 16


front view



side view left



side view right






Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708

reference: Wheeler SO8666

Page 15 of 16



Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666

Page 16 of 16

Note, these glass dimensions are not part of the order confirmation and are only part of the configuration from 27.5.2020.

Glass Dimensions

Position 1		prepared for 10mm LSG		
quantity	form	Width	Height left	Height right
12	rectangle	858	1766	1766
Position 2		prepared for 6mm (for cold use)		
quantity	form	Width	Height left	Height right
1	trapezium right	1724	54	306
1	trapezium right	1724	307	558
Position 4		prepared for 6mm (for cold use)		
quantity	form	Width	Height left	Height right
1	trapezium left	1724	558	307
1	trapezium left	1724	306	54

