

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

### C P Interiors

**Rue Des Pres Trading Estate  
GB-JE2 7QN St Saviour Jersey**

reference: Wheeler SO8666  
Your order no.:  
weinor customernumber: 165708  
creation Date: 12.06.2020  
weinor pers. in charge: Chris Nicholson  
phone / fax number: +49-221-59709-452  
representat.: Chris Spickett  
tel (representat.): 0044 ( 0 ) 7894443907

pos	quantity	article	price
1	1	weinor	7.208,00

<b>Roofsystem</b>	: Terrazza L Originale		
.	: ATTENTION! Element is supplied without glass!		
Permissible snow-bearing load	: 750 N/m <sup>2</sup>		
External dimensions	: 5500mm x 3500mm Depth: wall up to INSIDE edge of post		5.195,00
Bottom edge gutter (mm)	: 2100 mm		
Bottom edge connection to wall (mm)	: 2906 mm		
Top edge connection to wall (mm)	: 3100 mm		
Pitch of roof [°]	: 10,8 °		
info	: 0		
Basic colour	: WT029/60740 Marrone 04 Metallic		
Covering	: prepared for 10mm LSG		
Information about roofing	: Caution! The dimensions for web plates and/or glass cannot be changed and only apply to the covering you have selected!!		
basic element	: 101 Type A pent roof		
Seals	: silicone-containing seals		
Connection to wall left?	: No wall connection on left		
Connection to wall right?	: No wall connection on right		
Static adjustment of the roof for glazing element under side roof -beams on left and / or right?	: Yes, statics for GEs (w50-c lite side element)		
Roof support type, inner roof supports	: 150 roof support without steel		
Roof support type, outer roof supports left	: 150 roof support with steel		279,00
Roof support type, outer roof supports right	: 150 roof support with steel		279,00

weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE 122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 4062 0130 2664 80

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 2 of 17

pos	quantity	article	price
		Transom over all roof panels : yes	
		Further transoms across all roof sections : no	
		Axial dimension rafter : 902,3 mm	
		version post : square post	
		Post type left : Post outside	
		Post type right : Post outside	
		Number of posts : 2 Piece	
		Post position on the left : 60,5 mm	
		Post position on the right : 60,5 mm	
		Maximum spacing for posts when gutter has 2 x steel : 5700 mm for 2 x steel in gutter	
		Length of post : 2600 mm	
		Steel reinforcement for roof gutter : 2 * Galvanised flat steel	732,00
		Post attachment left : 196x196 post plate	
		Post attachment right : 196x196 post plate	
		Number of post base plates 196x196 : 2 Piece	
		Number of caps for post plate : 2 Piece	62,00
		Drain on left side? : Drain through the left post	
		Drain on right side? : Drain through the right post	
		Number of drains through posts incl. down pipes with bends 87° : 2 incl. downspout and 87° elbow	115,00
		Leaf protection screen (no extra cost) : Leaf guard same width as roof	
		Provision for fitting Sottezza. : 6 Piece	168,00
		Sottezza-Type : Sottezza stretch/optistretch (alle variants)	
		Substructure elements available (from outside) : UBB glazing elements on both sides	
		Projection Sottezza [mm] : 3492,5 mm	
		The specified length does account for 40 mm spacing from the wall or 20 mm from the guttering.	
		Distance from Sottezza to the wall : 40 mm	
		Distance from Sottezza to the gutter : 20 mm	
		Projection of WGM : 3669 mm	
		The specified length does account for 20 mm and an overhang on the end of rafter 30 mm from the guttering.	
		Preparation for LED Design light bar below roof support? : yes	

weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE 122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 4062 0130 2664 80

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 3 of 17

pos	quantity	article	price
		How many rafters to be prepared for light bars ? : 3 Piece	
		Do you want a cable track with the wall connection ? : no	
		Left-hand wall : Rectangular pipe 100x30	135,00
		Rectangular pipe 50x30	
		Right-hand wall : Rectangular pipe 100x30	135,00
		Rectangular pipe 50x30	
<b>Exclusively for weinor-eshop orders, we further simplified installation: various assemblies are delivered in a pre-assembled state or are blocked out for installation!</b>			
		: 18,32 m <sup>2</sup>	
		Note glass area : The glass surface concern only the roof.	
		50 x 2 mm flat aluminium : 4 Piece	
		Length of 50 x 2 mm flat aluminium : 3000 mm	108,00
		Weight [kg] : 225 kg	
			value of goods
			7.208,00

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 4 of 17

pos	quantity	article	price
-----	----------	---------	-------

2	1	weinor	1.159,00
---	---	--------	----------

.	:	ATTENTION! Element is supplied without glass!	
Product use	:	private house	
Frame profile	:	blind frame section 105 w50-c bottom blind frame section 35 w50-c top	
Width of element [mm]	:	3460 mm	
Incline	:	10,8 Degree(s)	1.035,00
Installation side (as seen from inside)	:	right	
Number of vertical glass panels	:	two parts	
Prepared for	:	prepared for 6mm (for cold use)	
Wind load bracket	:	yes, with wind load profile	
Basic colour	:	WT029/60740 Marrone 04 Metallic	
gap seal	:	Gap seals for 6 mm glass, length 2000 mm	12,00
Cardboard container	:	edges reinforcement	
30 x 2 mm flat aluminium	:	4 Piece	
Length of 30 x 2 mm flat aluminium	:	3550 mm	112,00

value of goods

1.159,00

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 5 of 17

pos	quantity	article	price
3	1	weinor	2.927,00
.		: ATTENTION! Element is supplied with glass!	
Product use		: private house	
Width of element [mm]		: 3460 X 2100	2.348,00
type of floor rail		: standard floor rail with CleanCase	
CleanCase left (from inside)		: yes	
CleanCase right (from inside)		: yes	
Selection of leaves + tracks		: 4-track with 4 leaves	
Position of active leaf?		: left, as seen from inside	
Direction of opening		: sliding to the right	
Glazing		: 10 mm toughened safety glass, clear	
Soft-Closing-System		: Soft-Closing-System standard	
handling		: handle bar standard	
side of the handling		: handling on both sides	
leaf actuator		: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile		: Standard: Glass retainer profile, pre-drilled	
Height of knob From bottom edge of guide track (mm)		: 1050 mm	
Basic colour		: WT029/60740 Marrone 04 Metallic	
wall connection profile left		: yes	48,00
wall connection profile right		: yes	48,00
brush seal		: 3 x Brush profile transparent for 10 mm glass, length 2800 mm	93,00
Note		: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container		: edges reinforcement	
packaging		: Export packaging/ glass pallet	
extra charge glass pallet		: 2 x wooden pallet	306,00
30 x 2 mm flat aluminium		: 2 Piece	
Length of 30 x 2 mm flat aluminium		: 5550 mm	84,00
weight		: 199 kg	
			value of goods
			2.927,00

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 6 of 17

pos	quantity	article	price
4	1	weinor	1.047,00
.		: ATTENTION! Element is supplied without glass!	
Product use		: private house	
Frame profile		: blind frame section 105 w50-c bottom blind frame section 35 w50-c top	
Width of element [mm]		: 3460 mm	
Incline		: 10,8 Degree(s)	1.035,00
Installation side (as seen from inside)		: left	
Number of vertical glass panels		: two parts	
Prepared for		: prepared for 6mm (for cold use)	
Wind load bracket		: yes, with wind load profile	
Basic colour		: WT029/60740 Marrone 04 Metallic	
gap seal		: Gap seals for 6 mm glass, length 2000 mm	12,00
Cardboard container		: edges reinforcement	
			value of goods
			1.047,00

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 7 of 17

pos	quantity	article	price
-----	----------	---------	-------

5	1	weinor	2.537,00
---	---	--------	----------

.	: ATTENTION! Element is supplied with glass!	
Product use	: private house	
Width of element [mm]	: 3460 X 2100	2.348,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Selection of leaves + tracks	: 4-track with 4 leaves	
Position of active leaf?	: right, as seen from inside	
Direction of opening	: sliding to the left	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: handle bar standard	
side of the handling	: handling on both sides	
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob From bottom edge of guide track (mm)	: 1050 mm	
Basic colour	: WT029/60740 Marrone 04 Metallic	
wall connection profile left	: yes	48,00
wall connection profile right	: yes	48,00
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm	93,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
weight	: 199 kg	

value of goods

2.537,00

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 8 of 17

pos	quantity	article	price
-----	----------	---------	-------

6	1	weinor	3.308,00
---	---	--------	----------

.	: ATTENTION! Element is supplied with glass!	
Product use	: private house	
Width of element [mm]	: 5264 X 2100	3.088,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Selection of leaves + tracks	: 3-track with 6 leaves (lock plate version)	
Direction of opening	: sliding to the left and the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: handle bar standard	
side of the handling	: handling inside	
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
Height of knob From bottom edge of guide track (mm)	: 1050 mm	
Basic colour	: WT029/60740 Marrone 04 Metallic	
wall connection profile left	: yes	48,00
wall connection profile right	: yes	48,00
brush seal	: 4 x Brush profile transparent for 10 mm glass, length 2800 mm	124,00
gap seal	: 2 x Spaltdichtungen für 10 mm Glas, Länge 2500 mm	
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
weight	: 302,7 kg	

value of goods

3.308,00

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 9 of 17

pos	quantity	article	price
-----	----------	---------	-------

7	1	weinor Sottezza II OptiStretch	2.733,00
---	---	--------------------------------	----------

Product use	: private house	
Anticipated delivery	: 17.08.2020	
<b>Anticipated delivery</b>	: 10.08.2020	
Sales order Terrazza	: 202464269	
Posn. of the sales order for Terrazza	: 1	
LED Design light bar below roof support?	: yes	
Number of panels	: 1 Field System	
width Terrazza [mm]	: 5500 mm	
Distance centre to centre	: 5352 mm	
Width of cassette total [mm]	: 5388 mm	
Projection [mm]	: 3492,5 mm	2.667,00
Basic colour	: WT029/60740 Marrone 04 Metallic	
Note on distance bar:	: The distance profile has to be mounted when you are fixing the light bar Lux-Design.	
Cable clips along the back of the cassette	: with cable clips along the back of the cassette	
type of control	: motor (Becker)	
Side of control (seen from the front)	: right	
with remote control BiConnect	: <b>Yes! Please remind the separate order!</b>	
Information on BiConnect	: The BiConnect has been done in 202464269 position 12!	
Type of engine	: 121060-0000	
Side channel bracket	: 4 Piece	
brackets top plate	: 2 Piece	
real-design	: WE6-381 Weitex Classic my collections	
colour of thread Saba	: 267	
100 x 30 x 35 mm rectangular pipes with Screwset	: 6 Piece	66,00
Cardboard container	: edges reinforcement	
weight	: 84 kg	

value of goods

2.733,00

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 10 of 17

pos	quantity	article	price
-----	----------	---------	-------

8	1	weinor LED Design light bar 3Spot	906,00
---	---	-----------------------------------	--------

Product use	: private house	
Type of use	: LED Design attachement Vivienda/Terrazza	
Sales order Terrazza	: 202464269	
Lighting controls	: wireless dimmer BiConnect	
No. of light bars	: three light bars	
width [cm]	: 323,25 cm	906,00
number of lamps	: 3 Piece	
Light bars coupled?	: yes, connection leads between strips	
light receiver	: with light receiver	
with remote control BiConnect	: Yes! Please remind the separate order!	
Information on BiConnect	: The BiConnect has been done in 202464269 position 12!	
Basic colour	: WT029/60740 Marrone 04 Metallic	
weight	: 10 kg	

value of goods

906,00

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 11 of 17

pos	quantity	article	price
-----	----------	---------	-------

10	1	weinor VertiTex II rail	1.166,00
----	---	-------------------------	----------

Product use	: private house		
Execution	: square cassette		
size of cassette	: small cassette 75		
total width of cassette	: 3460 mm		
height [mm]	: 2100 mm		
Base price	: 1166		1.166,00
Basic colour	: WT029/60740 Marrone 04 Metallic		
Casing fixing	: wall bracket Vertitex universal		
Number of housing brackets	: 3 Piece		
type of control	: motor (Becker)		
Side of control (seen from the front)	: right		

with remote control BiConnect (external BiRec MA)?	: Yes! Please remind the separate order!		
Information on BiConnect	: The BiConnect has been done in 202464269 position 12!		
electrical engine connection	: Standard		
Type of engine	: 125262-0000		
Collection	: screens by weinor		
real-design	: FE86-2043-267 (extra-wide fabrics) Bronze Soltis 86		
cloth type	: made without seams		
Cardboard container	: edges reinforcement		
weight	: 21 kg		

value of goods

1.166,00

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 12 of 17

pos	quantity	article	price
11	2	weinor Tempura	994,00
		Execution	: Tempura 1,5 KW
		Product use	: private house
		Utilisation	: universal
		width	: 50 cm
		with remote control BiConnect	: Yes! Please remind the separate order!
		Information on BiConnect	: The BiConnect has been done in 202464269 position 12!
		designer receiver bar 330 mm	: yes
		operation	: Birec remote receiver, dimmable Please remember separate entry of data
		access	: Hirschmann plug (standard)
		Basic colour	: WT029/60740 Marrone 04 Metallic
		weight	: 2 kg
			value of goods
			994,00

## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666 Page 13 of 17

pos	quantity	article	price
-----	----------	---------	-------

12	1	weinor BiConnect	901,00
----	---	------------------	--------

deliver BiConnect separate?	: No; supply receiver and handheld remote control with awning	
shipment info	: The pre set receivers (except LED) and the handset will be packed with contract number 202464269 pos 7!	
receiver for motor	: 2 BiRec MA, basic	182,00
receiver for light	: 1 BiRec LED, basic	277,00
receiver for tempura control	: 2 BiRec HD, basic	336,00
	: weinor BiConnect BiEasy 5M black	106,00
learned on channel 1	: BiRec MA-K, basic for order 202464269/7: Sottezza II OptiStretch engine right	
learned on channel 2	: weinor BiConnect BiRec MA with black cable for order 202464269/10: VertiTex II Schiene engine right	
learned on channel 3	: BiRec LED, basic for order 202464269/8: Lichtleiste 3Spot	
learned on channel 4	: BiRec HD, basic for order 202464269/11	
learned on channel 5	: BiRec HD, basic for order 202464269/11	

value of goods

901,00

value of goods GBP	VAT (0 %)	Total GBP
24.886,00	0,00	24.886,00



## Configuration details


weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708


reference: Wheeler SO8666

Page 14 of 17

isometric view



top view



weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE 122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 4062 0130 2664 80



## Configuration details


weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708


reference: Wheeler SO8666

Page 15 of 17


front view



side view left



side view right




## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708

reference: Wheeler SO8666

Page 16 of 17



## Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: Wheeler SO8666

Page 17 of 17

Note, these glass dimensions are not part of the order confirmation and are only part of the configuration from 12.6.2020.

### Glass Dimensions

<b>Position 1</b>		<b>prepared for 10mm LSG</b>		
quantity	form	Width	Height left	Height right
12	rectangle	858	1779	1779
<b>Position 2</b>		<b>prepared for 6mm (for cold use)</b>		
quantity	form	Width	Height left	Height right
1	trapezium right	1724	55	384
1	trapezium right	1724	385	714
<b>Position 4</b>		<b>prepared for 6mm (for cold use)</b>		
quantity	form	Width	Height left	Height right
1	trapezium left	1724	714	385
1	trapezium left	1724	384	55

