

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

C P Interiors

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

delivery address

Ferryspeed
FAO CP Sunblinds
Venture Park/ Ackworth Road
GB-PO3 5JT Portsmouth/ Hampshire

ORDER CONFIRMATION (release 1)

sales order no.: 202464269 of 12.06.2020
customer: 165708
reference: Wheeler SO8666
Your order no.:
contact person: Chris Nicholson
E-Mail: CNicholson@weinor.de
phone number: +49-221-59709-452
representat. 654 Chris Spickett
tel (representat.): 0044 (0) 7894443907

pos	quantity	article code
-----	----------	--------------

1	1,00	2709 Terrazza
---	------	---------------

Roofsystem	: Terrazza L Originale		
.	: ATTENTION! Element is supplied without glass!		
Anticipated delivery	: 17.08.2020		
Permissible snow-bearing load	: 750 N/m ²		
External dimensions	: 5500mm x 3500mm	Depth: wall up to INSIDE edge of post	5.195,00
Bottom edge gutter (mm)	: 2100	mm	
Clearance height	: 2100	mm	
Bottom edge connection to wall (mm)	: 2906	mm	
Top edge connection to wall (mm)	: 3100	mm	
Pitch of roof [°]	: 10,8	°	
Info	:		
Basic colour	: WT029/60740 Marrone 04 Metallic		
Covering	: 10mm	prepared for 10mm LSG	
Information about roofing	: Caution! The dimensions for web plates and/or glass cannot be changed and only apply to the covering you have selected!!		
basic element	: 101	Type A pent roof	
Seals	: silicone-containing seals		
Connection to wall left?	: No wall connection on left		
Connection to wall right?	: No wall connection on right		

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no.: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

pos	quantity	article code
-----	----------	--------------

Static adjustment of the roof for glazing element under side roof-beams on left and / or right?	: Yes, statics for GEs (w50-c lite side element)		
Roof support type, inner roof supports	: 150 roof support without steel		
Roof support type, outer roof supports left	: 150 roof support with steel		279,00
Roof support type, outer roof supports right	: 150 roof support with steel		279,00
weight rafter	: 58,7	kg	
Transom over all roof panels	: yes		
Further transoms across all roof sections	: no		
Axial dimension rafter	: 902,3	mm	
version post	: square post		
Post type left	: Post outside		
Post type right	: Post outside		
Number of posts	: 2	Piece	
Post position on the left	: 60,5	mm	
Post position on the right	: 60,5	mm	
Maximum spacing for posts when gutter has 2 x steel	: 5700	mm for 2 x steel in gutter	
Length of post	: 2600	mm	
Please note that the standard length for square posts is 2600mm!			
Steel reinforcement for roof gutter	: 2	* Galvanised flat steel	732,00
Weight for roof gutter with steel	: 166,7	kg	
Post attachment left	: 196x196 post plate		
Post attachment right	: 196x196 post plate		
Number of post base plates 196x196	: 2	Piece	
Number of caps for post plate	: 2	Piece	62,00
Drain on left side?	: Drain through the left post		
Drain on right side?	: Drain through the right post		
Number of drains through posts incl. down pipes with bends 87°	: 2	incl. downspout and 87° elbow	115,00
Leaf protection screen (no extra cost)	: Leaf guard same width as roof		
Provision for fitting Sottezza.	: 6	Piece	168,00

pos	quantity	article code
-----	----------	--------------

Sottezza-Type	:	Sottezza stretch/optistretch (alle variants)	
Substructure elements available (from outside)	:	UBB	glazing elements on both sides
Projection Sottezza [mm]	:	3492,5	mm
The specified length does account for 40 mm spacing from the wall or 20 mm from the guttering.			
Distance from Sottezza to the wall	:	40	mm
Distance from Sottezza to the gutter	:	20	mm
Projection of WGM	:	3669	mm
The specified length does account for 20 mm and an overhang on the end of rafter 30 mm from the guttering.			
Preparation for LED Design light bar below roof support?	:	yes	
How many rafters to be prepared for light bars ?	:	3	Piece
Do you want a cable track with the wall connection ?	:	no	
	:		
Left-hand wall	:	Rectangular pipe 100x30 Rectangular pipe 50x30	135,00
Right-hand wall	:	Rectangular pipe 100x30 Rectangular pipe 50x30	135,00
Exclusively for weinor-eshop orders, we further simplified installation: various assemblies are delivered in a pre-assembled state or are blocked out for installation!			
Glasfläche [m2]	:	18,32	m ²
Note glass area	:	The glass surface concern only the roof.	
	:		
50 x 2 mm flat aluminium	:	4	Piece
Length of 50 x 2 mm flat aluminium	:	3000	mm 108,00
	:		
Weight [kg]	:	225	kg

The company weinor GmbH & Co. KG manufactures the construction product corresponding to DIN 1090 EXC1, production tolerances for welding corresponding to DIN EN 13920 B/B/F, welding seam types corresponding to DIN EN ISO 5817- C, for aluminium corresponding to DIN EN ISO 10042 –C.

customer: 165708 sales order 202464269

Page 4 of 21

pos	quantity	article code
-----	----------	--------------

value of goods	discount amount / %	net
7.208,00	2.883,20 / 40,00	4.324,80

2	1,00	2831	Side element LITE w50-c
---	------	------	-------------------------

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

. : **ATTENTION! Element is supplied without glass!**

Anticipated delivery : 17.08.2020

Product use : private house

Frame profile : blind frame section 105 w50-c bottom
blind frame section 35 w50-c top

Width of element [mm] : 3460 mm

Incline : 10,8 Degree(s) 1.035,00

Installation side (as seen from inside) : right

Number of vertical glass panels : two parts

Prepared for : prepared for 6mm (for cold use)

Wind load bracket : yes, with wind load profile

Basic colour : WT029/60740 Marrone 04 Metallic

gap seal : Gap seals for 6 mm glass, length 2000 mm 12,00


Cardboard container : edges reinforcement

30 x 2 mm flat aluminium : 4 Piece

Length of 30 x 2 mm flat aluminium : 3550 mm 112,00

value of goods	discount amount / %	net
1.159,00	463,60 / 40,00	695,40

3	1,00	2851	w17 easy - the full glass sliding door
---	------	------	--



We do recommend not to store the uninstalled glass units longer than necessary on the wooden racks in outside weather conditions.

Potential damage by sediments and corrosion can occur.

A potential change of the glass panels on site can be difficult and time consuming.

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

.	: ATTENTION! Element is supplied with glass!	
Anticipated delivery	: 17.08.2020	
Product use	: private house	
Width of element [mm]	: 3460 X 2100	2.348,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Selection of leaves + tracks	: 4-track with 4 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: handle bar standard	
side of the handling	: handling on both sides	
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
knob inside/ on both sides for the endleaf	: 0	
Height of knob From bottom edge of guide track (mm)	: 1050	mm
Basic colour	: WT029/60740 Marrone 04 Metallic	
wall connection profile left	: yes	48,00

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202464269

Page 6 of 21

pos	quantity	article code
-----	----------	--------------

wall connection profile right	: yes	48,00
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm	93,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
extra charge glass pallet	: 2 x wooden pallet	306,00
Weight of leaf	: 45,4 kg	
30 x 2 mm flat aluminium	: 2 Piece	
Length of 30 x 2 mm flat aluminium	: 5550 mm	84,00
weight	: 199 kg	

value of goods	discount amount / %	net
2.927,00	1.170,80 / 40,00	1.756,20

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202464269

Page 7 of 21

pos	quantity	article code
-----	----------	--------------

4	1,00	2831	Side element LITE w50-c
---	------	------	-------------------------

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

.	: ATTENTION! Element is supplied without glass!		
Anticipated delivery	:	17.08.2020	
Product use	:	private house	
Frame profile	:	blind frame section 105 w50-c bottom blind frame section 35 w50-c top	
Width of element [mm]	:	3460	mm
Incline	:	10,8	Degree(s) 1.035,00
Installation side (as seen from inside)	:	left	
Number of vertical glass panels	:	two parts	
Prepared for	:	prepared for 6mm (for cold use)	
Wind load bracket	:	yes, with wind load profile	
Basic colour	:	WT029/60740 Marrone 04 Metallic	
gap seal	:	Gap seals for 6 mm glass, length 2000 mm	12,00
Cardboard container	:	edges reinforcement	

value of goods	discount amount / %	net
1.047,00	418,80 / 40,00	628,20


weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

5	1,00	2851	w17 easy - the full glass sliding door
---	------	------	--



We do recommend not to store the uninstalled glass units longer than necessary on the wooden racks in outside weather conditions.

Potential damage by sediments and corrosion can occur.

A potential change of the glass panels on site can be difficult and time consuming.

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

.	: ATTENTION! Element is supplied with glass!		
Anticipated delivery	: 17.08.2020		
Product use	: private house		
Width of element [mm]	: 3460 X 2100		2.348,00
type of floor rail	: standard floor rail with CleanCase		
CleanCase left (from inside)	: yes		
CleanCase right (from inside)	: yes		
Selection of leaves + tracks	: 4-track with 4 leaves		
Position of active leaf?	: right, as seen from inside		
Direction of opening	: sliding to the left		
Glazing	: 10 mm toughened safety glass, clear		
Soft-Closing-System	: Soft-Closing-System standard		
handling	: handle bar standard		
side of the handling	: handling on both sides		
leaf actuator	: leaf actuator only closing in sliding direction		
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled		
knob inside/ on both sides for the endleaf	: 0		
Height of knob From bottom edge of guide track (mm)	: 1050	mm	
Basic colour	: WT029/60740 Marrone 04 Metallic		
wall connection profile left	: yes		48,00

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202464269

Page 9 of 21

pos	quantity	article code
-----	----------	--------------

wall connection profile right	: yes	48,00
brush seal	: 3 x Brush profile transparent for 10 mm glass, length 2800 mm	93,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
Weight of leaf	: 45,4 kg	
weight	: 199 kg	

value of goods	discount amount / %	net
2.537,00	1.014,80 / 40,00	1.522,20

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com


Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

6	1,00	2851	w17 easy - the full glass sliding door
---	------	------	--

outside



We do recommend not to store the uninstalled glass units longer than necessary on the wooden racks in outside weather conditions.

Potential damage by sediments and corrosion can occur.

A potential change of the glass panels on site can be difficult and time consuming.

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

.	: ATTENTION! Element is supplied with glass!	
Anticipated delivery	: 17.08.2020	
Product use	: private house	
Width of element [mm]	: 5264 X 2100	3.088,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Selection of leaves + tracks	: 3-track with 6 leaves (lock plate version)	
Direction of opening	: sliding to the left and the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: handle bar standard	
side of the handling	: handling inside	
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
knob inside/ on both sides for the endleaf	: 0	
Height of knob From bottom edge of guide track (mm)	: 1050	mm
Basic colour	: WT029/60740 Marrone 04 Metallic	
wall connection profile left	: yes	48,00
wall connection profile right	: yes	48,00

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202464269

Page 11 of 21

pos	quantity	article code
-----	----------	--------------

brush seal		: 4 x Brush profile transparent for 10 mm glass, length 2800 mm	124,00
gap seal		: 2 x Spaltdichtungen für 10 mm Glas, Länge 2500 mm	
Note		: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container		: edges reinforcement	
packaging		: Export packaging/ glass pallet	
Weight of leaf		: 46,1	kg
weight		: 302,7	kg

value of goods	discount amount / %	net
3.308,00	1.323,20 / 40,00	1.984,80

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

pos	quantity	article code
-----	----------	--------------

7	1,00	2235	Sottezza II OptiStretch
---	------	------	-------------------------

Product use	:	private house	
Anticipated delivery	:	17.08.2020	
Anticipated delivery	:	10.08.2020	
Sales order Terrazza	:	202464269	
Posn. of the sales order for Terrazza	:	1	
LED Design light bar below roof support?	:	yes	
Number of panels	:	1 Field System	
width Terrazza [mm]	:	5500	mm
Distance centre to centre	:	5352	mm
Width of cassette total [mm]	:	5388	mm
Projection [mm]	:	3492,5	mm
Basic colour	:	WT029/60740 Marrone 04 Metallic	
Note on distance bar:	:	The distance profile has to be mounted when you are fixing the light bar Lux-Design.	
Cable clips along the back of the cassette	:	with cable clips along the back of the cassette	
type of control	:	Motor (Becker)	
Side of control (seen from the front)	:	right	
with remote control BiConnect	:	Yes! Please remind the separate order!	
Information on BiConnect	:	The BiConnect has been done in 202464269 position 12!	
Type of engine	:	Motor R20-17-E12-V1+ ohne Zubehör	
Side channel bracket	:	4	Piece
brackets top plate	:	2	Piece
real-design	:	WE6-381	weitex classic my collections
colour of thread Saba	:	dunkelbeige	
100 x 30 x 35 mm rectangular pipes with Screwset	:	6	Piece
Cardboard container	:	edges reinforcement	

2.667,00

66,00

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202464269

Page 13 of 21

pos	quantity	article code
-----	----------	--------------

weight	: 84	kg
--------	------	----

value of goods	discount amount / %	net
2.733,00	1.093,20 / 40,00	1.639,80

8	1,00	1339	LED Design light bar 3Spot
---	------	------	----------------------------

Anticipated delivery	: 17.08.2020		
Product use	: private house		
Type of use	: LED Design attachment Vivienda/Terrazza		
Sales order Terrazza	: 202464269		
Lighting controls	: wireless dimmer BiConnect		
No. of light bars	: three light bars		
width [cm]	: 323,25	cm	906,00
number of lamps	: 3	Piece	
Light bars coupled?	: yes, connection leads between strips		
light receiver	: with light receiver		
with remote control BiConnect	: Yes! Please remind the separate order!		
Information on BiConnect	: The BiConnect has been done in 202464269 position 12!		
Basic colour	: WT029/60740 Marrone 04 Metallic		
weight	: 10	kg	

value of goods	discount amount / %	net
906,00	362,40 / 40,00	543,60

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

pos	quantity	article code
-----	----------	--------------

10	1,00	2068	VertiTex II rail
----	------	------	------------------

Anticipated delivery	:	17.08.2020	
Product use	:	private house	
Execution	:	square cassette	
size of cassette	:	small cassette 75	
total width of cassette	:	3460	mm
height [mm]	:	2100	mm
Base price	:		1.166,00
Basic colour	:	WT029/60740 Marrone 04 Metallic	
Casing fixing	:	wall bracket Vertitex universal	
Number of housing brackets	:	3	Piece
type of control	:	Motor (Becker)	
Side of control (seen from the front)	:	right	
with remote control BiConnect (external BiRec MA)?	:	Yes! Please remind the separate order!	
Information on BiConnect	:	The BiConnect has been done in 202464269 position 12!	
electrical engine connection	:	Standard	
Type of engine	:	Motor P9-16-E12-V13 ohne Zubehör	

Note:

Please take care to ensure that the motor is taught in according to the current information from the installation instructions.

Collection	:	screens by weinor	
real-design	:	FE86-2043-267	(extra-wide fabrics) Bronze Soltis 86

cloth type	:	made without seams
------------	---	--------------------

Cardboard container	:	edges reinforcement
---------------------	---	---------------------

weight	:	21	kg
--------	---	----	----

Small folds and / or cross marks can appear on the fabric during manufacture, transport or on the construction site.

You can carefully remove these with an industrial hot air dryer.

To do this, set the hot air dryer to max. 250 ° C. Keep a distance of at least 100 - 150 mm from the awning cover and swivel the hot air dryer.

This prevents the fabric from overheating or being damaged.

We use the Steinel HG 2120 E hot air dryer at a medium level and can recommend it.

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202464269

Page 15 of 21

pos	quantity	article code
-----	----------	--------------

value of goods	discount amount / %	net
1.166,00	466,40 / 40,00	699,60

11	2,00	1950	Tempura
----	------	------	---------

Execution	: Tempura 1,5 KW	
Anticipated delivery	: 17.08.2020	
Product use	: private house	
Utilisation	: universal	
width	: 50	cm 460,00
with remote control BiConnect	: Yes! Please remind the separate order!	
Information on BiConnect	: The BiConnect has been done in 202464269 position 12!	
designer receiver bar 330 mm operation	: yes	37,00
	: Birec remote receiver, dimmable	
	: Please remember separate entry of data	
access	: Hirschmann plug (standard)	
Basic colour	: WT029/60740 Marrone 04 Metallic	
	:	
weight	: 2	kg

value of goods	discount amount / %	net
994,00	397,60 / 40,00	596,40

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no.: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202464269

Page 16 of 21

pos	quantity	article code
-----	----------	--------------

12	1,00	2557	BiConnect
----	------	------	-----------

Anticipated delivery : 17.08.2020

deliver BiConnect separate? : No; supply receiver and handheld remote control with awning

shipment info : The pre set receivers (except LED) and the handset will be packed with contract number 202464269 pos 7!

receiver for motor : 2 BiRec MA, basic 182,00

receiver for light : 1 BiRec LED, basic 277,00

receiver for tempura : 2 BiRec HD, basic 336,00

control : weinor BiConnect BiEasy 5M black 106,00

learned on channel 1 : BiRec MA-K, basic for order 202464269/7: Sottezza II OptiStretch engine right

learned on channel 2 : weinor BiConnect BiRec MA with black cable for order 202464269/10: VertiTex II Schiene engine right

learned on channel 3 : BiRec LED, basic for order 202464269/8: Lichtleiste 3Spot

learned on channel 4 : BiRec HD, basic for order 202464269/11

learned on channel 5 : BiRec HD, basic for order 202464269/11

value of goods	discount amount / %	net
901,00	360,40 / 40,00	540,60

value of goods	discount amount	net	VAT (0 %)	Total GBP
24.886,00	9.954,40	14.931,60	0,00	14.931,60

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

Dear Sir or Madam,

due to the fact that weinor does not provide assembly nor knows about and / or analyses local conditions it is the retailers responsibility to consider the snow load according to the assembly site.

Please make sure to apply the respective national regulations DIN 1055-5 [2005], Ö-Norm B 1991-1-3:2006-04-01 [April 2006] or SIA 261:2003. Being retailer and partner of weinor you are entitled to decide on the type of patio roof suiting the local conditions. Use additional posts and specific material to increase the possible snow load. Please see our price list for snow load for further information.

If applicable we recommend to do a static test. Please make sure to know the current local snow load regulations before mounting our products.

In case the cooperation of a weinor staff member is enlisted, this has a consulting relevance only. It is not replacing the responsibility and activity of the specialist engineer according to VOB at any stage of order processing from survey to final acceptance. The ordering specialist contractor remains responsible for the taken measurements and checking of the order confirmation.

Our consulting service in spoken and written aims to achieve to explain the best possible application of our products and benefits. Thereby you are not relieved from your obligation to assure yourself of the applicability of our products and benefits for the intended purpose.

In particular this concerns the inspection of the general characteristics and especially of the bearing strength of the fitting surface as well as the transfer of all information in this regard to us together with the order.

Only by this it will be guaranteed that all the necessary technical premises for this building element will be complied with.

Please make sure that appropriate unloading equipment is available on location for the aforementioned consignment. The consignment contains at least one individual carton with a dead weight in excess of 150 Kg.

This order confirmation is according to the current terms of payment and delivery.

<https://www.weinor.com/agb/>

delivery exw Cologne
 payment: With direct debit 5% discount payment
 mode of dispatch UK export




weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202464269


Page 18 of 21

Position 1 - exterior view (images similar)

isometric view



top view



weinor GmbH & Co. KG
 Mathias-Brüggen-Strasse 110
 D-50829 Köln
 weinor.com

Managing Director:
 Thilo Weiermann
 General partner:
 Weinor Beteiligungs-GmbH
 Köln

VAT no.: DE 122814372
 Tax ID no.: 217/5866/0097
 Place of registration: Cologne
 Company reg. no.: HRA 5676
 Place of registration: Cologne
 Company reg. no.: HRB 4661

Commerzbank London
 Sort Code 40-62-01
 Swift BIC Code COBAGB2X
 Account no.: 30266480
 IBAN: GB24 COBA 4062 0130 2664 80




weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202464269


Page 19 of 21

Position 1 - exterior view (images similar)


front view



side view left



side view right



weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661


Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH & Co. KG PO box 301473 D-50784 Köln


customer: 165708 sales order 202464269

Page 20 of 21

Wall connection, left




left post




Location of doubling profile (view of roof from above)

Wall connection, right



Right post



weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80





weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202464269

Page 21 of 21

Glass dimensions

Position 1 Terrazza		prepared for 10mm LSG		
quantity	form	width	height	
12	rectangle	858	1779	
Position 2 Side element LITE w50-c		prepared for 6mm (for cold use)		
quantity	form	width	height left	height right
1	trapezium right	1724	55	384
1	trapezium right	1724	385	714
Position 4 Side element LITE w50-c		prepared for 6mm (for cold use)		
quantity	form	width	height left	height right
1	trapezium left	1724	714	385
1	trapezium left	1724	384	55



weinor GmbH & Co. KG
 Mathias-Brüggen-Strasse 110
 D-50829 Köln
 weinor.com

Managing Director:
 Thilo Weiermann
 General partner:
 Weinor Beteiligungs-GmbH
 Köln

VAT no.: DE 122814372
 Tax ID no.: 217/5866/0097
 Place of registration: Cologne
 Company reg. no.: HRA 5676
 Place of registration: Cologne
 Company reg. no.: HRB 4661

Commerzbank London
 Sort Code 40-62-01
 Swift BIC Code COBAGB2X
 Account no: 30266480
 IBAN: GB24 COBA 4062 0130 2664 80

Leistungserklärung

Siehe Auftragsnummer!!!

weinor Terrassendach Terrazza

Die tragende Bauteile können entweder direkt verwendet werden, in Tragwerke eingebaut oder in Verbundtragwerken aus Stahl und Beton verwendet werden. Die Bauteile können aus warmgewalzten oder kaltgeformten oder mittels anderer Technologien hergestellten Konstruktionsmaterialien hergestellt werden. Sie können ungeschützt, durch Beschichtung oder durch eine andere Oberflächenbehandlung korrosionsgeschützt sein.

weinor GmbH & Co. KG
Mathias-Brüggen-Str. 110
50829 Köln, Deutschland



System 2+

EN 1090-1: 2009 + A1: 2011

Name: TÜV Rheinland
Am Grauen Stein, Köln
Nr.: Nobo 0035

Der Hersteller bestätigt auf Grundlage der Zertifikate über die werkseigene Produktionskontrolle Zert-Nr.: 0035-CPR-1090-1.00604.TÜVRh.2015.002 folgende Leistungsmerkmale in Bezug auf die Bauteilspezifikation:

Leistungsmerkmal	Erklärte Leistung	harm. Technische Spezifikation
Grundlegende geometrische Toleranzen	DIN EN 1090-2, DIN EN 1090-3 und weinor Spezifikation	EN 1090-1: 2009 + A1: 2011
Schweißbeignung	Für Aluminium EN AW-6060 nach EN 573-1 und -3	
Bruchzähigkeit		
Brandverhalten	Klasse A1	
Freisetzung von Cadmium	No performance determined (NPD)	
Freisetzung von radioaktiver Strahlung	No performance determined (NPD)	
Dauerhaftigkeit	Für Aluminium nicht erforderlich	
Tragfähigkeitsmerkmale:		
Tragfähigkeit:	Bemessung nach Eurocode 0, 1 und 9	EN 1090-1: 2009 + A1: 2011
Verformung im Grenzzustand der Gebrauchstauglichkeit	Siehe Typenstatik weinor Systembaukasten Terrazza	
Ermüdungsfestigkeit	Eurocode 0, 1 und 9	
Feuerwiderstand	No performance determined (NPD)	

Die Leistung des vorstehenden Produkts entspricht der erklärten Leistung/den erklärten Leistungen. Für die Erstellung der Leistungserklärung im Einklang mit der Verordnung (EU) Nr. 305/2011 ist allein der obengenannte Hersteller verantwortlich.


Unterzeichnet für den Hersteller und im Namen des Herstellers von:

Ort, Datum

Unterschrift

Köln, 28.06.2017





NOBO Nr. 0035

Weinor GmbH & Co. KG
Mathias-Brüggen-Str. 110
50829 Köln, Deutschland

2017

Siehe Auftragsnummer!!!

EN 1090-1: 2009 + A1: 2011

Die tragende Bauteile können entweder direkt verwendet werden, in Tragwerke eingebaut oder in Verbundtragwerken aus Stahl und Beton verwendet werden. Die Bauteile können aus warmgewalzten oder kaltgeformten oder mittels anderer Technologien hergestellten Konstruktionsmaterialien hergestellt werden. Sie können ungeschützt, durch Beschichtung oder durch eine andere Oberflächenbehandlung korrosionsgeschützt sein.

Leistungsmerkmal	Erklärte Leistung	harm. Technische Spezifikation
Grundlegende geometrische Toleranzen	DIN EN 1090-2, DIN EN 1090-3 und weinor Spezifikation	EN 1090-1: 2009 + A1: 2011
Schweißseignung	Für Aluminium EN AW-6060 nach EN 573-1 und -3	
Bruchzähigkeit		
Brandverhalten	Klasse A1	
Freisetzung von Cadmium	No performance determined (NPD)	
Freisetzung von radioaktiver Strahlung	No performance determined (NPD)	
Dauerhaftigkeit	Für Aluminium nicht erforderlich	
Tragfähigkeitsmerkmale:		
Tragfähigkeit:	Bemessung nach Eurocode 0, 1 und 9	EN 1090-1: 2009 + A1: 2011
Verformung im Grenzzustand der Gebrauchstauglichkeit	Siehe Typenstatik weinor Systembaukasten Terrazza	
Ermüdungsfestigkeit	Eurocode 0, 1 und 9	
Feuerwiderstand	No performance determined (NPD)	