

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

C P Interiors

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

delivery address

DSV Road Ltd

10 Brunel Way, Segensworth Industrial Estate
GB-PO15 5TX Hampshire, Fareham

ORDER CONFIRMATION (release 1)

sales order no.: 202395738 of 04.09.2019
customer: 165708
reference: Bignall
Your order no.:
contact person: Jürgen Büchel
E-Mail: jbuechel@weinor.de
phone number: +49(0)221-59709401
representat. 654 Chris Spickett
tel (representat.): 0044 (0) 7894443907

pos	quantity	article code
-----	----------	--------------

Dear Weinor Partner,

Please note:

In case of a „no deal“ hard brexit potential tolls and import taxes become due. This fees and tariff rates will be invoiced to you direct by our certificated toll executing partner. Once this bill is settled you will receive your goods.

In any other case you will receive your goods as you are used to.

weinor GmbH & Co. KG

1	1,00	2709	Terrazza Originale / Plus
---	------	------	---------------------------

.	: ATTENTION! Element is supplied without glass!		
Anticipated delivery	: 14.10.2019		
Permissible snow-bearing load	: 750 N/m ²		
Roofsystem	: Terrazza L Originale		
External dimensions	: 4000mm x 3000mm	Depth: wall up to INSIDE edge of post	3.494,00
Bottom edge gutter (mm)	: 2100	mm	
Bottom edge connection to wall (mm)	: 3000	mm	
Top edge connection to wall (mm)	: 3196	mm	
Pitch of roof [°]	: 14,26	°	
Info	:		
Basic colour	: WT029/80077 Approx. DB 703 Metallic		
Covering	: 10mm	prepared for 10mm LSG	

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

pos	quantity	article code
-----	----------	--------------

Information about roofing	:	Caution! The dimensions for web plates and/or glass cannot be changed and only apply to the covering you have selected!!	
basic element	:	101	Type A pent roof
Seals	:	silicone-containing seals	
Connection to wall left?	:	No wall connection on left	
Connection to wall right?	:	No wall connection on right	
Static adjustment of the roof for glazing element under side roof-beams on left and / or right?	:	Yes, statics for GEs (w50-c lite side element)	
Roof support type, inner roof supports	:	150 roof support without steel	
Roof support type, outer roof supports left	:	150 roof support without steel	
Roof support type, outer roof supports right	:	150 roof support without steel	
weight rafter	:	10,5	kg
Transom over all roof panels	:	yes	
Further transoms across all roof sections	:	no	
Axial dimension rafter	:	978,5	mm
version post	:	square post	
Post type left	:	Post outside	
Post type right	:	Post outside	
Number of posts	:	2	Piece
Post position on the left	:	60,5	mm
Post position on the right	:	60,5	mm
Maximum spacing for posts when gutter has 1 x steel	:	5300	mm for 1 x steel in gutter
Length of post	:	2600	mm
Steel reinforcement for roof gutter	:	1	* Galvanised flat steel 288,00
Weight for roof gutter with steel	:	68,8	kg
Post attachment left	:	196x196 post plate	
Post attachment right	:	196x196 post plate	
Number of post base plates 196x196	:	2	Piece
Number of caps for post plate	:	2	Piece 60,00
Drain on left side?	:	Drain through the left post	

pos	quantity	article code	
		Number of drains through posts incl. down pipes with bends 87°	: 1 incl. downspout and 87° elbow
		Leaf protection screen (no extra cost)	: Leaf guard same width as roof
		Provision for fitting Sottezza.	: 6 Piece 162,00
		Sottezza-Type	: Sottezza strech/optistrech (alle variants)
		Substructure elements available (from outside)	: UBB glazing elements on both sides
		Projection Sottezza [mm]	: 3019,9 mm
		The specified length does not account for 40 mm spacing from the wall or 20 mm from the guttering.	
		Projection of WGM	: 3219 mm
		The specified length does not account for 20 mm and an overhang on the end of rafter 30 mm from the guttering.	
		Preparation for LED Design light bar below roof support?	: yes
		How many rafters to be prepared for light bars ?	: 2 Piece
		Do you want a cable track with the wall connection ?	: no
			:
		Left-hand wall	: Rectangular pipe 50x30 68,00
		Right-hand wall	: Rectangular pipe 70x30 116,00 Rectangular pipe 50x30
		Exclusively for weinor-eshop orders, we further simplified installation: various assemblies are delivered in a pre-assembled state or are blocked out for installation!	
		Glasfläche [m2]	: 11,55 m ²
		Note glass area	: The glass surface concern only the roof.
			:
		30 x 2 mm flat aluminium	: 4 Piece
		Length of 30 x 2 mm flat aluminium	: 3200 mm 112,00
			:
		Weight [kg]	: 175 kg
		The company weinor GmbH & Co. KG manufactures the construction product corresponding to DIN 1090 EXC1, production tolerances for welding corresponding to DIN EN 13920 B/B/F, welding seam types corresponding to DIN EN ISO 5817- C, for aluminium corresponding to DIN EN ISO 10042 –C.	

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202395738

Page 4 of 18

pos	quantity	article code
-----	----------	--------------

value of goods	discount amount / %	net
4.300,00	1.720,00 / 40,00	2.580,00

2	1,00	2836	W50-C Classic side element
---	------	------	----------------------------

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

. : **ATTENTION! Element is supplied without glass!**

Anticipated delivery : 14.10.2019

Product use : private house

geometrical shape : trapezium

Frame profile : blind frame section 59 w50-c

Height of element on left (mm), as seen from the inside : 164,3 mm

Height of element on right (mm), as seen from the inside : 916,6 mm

Width of element [mm] : 2960 X 916,6 951,00

Installation side (as seen from inside) : right

Note : The wall connection profile will be delivered with the roof !

Number of vertical glass panels : three-part

GE reinforcement : yes

Prepared for : prepared for 8mm (for cold use)

Basic colour : WT029/80077 Approx. DB 703 Metallic

Cardboard container : edges reinforcement

value of goods	discount amount / %	net
951,00	380,40 / 40,00	570,60

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202395738

Page 5 of 18

pos	quantity	article code
-----	----------	--------------

3	1,00	2829	GE W50-C
---	------	------	----------

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

.	: ATTENTION! Element is supplied without glass!	
Anticipated delivery	: 14.10.2019	
geometrical shape	: rectangle	
Frame profile	: blind frame section 59 w50-c	
Width of element [mm]	: 2960 X 2100	619,00
Number of vertical glass panels	: three-part	448,00
Prepared for	: prepared for 8mm (for cold use)	
Basic colour	: WT029/80077 Approx. DB 703 Metallic	
Cardboard container	: edges reinforcement	

value of goods	discount amount / %	net
1.067,00	426,80 / 40,00	640,20

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no.: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202395738

Page 6 of 18

pos	quantity	article code
-----	----------	--------------

4	1,00	2831	Side element LITE w50-c
---	------	------	-------------------------

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

-	: ATTENTION! Element is supplied without glass!		
Anticipated delivery	: 14.10.2019		
Product use	: private house		
Frame profile	: blind frame section 105 w50-c bottom blind frame section 35 w50-c top		
Width of element [mm]	: 2960	mm	
Incline	: 14,26	Degree(s)	590,00
Installation side (as seen from inside)	: left		
Number of vertical glass panels	: three-part		
Prepared for	: prepared for 6mm (for cold use)		
Basic colour	: WT029/80077 Approx. DB 703 Metallic		
gap seal	: Gap seals for 6 mm glass, length 2000 mm		24,00
Cardboard container	: edges reinforcement		

value of goods	discount amount / %	net
614,00	245,60 / 40,00	368,40

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com


Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no.: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

pos	quantity	article code
-----	----------	--------------

5	1,00	2851	w17 easy - the full glass sliding door
---	------	------	--



We do recommend not to store the uninstalled glass units longer than necessary on the wooden racks in outside weather conditions.

Potential damage by sediments and corrosion can occur.

A potential change of the glass panels on site can be difficult and time consuming.

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

.	: ATTENTION! Element is supplied with glass!	
Anticipated delivery	: 14.10.2019	
Product use	: private house	
Width of element [mm]	: 2960 X 2100	1.762,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Selection of leaves + tracks	: 3-track with 3 leaves	
Position of active leaf?	: right, as seen from inside	
Direction of opening	: sliding to the left	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: cup pull handle with A4 stainless steel attachment	71,00
leaf actuator	: leaf actuator opening and closing in sliding direction	15,00
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
knob inside/ on both sides for the endleaf	: 0	
Height of knob from bottom edge of guide track (mm)	: 1050	mm
Basic colour	: WT029/80077 Approx. DB 703 Metallic	
wall connection profile left	: yes	48,00
wall connection profile right	: yes	48,00

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202395738

Page 8 of 18

pos	quantity	article code
-----	----------	--------------

brush seal		: 2 x Brush profile transparent for 10 mm glass, length 2800 mm	60,00
Note		: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container packaging		: edges reinforcement	
extra charge glass pallet		: Export packaging/ glass pallet	
Weight of leaf		: 1 x wooden pallet	149,00
weight		: 51,8 kg	
		: 170,2 kg	

value of goods	discount amount / %	net
2.153,00	861,20 / 40,00	1.291,80

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com


Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

pos	quantity	article code
-----	----------	--------------

6	1,00	2851	w17 easy - the full glass sliding door
---	------	------	--



We do recommend not to store the uninstalled glass units longer than necessary on the wooden racks in outside weather conditions.

Potential damage by sediments and corrosion can occur.

A potential change of the glass panels on site can be difficult and time consuming.

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

.	: ATTENTION! Element is supplied with glass!	
Anticipated delivery	: 14.10.2019	
Product use	: private house	
Width of element [mm]	: 3764 X 2100	2.386,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Selection of leaves + tracks	: 4-track with 4 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: cup pull handle with A4 stainless steel attachment	71,00
leaf actuator	: leaf actuator opening and closing in sliding direction	15,00
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
knob inside/ on both sides for the endleaf	: 0	
Height of knob from bottom edge of guide track (mm)	: 1050	mm
Basic colour	: WT029/80077 Approx. DB 703 Metallic	
wall connection profile left	: yes	48,00
wall connection profile right	: yes	48,00

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202395738

Page 10 of 18

pos	quantity	article code
-----	----------	--------------

brush seal		: 3 x Brush profile transparent for 10 mm glass, length 2800 mm	90,00
Note		: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container		: edges reinforcement	
packaging		: Export packaging/ glass pallet	
Weight of leaf		: 49,4	kg
weight		: 216,4	kg

value of goods	discount amount / %	net
2.658,00	1.063,20 / 40,00	1.594,80

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

pos	quantity	article code
-----	----------	--------------

11	1,00	2235	Sottezza II OptiStretch	
Product use : private house Anticipated delivery : 14.10.2019 Anticipated delivery : 07.10.2019 Sales order Terrazza : 502361514 Posn. of the sales order for Terrazza : 1 LED Design light bar below roof support? : yes Number of panels : 1 Field System width Terrazza [mm] : 4000 mm Distance centre to centre : 3852 mm Width of cassette total [mm] : 3888 mm Projection [mm] : 3019,9 mm 2.056,00 Basic colour : WT029/80077 Approx. DB 703 Metallic Note on distance bar: : The distance profile has to be mounted when you are fixing the light bar Lux-Design. Cable clips along the back of the cassette : without cable clips along the back of the cassette type of control : Motor (Becker) side of control : left with remote control BiConnect : Yes! Please remind the separate order! Information on BiConnect : The BiConnect has been done in 202395738 position 13! : Type of engine : Motor R20-17-E12-V1+ ohne Zubehör Side channel bracket : 4 Piece brackets top plate : 2 Piece real-design : WE3-874 my collections colour of thread Saba : RAL 7001 Silver grey 100 x 30 x 35 mm rectangular pipes with Screwset : 6 Piece 66,00 : Cardboard container : edges reinforcement weight : 64 kg				

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202395738

Page 12 of 18

pos quantity article code

value of goods	discount amount / %	net
2.122,00	848,80 / 40,00	1.273,20

12 1,00 1339 LED Design light bar 3Spot

Anticipated delivery : 14.10.2019
 Product use : private house
 Type of use : LED Design attachement Vivienda/Terrazza
 Sales order Terrazza : 502361514
 Lighting controls : wireless dimmer WeiTronic
 No. of light bars : two light bars
 width [cm] : 275,99 cm 621,00
 number of lamps : 3 Piece
 Light bars coupled? : yes, connection leads between strips
 light receiver : with light receiver
 with remote control BiConnect : Yes! Please remind the separate order!
 Information on BiConnect : The BiConnect has been done in 202395738 position 13!
 No. of cable tracks : 2 x cable bar with duct tape 2,5m 68,00
 additional fixing : 117924-xxxx 100 x 30 x 35 mm
 rectangular pipes with
 Screwset (Sottezza II)
 Basic colour : WT029/80077 Approx. DB 703 Metallic
 weight : 8 kg

value of goods	discount amount / %	net
689,00	275,60 / 40,00	413,40

weinor GmbH & Co. KG
 Mathias-Brüggen-Strasse 110
 D-50829 Köln
 weinor.com

Managing Director:
 Thilo Weiermann
 General partner:
 Weinor Beteiligungs-GmbH
 Köln

VAT no.: DE 122814372
 Tax ID no.: 217/5866/0097
 Place of registration: Cologne
 Company reg. no.: HRA 5676
 Place of registration: Cologne
 Company reg. no.: HRB 4661

Commerzbank London
 Sort Code 40-62-01
 Swift BIC Code COBAGB2X
 Account no.: 30266480
 IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202395738

Page 13 of 18

pos	quantity	article code
-----	----------	--------------

13	1,00	2557	BiConnect
----	------	------	-----------

Anticipated delivery : 14.10.2019

deliver BiConnect separate? : No; supply receiver and handheld remote control with awning

shipment info : The pre set receivers (except LED) and the handset will be packed with contract number 202395738 pos 11!

receiver for motor : 1 BiRec MA, basic 88,00

receiver for light : 1 BiRec LED, basic 269,00

control : weinor BiConnect BiEasy 5M black 103,00

learned on channel 1 : BiRec MA-K, basic for order 202395738/11:
Sottezza II OptiStretch
engine leftlearned on channel 2 : BiRec LED, basic for order 202395738/12:
Lichtleiste 3Spot

value of goods	discount amount / %	net
460,00	184,00 / 40,00	276,00

value of goods	discount amount	net	VAT (0 %)	Total GBP
15.014,00	6.005,60	9.008,40	0,00	9.008,40

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

Dear Sir or Madam,

due to the fact that weinor does not provide assembly nor knows about and / or analyses local conditions it is the retailers responsibility to consider the snow load according to the assembly site.

Please make sure to apply the respective national regulations DIN 1055-5 [2005], Ö-Norm B 1991-1-3:2006-04-01 [April 2006] or SIA 261:2003. Being retailer and partner of weinor you are entitled to decide on the type of patio roof suiting the local conditions. Use additional posts and specific material to increase the possible snow load. Please see our price list for snow load for further information.

If applicable we recommend to do a static test. Please make sure to know the current local snow load regulations before mounting our products.

In case the cooperation of a weinor staff member is enlisted, this has a consulting relevance only. It is not replacing the responsibility and activity of the specialist engineer according to VOB at any stage of order processing from survey to final acceptance. The ordering specialist contractor remains responsible for the taken measurements and checking of the order confirmation.

Our consulting service in spoken and written aims to achieve to explain the best possible application of our products and benefits. Thereby you are not relieved from your obligation to assure yourself of the applicability of our products and benefits for the intended purpose.

In particular this concerns the inspection of the general characteristics and especially of the bearing strength of the fitting surface as well as the transfer of all information in this regard to us together with the order.

Only by this it will be guaranteed that all the necessary technical premises for this building element will be complied with.

Please make sure that appropriate unloading equipment is available on location for the aforementioned consignment. The consignment contains at least one individual carton with a dead weight in excess of 150 Kg.

This order confirmation is according to the current terms of payment and delivery.

<https://www.weinor.com/agb/>

delivery exw Cologne
 payment: Direct debit / 10 days -4% cash discount
 mode of dispatch UK export




weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202395738


Page 15 of 18

Position 1 - exterior view (images similar)

isometric view



top view



weinor GmbH & Co. KG
 Mathias-Brüggen-Strasse 110
 D-50829 Köln
 weinor.com

Managing Director:
 Thilo Weiermann
 General partner:
 Weinor Beteiligungs-GmbH
 Köln

VAT no.: DE 122814372
 Tax ID no.: 217/5866/0097
 Place of registration: Cologne
 Company reg. no.: HRA 5676
 Place of registration: Cologne
 Company reg. no.: HRB 4661

Commerzbank London
 Sort Code 40-62-01
 Swift BIC Code COBAGB2X
 Account no.: 30266480
 IBAN: GB24 COBA 4062 0130 2664 80




weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202395738


Page 16 of 18

Position 1 - exterior view (images similar)


front view



side view left



side view right



weinor GmbH & Co. KG
 Mathias-Brüggen-Strasse 110
 D-50829 Köln
 weinor.com

Managing Director:
 Thilo Weiermann
 General partner:
 Weinor Beteiligungs-GmbH
 Köln

VAT no.: DE 122814372
 Tax ID no.: 217/5866/0097
 Place of registration: Cologne
 Company reg. no.: HRA 5676
 Place of registration: Cologne
 Company reg. no.: HRB 4661


Commerzbank London
 Sort Code 40-62-01
 Swift BIC Code COBAGB2X
 Account no: 30266480
 IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH & Co. KG PO box 301473 D-50784 Köln


customer: 165708 sales order 202395738

Page 17 of 18

Wall connection, left




left post




Location of doubling profile (view of roof from above)

Wall connection, right



Right post



weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80



weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202395738

Page 18 of 18

Glass dimensions				
Position 1 Terrazza Originale / Plus		prepared for 10mm LSG		
quantity	form	width	height	
8	rectangle	934	1546	
Position 2 W50-C Classic side element		prepared for 8mm (for cold use)		
quantity	form	width	height left	height right
1	trapezium right	916	582	815
1	trapezium right	935	332	569
1	trapezium right	916	86	319
Position 3 GE W50-C		prepared for 8mm (for cold use)		
quantity	form	width	height	
1	rectangle	916	2011	
1	rectangle	935	2011	
1	rectangle	916	2011	
Position 4 Side element LITE w50-c		prepared for 6mm (for cold use)		
quantity	form	width	height left	height right
1	trapezium left	981	807	557
1	trapezium left	981	556	307
1	trapezium left	981	305	56
<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p>Trapezium left (as seen from inside)</p> </div> <div style="text-align: center;"> <p>Trapezium right (as seen from inside)</p> </div> </div>				

weinor GmbH & Co. KG
 Mathias-Brüggen-Strasse 110
 D-50829 Köln
 weinor.com

Managing Director:
 Thilo Weiermann
 General partner:
 Weinor Beteiligungs-GmbH
 Köln

VAT no.: DE 122814372
 Tax ID no.: 217/5866/0097
 Place of registration: Cologne
 Company reg. no.: HRA 5676
 Place of registration: Cologne
 Company reg. no.: HRB 4661

Commerzbank London
 Sort Code 40-62-01
 Swift BIC Code COBAGB2X
 Account no: 30266480
 IBAN: GB24 COBA 4062 0130 2664 80

Leistungserklärung

Siehe Auftragsnummer!!!

weinor Terrassendach Terrazza

Die tragende Bauteile können entweder direkt verwendet werden, in Tragwerke eingebaut oder in Verbundtragwerken aus Stahl und Beton verwendet werden. Die Bauteile können aus warmgewalzten oder kaltgeformten oder mittels anderer Technologien hergestellten Konstruktionsmaterialien hergestellt werden. Sie können ungeschützt, durch Beschichtung oder durch eine andere Oberflächenbehandlung korrosionsgeschützt sein.

weinor GmbH & Co. KG
Mathias-Brüggen-Str. 110
50829 Köln, Deutschland



System 2+

EN 1090-1: 2009 + A1: 2011

Name: TÜV Rheinland
Am Grauen Stein, Köln
Nr.: Nobo 0035

Der Hersteller bestätigt auf Grundlage der Zertifikate über die werkseigene Produktionskontrolle Zert-Nr.: 0035-CPR-1090-1.00604.TÜVRh.2015.002 folgende Leistungsmerkmale in Bezug auf die Bauteilspezifikation:

Leistungsmerkmal	Erklärte Leistung	harm. Technische Spezifikation
Grundlegende geometrische Toleranzen	DIN EN 1090-2, DIN EN 1090-3 und weinor Spezifikation	EN 1090-1: 2009 + A1: 2011
Schweißbeignung	Für Aluminium EN AW-6060 nach EN 573-1 und -3	
Bruchzähigkeit		
Brandverhalten	Klasse A1	
Freisetzung von Cadmium	No performance determined (NPD)	
Freisetzung von radioaktiver Strahlung	No performance determined (NPD)	
Dauerhaftigkeit	Für Aluminium nicht erforderlich	
Tragfähigkeitsmerkmale:		
Tragfähigkeit:	Bemessung nach Eurocode 0, 1 und 9	EN 1090-1: 2009 + A1: 2011
Verformung im Grenzzustand der Gebrauchstauglichkeit	Siehe Typenstatik weinor Systembaukasten Terrazza	
Ermüdungsfestigkeit	Eurocode 0, 1 und 9	
Feuerwiderstand	No performance determined (NPD)	

Die Leistung des vorstehenden Produkts entspricht der erklärten Leistung/den erklärten Leistungen. Für die Erstellung der Leistungserklärung im Einklang mit der Verordnung (EU) Nr. 305/2011 ist allein der obengenannte Hersteller verantwortlich.


Unterzeichnet für den Hersteller und im Namen des Herstellers von:

Ort, Datum

Unterschrift

Köln, 28.06.2017





NOBO Nr. 0035

Weinor GmbH & Co. KG
Mathias-Brüggen-Str. 110
50829 Köln, Deutschland

2017

Siehe Auftragsnummer!!!

EN 1090-1: 2009 + A1: 2011

Die tragende Bauteile können entweder direkt verwendet werden, in Tragwerke eingebaut oder in Verbundtragwerken aus Stahl und Beton verwendet werden. Die Bauteile können aus warmgewalzten oder kaltgeformten oder mittels anderer Technologien hergestellten Konstruktionsmaterialien hergestellt werden. Sie können ungeschützt, durch Beschichtung oder durch eine andere Oberflächenbehandlung korrosionsgeschützt sein.

Leistungsmerkmal	Erklärte Leistung	harm. Technische Spezifikation
Grundlegende geometrische Toleranzen	DIN EN 1090-2, DIN EN 1090-3 und weinor Spezifikation	EN 1090-1: 2009 + A1: 2011
Schweißseignung	Für Aluminium EN AW-6060 nach EN 573-1 und -3	
Bruchzähigkeit		
Brandverhalten	Klasse A1	
Freisetzung von Cadmium	No performance determined (NPD)	
Freisetzung von radioaktiver Strahlung	No performance determined (NPD)	
Dauerhaftigkeit	Für Aluminium nicht erforderlich	
Tragfähigkeitsmerkmale:		
Tragfähigkeit:	Bemessung nach Eurocode 0, 1 und 9	EN 1090-1: 2009 + A1: 2011
Verformung im Grenzzustand der Gebrauchstauglichkeit	Siehe Typenstatik weinor Systembaukasten Terrazza	
Ermüdungsfestigkeit	Eurocode 0, 1 und 9	
Feuerwiderstand	No performance determined (NPD)	