

Tropical Blinds Ltd

Unit 6 and 7 Five Arches Business Est
off Maidstone Road
Sidcup
Kent DA14 5AE



T: 020 8269 6400
F: 020 8269 6401

QUOTATION**Invoice Address:**

C.P Interiors
Rue Des Pres Trading Estate
St Saviour
Jersey
JE2 7QN

Delivery Address:

Ms Leeana Taft
Rue Des Pres Trading Estate
St Saviour
Jersey
JE2 7QN

Account Code	Quote No.	Quote Date	Cust Ref.				
CPS007	40996	09/03/20	SO8965				
Blind Type	Fabric Description	Width	Drop	Unit Price	Quantity	Discount	Net Price
Roller With Cass H/box	Panama Pro 1% FR White	1445	2440	283.95	1	60.00%	128.12
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard				36.34			
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White							
Install Height: 0.00 Location: First Floor - Quiet/ Faith Room							
Roller With Cass H/box	Panama Pro 1% FR White	1440	2440	283.95	1	60.00%	128.12
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard				36.34			
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White							
Install Height: 0.00 Location: First Floor - Quiet/ Faith Room							
Roller With Cass H/box	Panama Pro 1% FR White	670	2440	175.00	1	60.00%	77.27
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard				18.18			
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White							
Install Height: 0.00 Location: First Floor - Quiet/ Faith Room							
Roller With Cass H/box	Panama Pro 1% FR White	1440	2440	283.95	1	60.00%	128.12
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard				36.34			
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White							
Install Height: 0.00 Location: First Floor - Quiet/ Faith Room							
Roller With Cass H/box	Panama Pro 1% FR White	500	2440	148.77	1	60.00%	64.96
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard				13.62			
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White							
Install Height: 0.00 Location: First Floor - Quiet/ Faith Room							
Roller With Cass H/box	Panama Pro 1% FR White	760	2440	175.00	1	60.00%	77.27
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard				18.18			
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White							
Install Height: 0.00 Location: First Floor - Quiet/ Faith Room							
Roller With Cass H/box	Panama Pro 1% FR White	1440	2440	283.95	1	60.00%	128.12
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard				36.34			
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White							
Install Height: 0.00 Location: First Floor - Quiet/ Faith Room							
Roller With Cass H/box	Panama Pro 1% FR White	1440	2440	283.95	1	60.00%	128.12
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard				36.34			
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White							
Install Height: 0.00 Location: First Floor - Quiet/ Faith Room							

Roller With Cass H/box	Panama Pro 1% FR White	1470	2440	283.95	1	60.00%	128.12
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard				36.34			
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White							
Install Height: 0.00 Location: Staff MR 1							
Roller With Cass H/box	Panama Pro 1% FR White	1500	2440	283.95	1	60.00%	128.12
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard				36.34			
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White							
Install Height: 0.00 Location: Staff MR 1							
Roller With Cass H/box	Panama Pro 1% FR White	1470	2440	283.95	1	60.00%	128.12
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard				36.34			
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White							
Install Height: 0.00 Location: Staff MR 1							
Roller With Cass H/box	Panama Pro 1% FR White	1450	2440	283.95	1	60.00%	128.12
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard				36.34			
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White							
Install Height: 0.00 Location: Dealer Room							
Roller With Cass H/box	Panama Pro 1% FR White	1500	2440	283.95	1	60.00%	128.12
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard				36.34			
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White							
Install Height: 0.00							
Roller With Cass H/box	Panama Pro 1% FR White	1460	2440	283.95	1	60.00%	128.12
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard				36.34			
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White							
Install Height: 0.00							
Roller With Cass H/box	Panama Pro 1% FR White	1465	2440	283.95	1	60.00%	128.12
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard				36.34			
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White							
Install Height: 0.00 Location: Main Office							
Roller With Cass H/box	Panama Pro 1% FR White	1495	2440	283.95	1	60.00%	128.12
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard				36.34			
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White							
Install Height: 0.00 Location: Main Office							
Roller With Cass H/box	Panama Pro 1% FR White	1495	2440	283.95	1	60.00%	128.12
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard				36.34			
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White							
Install Height: 0.00 Location: Main Office							
Roller With Cass H/box	Panama Pro 1% FR White	1500	2440	283.95	3	60.00%	384.35
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard				36.34			
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White							
Install Height: 0.00 Location: Main Office							
Roller With Cass H/box	Panama Pro 1% FR White	900	2440	185.07	1	60.00%	83.11
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard				22.71			
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White							
Install Height: 0.00 Location: Main Office							
Roller With Cass H/box	Panama Pro 1% FR White	1480	2440	283.95	1	60.00%	128.12
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard				36.34			
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White							
Install Height: 0.00 Location: Main Office							
Roller With Cass H/box	Panama Pro 1% FR White	1480	2440	283.95	1	60.00%	128.12
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard				36.34			
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White							
Install Height: 0.00 Location: Main Office							
Roller With Cass H/box	Panama Pro 1% FR White	1500	2440	283.95	1	60.00%	128.12

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 36.34

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 1500 2440 283.95 2 60.00% 256.23

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 36.34

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 1485 2440 283.95 1 60.00% 128.12

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 36.34

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 1480 2440 283.95 1 60.00% 128.12

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 36.34

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 670 2440 175.00 1 60.00% 77.27

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 18.18

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 1990 2440 349.78 1 60.00% 158.07

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 45.41

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 1950 2440 349.78 1 60.00% 158.07

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 45.41

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 1950 2440 349.78 1 60.00% 158.07

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 45.41

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 825 2440 185.07 1 60.00% 83.11

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 22.71

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 1180 2440 218.08 1 60.00% 98.13

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 27.24

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 1870 2440 349.78 1 60.00% 158.07

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 45.41

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 1025 2440 218.08 1 60.00% 98.13

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 27.24

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 2195 2440 382.89 1 60.00% 173.14

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 49.95

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 1500 2440 283.95 2 60.00% 256.23

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard 36.34

P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

Install Height: 0.00 Location: Main Office

Roller With Cass H/box	Panama Pro 1% FR White	2195	2440	382.89	1	60.00%	173.14
------------------------	------------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard 49.95

P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

Install Height: 0.00 Location: Main Office

Roller With Cass H/box	Panama Pro Chrome FR	1440	2440	482.75	1	60.00%	207.64
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard 36.34

P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

Install Height: 0.00 Location: Main Office

Roller With Cass H/box	Panama Pro Chrome FR	1275	2440	426.45	1	60.00%	183.30
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard 31.80

P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

Install Height: 0.00 Location: Main Office

Roller With Cass H/box	Panama Pro Chrome FR	1250	2440	426.45	1	60.00%	183.30
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard 31.80

P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

Install Height: 0.00 Location: Main Office

Roller With Cass H/box	Panama Pro Chrome FR	1500	2440	482.75	3	60.00%	622.91
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard 36.34

P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

Install Height: 0.00 Location: Main Office

Roller With Cass H/box	Panama Pro Chrome FR	1500	2440	482.75	2	60.00%	415.27
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard 36.34

P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

Install Height: 0.00 Location: Main Office

Roller With Cass H/box	Panama Pro Chrome FR	1500	2440	482.75	3	60.00%	622.91
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard 36.34

P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

Install Height: 0.00 Location: Main Office

Roller With Cass H/box	Panama Pro Chrome FR	1500	2440	482.75	2	60.00%	415.27
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard 36.34

P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

Install Height: 0.00 Location: Main Office

Roller With Cass H/box	Panama Pro Chrome FR	1500	2440	482.75	2	60.00%	415.27
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard 36.34

P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

Install Height: 0.00 Location: Main Office

Roller With Cass H/box	Panama Pro Chrome FR	2190	2440	650.94	1	60.00%	280.36
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard 49.95

P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

Install Height: 0.00 Location: Main Office

Roller With Cass H/box	Panama Pro Chrome FR	1400	2440	426.45	1	60.00%	183.30
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard 31.80

P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

Install Height: 0.00 Location: Main Office

Roller With Cass H/box	Panama Pro Chrome FR	1470	2440	482.75	1	60.00%	207.64
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard 36.34

P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

Install Height: 0.00 Location: Office 2

Roller With Cass H/box	Panama Pro Chrome FR	1430	2440	482.75	1	60.00%	207.64
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard 36.34

P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

Install Height: 0.00 Location: Office 2

Roller With Cass H/box	Panama Pro Chrome FR	1400	2440	426.45	2	60.00%	366.60
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White	31.80
---	-------

Install Height: 0.00 Location: Office 1

Roller With Cass H/box	Panama Pro Chrome FR	1425	2440	482.75	1	60.00%	207.64
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White	36.34
---	-------

Install Height: 0.00 Location: Staff MR3

Roller With Cass H/box	Panama Pro Chrome FR	1785	2440	538.83	1	60.00%	231.89
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White	40.89
---	-------

Install Height: 0.00 Location: Staff MR3

Roller With Cass H/box	Panama Pro 1% FR White	670	2440	175.00	1	60.00%	77.27
------------------------	------------------------	-----	------	--------	---	--------	-------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White	18.18
---	-------

Install Height: 0.00 Location: Second Floor

Roller With Cass H/box	Panama Pro 1% FR White	1440	2440	283.95	1	60.00%	128.12
------------------------	------------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White	36.34
---	-------

Install Height: 0.00 Location: Second Floor

Roller With Cass H/box	Panama Pro 1% FR White	500	2400	139.50	1	60.00%	61.25
------------------------	------------------------	-----	------	--------	---	--------	-------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White	13.62
---	-------

Install Height: 0.00 Location: Second Floor

Roller With Cass H/box	Panama Pro 1% FR White	760	2440	175.00	1	60.00%	77.27
------------------------	------------------------	-----	------	--------	---	--------	-------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White	18.18
---	-------

Install Height: 0.00 Location: Second Floor

Roller With Cass H/box	Panama Pro 1% FR White	1440	2440	283.95	1	60.00%	128.12
------------------------	------------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White	36.34
---	-------

Install Height: 0.00 Location: Second Floor

Roller With Cass H/box	Panama Pro 1% FR White	1440	2440	283.95	1	60.00%	128.12
------------------------	------------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White	36.34
---	-------

Install Height: 0.00 Location: Second Floor

Roller - Somfy Sonesse 40	Panama Pro 1% FR White	1395	800	143.45	1	60.00%	288.54
---------------------------	------------------------	------	-----	--------	---	--------	--------

45mm Cassette Headbox White, 55mm Roller Tube, Standard P.V.C. Bottom Rail - 5m - White, Blind is safe by design and requires no additional devices or warning labels	25.45
---	-------

Sonesse 40 Motor 3/30 RTS, PURE RANGE - Telis 4 RTS PURE, No Hub Required	220.98
---	--------

Install Height: 0.00 Location: Client MR1

Roller - Somfy Sonesse 40	Panama Pro 1% FR White	1440	800	160.84	1	60.00%	296.95
---------------------------	------------------------	------	-----	--------	---	--------	--------

45mm Cassette Headbox White, 55mm Roller Tube, Standard P.V.C. Bottom Rail - 5m - White, Blind is safe by design and requires no additional devices or warning labels	29.07
---	-------

Sonesse 40 Motor 3/30 RTS, PURE RANGE - Telis 4 RTS PURE, No Hub Required	220.98
---	--------

Install Height: 0.00 Location: Client MR1

Roller - Somfy Sonesse 40	Panama Pro 1% FR White	1390	800	143.45	1	60.00%	288.54
---------------------------	------------------------	------	-----	--------	---	--------	--------

45mm Cassette Headbox White, 55mm Roller Tube, Standard P.V.C. Bottom Rail - 5m - White, Blind is safe by design and requires no additional devices or warning labels	25.45
---	-------

Sonesse 40 Motor 3/30 RTS, PURE RANGE - Telis 4 RTS PURE, No Hub Required	220.98
---	--------

Install Height: 0.00 Location: Client MR1

Roller - Somfy Sonesse 40	Panama Pro 1% FR White	1335	2440	250.85	1	60.00%	331.50
---------------------------	------------------------	------	------	--------	---	--------	--------

45mm Cassette Headbox White, 55mm Roller Tube, Standard P.V.C. Bottom Rail - 5m - White, Blind is safe by design and requires no additional devices or warning labels				25.45				
Sonesse 40 Motor 3/30 RTS, PURE RANGE - Telis 4 RTS PURE, No Hub Required				220.98				
Install Height: 0.00 Location: Client MR1								
Roller - Somfy Sonesse 40	Panama Pro 1% FR White	1390	2440	250.85	1	60.00%		331.50
45mm Cassette Headbox White, 55mm Roller Tube, Standard P.V.C. Bottom Rail - 5m - White, Blind is safe by design and requires no additional devices or warning labels				25.45				
Sonesse 40 Motor 3/30 RTS, PURE RANGE - Telis 4 RTS PURE, No Hub Required				220.98				
Install Height: 0.00 Location: Client MR2								
Roller - Somfy Sonesse 40	Panama Pro 1% FR White	1440	2440	283.95	1	60.00%		346.19
45mm Cassette Headbox White, 55mm Roller Tube, Standard P.V.C. Bottom Rail - 5m - White, Blind is safe by design and requires no additional devices or warning labels				29.07				
Sonesse 40 Motor 3/30 RTS, PURE RANGE - Telis 4 RTS PURE, No Hub Required				220.98				
Install Height: 0.00 Location: Client MR2								
Roller - Somfy Sonesse 40	Panama Pro 1% FR White	1400	2440	250.85	1	60.00%		331.50
45mm Cassette Headbox White, 55mm Roller Tube, Standard P.V.C. Bottom Rail - 5m - White, Blind is safe by design and requires no additional devices or warning labels				25.45				
Sonesse 40 Motor 3/30 RTS, PURE RANGE - Telis 4 RTS PURE, No Hub Required				220.98				
Install Height: 0.00 Location: Client MR2								
Roller - Somfy Sonesse 40	Panama Pro 1% FR White	920	2440	185.07	1	60.00%		302.28
45mm Cassette Headbox White, 55mm Roller Tube, Standard P.V.C. Bottom Rail - 5m - White, Blind is safe by design and requires no additional devices or warning labels				18.17				
Sonesse 40 Motor 3/30 RTS, PURE RANGE - Telis 4 RTS PURE, No Hub Required				220.98				
Install Height: 0.00 Location: Client MR2								
Roller With Cass H/box	Panama Pro 1% FR White	1470	2440	283.95	1	60.00%		128.12
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White				36.34				
Install Height: 0.00 Location: Client MR3								
Roller With Cass H/box	Panama Pro 1% FR White	1500	2440	283.95	1	60.00%		128.12
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White				36.34				
Install Height: 0.00 Location: Client MR3								
Roller With Cass H/box	Panama Pro 1% FR White	1420	2440	250.85	1	60.00%		113.06
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White				31.80				
Install Height: 0.00 Location: Client MR3								
Roller With Cass H/box	Panama Pro 1% FR White	1420	2440	250.85	1	60.00%		113.06
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White				31.80				
Install Height: 0.00 Location: Main Office								
Roller With Cass H/box	Panama Pro 1% FR White	1500	2400	263.42	8	60.00%		959.23
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White				36.34				
Install Height: 0.00 Location: Main Office								
Roller With Cass H/box	Panama Pro 1% FR White	900	2440	185.07	1	60.00%		83.11
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White				22.71				
Install Height: 0.00 Location: Main Office								
Roller With Cass H/box	Panama Pro 1% FR White	1480	2440	283.95	1	60.00%		128.12
32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White				36.34				
Install Height: 0.00 Location: Main Office								
Roller With Cass H/box	Panama Pro 1% FR White	1480	2440	283.95	1	60.00%		128.12

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 36.34

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 1000 2440 185.07 1 60.00% 83.11

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 22.71

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 1500 2440 283.95 2 60.00% 256.23

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 36.34

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 1485 2440 283.95 2 60.00% 256.23

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 36.34

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 665 2440 175.00 1 60.00% 77.27

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 18.18

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 200 2440 148.77 1 60.00% 64.96

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 13.62

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 1960 2440 349.78 1 60.00% 158.07

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 45.41

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 1960 2440 349.78 1 60.00% 158.07

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 45.41

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 820 2440 185.07 1 60.00% 83.11

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 22.71

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 1180 2440 218.08 1 60.00% 98.13

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 27.24

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 1870 2440 349.78 1 60.00% 158.07

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 45.41

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 1030 2440 218.08 1 60.00% 98.13

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 27.24

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 2195 2440 382.89 1 60.00% 173.14

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White 49.95

Install Height: 0.00 Location: Main Office

Roller With Cass H/box Panama Pro 1% FR White 1500 2440 283.95 2 60.00% 256.23

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard 36.34

P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

Install Height: 0.00 Location: Main Office

Roller With Cass H/box	Panama Pro 1% FR White	2195	2440	382.89	1	60.00%	173.14
------------------------	------------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

49.95

Install Height: 0.00 Location: Main Office

Roller With Cass H/box	Panama Pro Chrome FR	1445	2440	482.75	1	60.00%	207.64
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

36.34

Install Height: 0.00 Location: Main Office

Roller With Cass H/box	Panama Pro Chrome FR	1550	2440	482.75	14	60.00%	2906.90
------------------------	----------------------	------	------	--------	----	--------	---------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

36.34

Install Height: 0.00 Location: Main Office

Roller With Cass H/box	Panama Pro Chrome FR	1470	2440	482.75	1	60.00%	207.64
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

36.34

Install Height: 0.00 Location: Main Office

Roller With Cass H/box	Panama Pro Chrome FR	660	2440	297.51	1	60.00%	126.27
------------------------	----------------------	-----	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

18.18

Install Height: 0.00 Location: Office 1

Roller With Cass H/box	Panama Pro Chrome FR	1450	2440	482.75	1	60.00%	207.64
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

36.34

Install Height: 0.00 Location: Staff MR3

Roller With Cass H/box	Panama Pro Chrome FR	1425	2440	482.75	1	60.00%	207.64
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

36.34

Install Height: 0.00 Location: Staff MR3

Roller With Cass H/box	Panama Pro Chrome FR	1430	2440	482.75	1	60.00%	207.64
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

36.34

Install Height: 0.00 Location: Staff MR3

Roller With Cass H/box	Panama Pro Chrome FR	1425	2440	482.75	1	60.00%	207.64
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

36.34

Install Height: 0.00 Location: Staff MR2

Roller With Cass H/box	Panama Pro Chrome FR	1420	2440	426.45	1	60.00%	183.30
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

31.80

Install Height: 0.00

Roller With Cass H/box	Panama Pro Chrome FR	1420	2440	426.45	1	60.00%	183.30
------------------------	----------------------	------	------	--------	---	--------	--------

32mm Roller Tube, Full Fas Cas (70mm) White, Cass/Fasc Spring Top Bracket - White, Standard
P.V.C. Bottom Rail - 5m - White, Reverse Roll, Easybreak No. 10 Chain Connector - White

31.80

Install Height: 0.00

This quotation is valid for 30 days

VAT 0 (0 %)	Total Goods	GBP	21357.43
This Quotation is in Pounds sterling	Total VAT	GBP	<u>0.00</u>
Total number of blinds on quotation: 132	Amount Due	GBP	<u><u>21357.43</u></u>

Company Number 3184810

Bank Details: Natwest Sort Code 60-08-46 Account No 84212748

VAT number 324 0532 02