

Tropical Blinds Ltd

Unit 6 and 7 Five Arches Business Est
off Maidstone Road
Sidcup
Kent DA14 5AE
T: 020 8269 6400
F: 020 8269 6401



Order Acknowledgement

Cust Order No : SO8965
Order Date : 24/03/2020
Order No : 571270
Account Ref : CPS007
Despatch method : DHL Carrier 2
Delivery Date : 19/06/2020
Carriage Type : DHL Economy Select 2

Order to :

C.P Interiors
Rue Des Pres Trading Estate
St Saviour
Jersey
JE2 7QN

Deliver to :

C.P Interiors
Rue Des Pres Trading Estate
St Saviour
Jersey
JE2 7QN

Type	Colour	Width	Drop	Quantity	Unit Price	Disc %	Net
Roller With Cass H/box SW/Sprn	panama Pro 3% FR White Pearl 101117 R/F1	2440	2440	1	283.95	60	131.02
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)							
Measurement:Blind Size Spec. Ins: no fabric in fascia							
Install Height: Not Specified Location: First Floor - Quiet/ Faith Room							
Roller With Cass H/box SW/Sprn	panama Pro 3% FR White Pearl 101117 R/F1	2440	2440	1	283.95	60	131.02
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)							
Measurement:Blind Size Spec. Ins: no fabric in fascia							
Install Height: Not Specified Location: First Floor - Quiet/ Faith Room							
Roller With Cass H/box SW/Sprn	panama Pro 3% FR White Pearl 101117 R/F1	2440	2440	1	175.00	60	78.73
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)							
Measurement:Blind Size Spec. Ins: no fabric in fascia							
Install Height: Not Specified Location: First Floor - Quiet/ Faith Room							
Roller With Cass H/box SW/Sprn	panama Pro 3% FR White Pearl 101117 R/F1	2440	2440	1	283.95	60	131.02
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)							
Measurement:Blind Size Spec. Ins: no fabric in fascia							
Install Height: Not Specified Location: First Floor - Quiet/ Faith Room							
Roller With Cass H/box SW/Sprn	panama Pro 3% FR White Pearl 101117 R/F1	2440	2440	1	148.77	60	66.05
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)							
Measurement:Blind Size Spec. Ins: no fabric in fascia							
Install Height: Not Specified Location: First Floor - Quiet/ Faith Room							

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(16) 2440 1 175.00 60 78.73
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 21.82
 Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: First Floor - Quiet/ Faith Room

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(17) 2440 1 283.95 60 131.02
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 43.61
 Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: First Floor - Quiet/ Faith Room

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(18) 2440 1 283.95 60 131.02
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 43.61
 Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: First Floor - Quiet/ Faith Room

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(19) 2440 1 283.95 60 131.02
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 43.61
 Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Staff MR 1

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(20) 2440 1 283.95 60 131.02
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 43.61
 Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Staff MR 1

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(21) 2440 1 283.95 60 131.02
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 43.61
 Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Staff MR 1

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(22) 2440 1 283.95 60 131.02
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 43.61
 Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Dealer Room

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(23) 2440 1 283.95 60 131.02
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 43.61
 Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Dealer Room

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(45) 2440 1 283.95 60 131.02 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)						
Measurement:Blind Size Spec. Ins: no fabric in fascia Install Height: Not Specified Location: Dealer Room						
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(45) 2440 1 283.95 60 131.02 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)						
Measurement:Blind Size Spec. Ins: no fabric in fascia Install Height: Not Specified Location: Main Office						
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(45) 2440 1 283.95 60 131.02 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)						
Measurement:Blind Size Spec. Ins: no fabric in fascia Install Height: Not Specified Location: Main Office						
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(45) 2440 1 283.95 60 131.02 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)						
Measurement:Blind Size Spec. Ins: no fabric in fascia Install Height: Not Specified Location: Main Office						
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(45) 2440 3 283.95 60 393.07 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)						
Measurement:Blind Size Spec. Ins: no fabric in fascia Install Height: Not Specified Location: Main Office						
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(45) 2440 1 185.07 60 84.93 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)						
Measurement:Blind Size Spec. Ins: no fabric in fascia Install Height: Not Specified Location: Main Office						
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(45) 2440 1 283.95 60 131.02 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)						
Measurement:Blind Size Spec. Ins: no fabric in fascia Install Height: Not Specified Location: Main Office						
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(45) 2440 1 283.95 60 131.02 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)						
Measurement:Blind Size Spec. Ins: no fabric in fascia Install Height: Not Specified Location: Main Office						

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(50)	2440	1	283.95	60	131.02
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(50)	2440	2	283.95	60	262.05
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(55)	2440	1	283.95	60	131.02
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(50)	2440	1	283.95	60	131.02
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(60)	2440	1	175.00	60	78.73
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(50)	2440	1	349.78	60	161.71
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(50)	2440	1	349.78	60	161.71
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(50)	2440	1	349.78	60	161.71
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1025 2440 1 185.07 60 84.93
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 27.25
 Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Main Office

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1070 2440 1 218.08 60 100.31
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 32.69
 Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Main Office

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1070 2440 1 349.78 60 161.71
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 54.50
 Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Main Office

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1025 2440 1 218.08 60 100.31
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 32.69
 Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Main Office

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F2095 2440 1 382.89 60 177.14
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 59.95
 Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Main Office

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1070 2440 1 283.95 60 131.02
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 43.61
 Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Main Office

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1070 2440 1 283.95 60 131.02
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 43.61
 Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Main Office

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F2095 2440 1 382.89 60 177.14
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 59.95
 Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Main Office

Roller With Cass H/box SW/Sprn@Panama Pro Chrome FR White Pearl 1011171440 (E) 2440	1	482.75	60	210.54
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)		43.61		
Measurement:Blind Size Spec. Ins: no fabric in fascia				
Install Height: Not Specified Location: Main Office				
Roller With Cass H/box SW/Sprn@Panama Pro Chrome FR White Pearl 1011171475 (E) 2440	1	426.45	60	185.84
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)		38.16		
Measurement:Blind Size Spec. Ins: no fabric in fascia				
Install Height: Not Specified Location: Main Office				
Roller With Cass H/box SW/Sprn@Panama Pro Chrome FR White Pearl 1011171500 (E) 2440	1	426.45	60	185.84
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)		38.16		
Measurement:Blind Size Spec. Ins: no fabric in fascia				
Install Height: Not Specified Location: Main Office				
Roller With Cass H/box SW/Sprn@Panama Pro Chrome FR White Pearl 1011171500 (E) 2440	3	482.75	60	631.63
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)		43.61		
Measurement:Blind Size Spec. Ins: no fabric in fascia				
Install Height: Not Specified Location: Main Office				
Roller With Cass H/box SW/Sprn@Panama Pro Chrome FR White Pearl 1011171500 (E) 2440	1	482.75	60	210.54
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)		43.61		
Measurement:Blind Size Spec. Ins: no fabric in fascia				
Install Height: Not Specified Location: Main Office				
Roller With Cass H/box SW/Sprn@Panama Pro Chrome FR White Pearl 1011171500 (E) 2440	1	482.75	60	210.54
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)		43.61		
Measurement:Blind Size Spec. Ins: no fabric in fascia				
Install Height: Not Specified Location: Main Office				
Roller With Cass H/box SW/Sprn@Panama Pro Chrome FR White Pearl 1011171500 (E) 2440	3	482.75	60	631.63
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)		43.61		
Measurement:Blind Size Spec. Ins: no fabric in fascia				
Install Height: Not Specified Location: Main Office				
Roller With Cass H/box SW/Sprn@Panama Pro Chrome FR White Pearl 1011171500 (E) 2440	1	482.75	60	210.54
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)		43.61		
Measurement:Blind Size Spec. Ins: no fabric in fascia				
Install Height: Not Specified Location: Main Office				

Roller With Cass H/box SW/Sprn Panama Pro Chrome FR White Pearl 1011171500 (E) 2440	1	482.75	60	210.54
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)				
Measurement:Blind Size Spec. Ins: no fabric in fascia				
Install Height: Not Specified Location: Main Office				
Roller With Cass H/box SW/Sprn Panama Pro Chrome FR White Pearl 1011171500 (E) 2440	2	482.75	60	421.09
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)				
Measurement:Blind Size Spec. Ins: no fabric in fascia				
Install Height: Not Specified Location: Main Office				
Roller With Cass H/box SW/Sprn Panama Pro Chrome FR White Pearl 1011171500 (E) 2440	1	650.94	60	284.36
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)				
Measurement:Blind Size Spec. Ins: no fabric in fascia				
Install Height: Not Specified Location: Main Office				
Roller With Cass H/box SW/Sprn Panama Pro Chrome FR White Pearl 1011171500 (E) 2440	1	426.45	60	185.84
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)				
Measurement:Blind Size Spec. Ins: no fabric in fascia				
Install Height: Not Specified Location: Main Office				
Roller With Cass H/box SW/Sprn Panama Pro Chrome FR White Pearl 1011171500 (E) 2440	1	482.75	60	210.54
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)				
Measurement:Blind Size Spec. Ins: no fabric in fascia				
Install Height: Not Specified Location: Office 2				
Roller With Cass H/box SW/Sprn Panama Pro Chrome FR White Pearl 1011171500 (E) 2440	1	482.75	60	210.54
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)				
Measurement:Blind Size Spec. Ins: no fabric in fascia				
Install Height: Not Specified Location: Office 2				
Roller With Cass H/box SW/Sprn Panama Pro Chrome FR White Pearl 1011171500 (E) 2440	1	426.45	60	185.84
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)				
Measurement:Blind Size Spec. Ins: no fabric in fascia				
Install Height: Not Specified Location: Office 1*				
Roller With Cass H/box SW/Sprn Panama Pro Chrome FR White Pearl 1011171500 (E) 2440	1	426.45	60	185.84
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)				
Measurement:Blind Size Spec. Ins: no fabric in fascia				
Install Height: Not Specified Location: Office 1*				

Roller With Cass H/box SW/Sprn Panama Pro Chrome FR White Pearl 101117 R/25 (E) 2440	1	482.75	60	210.54
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)		43.61		
Measurement:Blind Size	Spec. Ins: no fabric in fascia			
Install Height: Not Specified	Location: Staff MR3			
Roller With Cass H/box SW/Sprn Panama Pro Chrome FR White Pearl 101117 R/25 (E) 2440	1	538.83	60	235.16
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)		49.07		
Measurement:Blind Size	Spec. Ins: no fabric in fascia			
Install Height: Not Specified	Location: Staff MR3			
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F 670	2440	175.00	60	78.73
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)		21.82		
Measurement:Blind Size	Spec. Ins: no fabric in fascia			
Install Height: Not Specified	Location: Second Floor			
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F 140	2440	283.95	60	131.02
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)		43.61		
Measurement:Blind Size	Spec. Ins: no fabric in fascia			
Install Height: Not Specified	Location: Second Floor			
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F 550	2400	139.50	60	62.34
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)		16.35		
Measurement:Blind Size	Spec. Ins: no fabric in fascia			
Install Height: Not Specified	Location: Second Floor			
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F 750	2440	175.00	60	78.73
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)		21.82		
Measurement:Blind Size	Spec. Ins: no fabric in fascia			
Install Height: Not Specified	Location: Second Floor			
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F 140	2440	283.95	60	131.02
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)		43.61		
Measurement:Blind Size	Spec. Ins: no fabric in fascia			
Install Height: Not Specified	Location: Second Floor			
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F 140	2440	283.95	60	131.02
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)		43.61		
Measurement:Blind Size	Spec. Ins: no fabric in fascia			
Install Height: Not Specified	Location: Second Floor			

Roller - Somfy Sonesse 40 RTS Panama Pro 3% FR White Pearl 101117 R/F1(35	800	1	143.45	60	288.54
45mm Cassette Headbox White, Cass/Fasc Spring Face Bracket - White, 55mm Roller Tube, Standard P.V.C. Bottom Rail - 5m - White, Blind is safe by design and requires no additional devices or warning labels			25.45		
Sonesse 40 Motor 3/30 RTS, PURE RANGE - Telis 4 RTS PURE, No Hub Required			220.98		
Measurement:Blind Size Spec. Ins:					
Install Height: Not Specified Location: Client MR1					
Roller - Somfy Sonesse 40 RTS Panama Pro 3% FR White Pearl 101117 R/F1(40	800	1	160.84	60	296.95
45mm Cassette Headbox White, Cass/Fasc Spring Face Bracket - White, 55mm Roller Tube, Standard P.V.C. Bottom Rail - 5m - White, Blind is safe by design and requires no additional devices or warning labels			29.07		
Sonesse 40 Motor 3/30 RTS, PURE RANGE - Telis 4 RTS PURE, No Hub Required			220.98		
Measurement:Blind Size Spec. Ins:					
Install Height: Not Specified Location: Client MR1					
Roller - Somfy Sonesse 40 RTS Panama Pro 3% FR White Pearl 101117 R/F1(30	800	1	143.45	60	256.56
45mm Cassette Headbox White, Cass/Fasc Spring Face Bracket - White, 55mm Roller Tube, Standard P.V.C. Bottom Rail - 5m - White, Blind is safe by design and requires no additional devices or warning labels			25.45		
Sonesse 40 Motor 3/30 RTS, No Hub Required			189.00		
Measurement:Blind Size Spec. Ins:					
Install Height: Not Specified Location: Client MR1					
Roller - Somfy Sonesse 40 RTS Panama Pro 3% FR White Pearl 101117 R/F1(35	2440	1	250.85	60	299.52
45mm Cassette Headbox White, Cass/Fasc Spring Face Bracket - White, 55mm Roller Tube, Standard P.V.C. Bottom Rail - 5m - White, Blind is safe by design and requires no additional devices or warning labels			25.45		
Sonesse 40 Motor 3/30 RTS, No Hub Required			189.00		
Measurement:Blind Size Spec. Ins:					
Install Height: Not Specified Location: Client MR1					
Roller - Somfy Sonesse 40 RTS Panama Pro 3% FR White Pearl 101117 R/F1(30	2440	1	250.85	60	299.52
45mm Cassette Headbox White, Cass/Fasc Spring Face Bracket - White, 55mm Roller Tube, Standard P.V.C. Bottom Rail - 5m - White, Blind is safe by design and requires no additional devices or warning labels			25.45		
Sonesse 40 Motor 3/30 RTS, No Hub Required			189.00		
Measurement:Blind Size Spec. Ins:					
Install Height: Not Specified Location: Client MR2					
Roller - Somfy Sonesse 40 RTS Panama Pro 3% FR White Pearl 101117 R/F1(40	2440	1	283.95	60	314.21
45mm Cassette Headbox White, Cass/Fasc Spring Face Bracket - White, 55mm Roller Tube, Standard P.V.C. Bottom Rail - 5m - White, Blind is safe by design and requires no additional devices or warning labels			29.07		
Sonesse 40 Motor 3/30 RTS, No Hub Required			189.00		
Measurement:Blind Size Spec. Ins:					
Install Height: Not Specified Location: Client MR2					
Roller - Somfy Sonesse 40 RTS Panama Pro 3% FR White Pearl 101117 R/F1(40	2440	1	250.85	60	299.52
45mm Cassette Headbox White, Cass/Fasc Spring Face Bracket - White, 55mm Roller Tube, Standard P.V.C. Bottom Rail - 5m - White, Blind is safe by design and requires no additional devices or warning labels			25.45		
Sonesse 40 Motor 3/30 RTS, No Hub Required			189.00		
Measurement:Blind Size Spec. Ins:					
Install Height: Not Specified Location: Client MR2					
Roller - Somfy Sonesse 40 RTS Panama Pro 3% FR White Pearl 101117 R/F1(20	2440	1	185.07	60	270.30
45mm Cassette Headbox White, Cass/Fasc Spring Face Bracket - White, 55mm Roller Tube, Standard P.V.C. Bottom Rail - 5m - White, Blind is safe by design and requires no additional devices or warning labels			18.17		
Sonesse 40 Motor 3/30 RTS, No Hub Required			189.00		
Measurement:Blind Size Spec. Ins:					
Install Height: Not Specified Location: Client MR2					

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(4)0	2440	1	283.95	60	131.02
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Client MR3					
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(4)0	2440	1	283.95	60	131.02
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Client MR3					
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(4)0	2440	1	250.85	60	115.60
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Client MR3					
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(4)0	2440	1	250.85	60	115.60
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(4)0	2400	8	263.42	60	982.49
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(4)0	2440	1	185.07	60	84.93
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(4)0	2440	1	283.95	60	131.02
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(4)0	2440	1	283.95	60	131.02
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(8)0	2440	1	185.07	60	84.93
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(8)0	2440	1	283.95	60	131.02
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(8)0	2440	1	283.95	60	131.02
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(8)5	2440	1	283.95	60	131.02
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(8)5	2440	1	283.95	60	131.02
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(8)5	2440	1	175.00	60	78.73
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(8)0	2440	1	148.77	60	66.05
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(8)0	2440	1	349.78	60	161.71
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(80) 2440 1 349.78 60 161.71
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 54.50
 Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Main Office

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(80) 2440 1 185.07 60 84.93
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 27.25
 Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Main Office

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(80) 2440 1 218.08 60 100.31
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 32.69
 Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Main Office

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(80) 2440 1 349.78 60 161.71
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 54.50
 Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Main Office

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(80) 2440 1 218.08 60 100.31
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 32.69
 Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Main Office

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F2(95) 2440 1 382.89 60 177.14
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 59.95
 Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Main Office

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(80) 2440 1 283.95 60 131.02
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 43.61
 Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Main Office*

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F1(80) 2440 1 283.95 60 131.02
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, 43.61
 Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Main Office*

Roller With Cass H/box SW/Sprn Panama Pro 3% FR White Pearl 101117 R/F2195	2440	1	382.89	51.92	212.91
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro Chrome FR White Pearl 101117 R/F2195 (E)	2440	1	482.75	60	210.54
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro Chrome FR White Pearl 101117 R/F2195 (E)	2440	14	482.75	60	2947.62
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro Chrome FR White Pearl 101117 R/F2195 (E)	2440	1	482.75	60	210.54
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Main Office					
Roller With Cass H/box SW/Sprn Panama Pro Chrome FR White Pearl 101117 R/F2195 (E)	2440	1	297.51	60	127.73
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Office 1					
Roller With Cass H/box SW/Sprn Panama Pro Chrome FR White Pearl 101117 R/F2195 (E)	2440	1	482.75	60	210.54
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Staff MR3					
Roller With Cass H/box SW/Sprn Panama Pro Chrome FR White Pearl 101117 R/F2195 (E)	2440	1	482.75	60	210.54
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Staff MR3					
Roller With Cass H/box SW/Sprn Panama Pro Chrome FR White Pearl 101117 R/F2195 (E)	2440	1	482.75	60	210.54
40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White, Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord or Chain Tidy - Clear (Louvolute)					
Measurement:Blind Size Spec. Ins: no fabric in fascia					
Install Height: Not Specified Location: Staff MR2					

Roller With Cass H/box SW/Sprn Panama Pro Chrome FR White Pearl 1011171825 (E) 2440 1 482.75 60 210.54
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White,
 Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: Staff MR2

Roller With Cass H/box SW/Sprn Panama Pro Chrome FR White Pearl 1011171825 (E) 2440 1 426.45 60 185.84
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White,
 Standard P.V.C. Bottom Rail - 5m - White, Left Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: staff mr1

Roller With Cass H/box SW/Sprn Panama Pro Chrome FR White Pearl 1011171825 (E) 2440 1 426.45 60 185.84
 40mm Roller Tube, Full Fas Cas (70mm) White, Standard Brackets Req., Cass/Fasc Spring Top Bracket - White,
 Standard P.V.C. Bottom Rail - 5m - White, Right Hand Control, White, Continuous Metal Chain Silver, Reverse Roll, Cord
 or Chain Tidy - Clear (Louvolute)

Measurement:Blind Size Spec. Ins: no fabric in fascia

Install Height: Not Specified Location: staff mr1

If a Premium carriage service is requested (Pre Noon, Pre 10.30, Saturday or Saturday Pre Noon) the relevant charge will be applied to your invoice. Goods delivered to the following areas: Cornwall, Dyfed, Powys, Anglesey, Gwynedd, Scotland, Isle of Wight, Isle of Man, Isle of Scilly, Channel Isles, Northern Ireland and Republic of Ireland will be subject to a carriage charge as detailed on Page 2 of our trade price list. These carriage charges will not appear on your order acknowledgement but will be applied to your invoice

Net Price :	£21545.28
VAT :	£0.00
Total :	£21545.28