

Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

C P Interiors

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

reference: SO9755
Your order no.: Noble
weinor customernumber: 165708
creation Date: 28.05.2020
weinor pers. in charge: Chris Nicholson
phone / fax number: +49-221-59709-452
representat.: Chris Spickett
tel (representat.): 0044 (0) 7894443907

pos	quantity	article	price
1	1	weinor	5.283,70

Roofsystem	: Terrazza S Originale		
.	: ATTENTION! Element is supplied without glass!		
Permissible snow-bearing load	: 750 N/m ²		
External dimensions	: 5500mm x 1950mm Depth: wall up to INSIDE edge of post		3.898,00
Bottom edge gutter (mm)	: 2120 mm		
Bottom edge connection to wall (mm)	: 3050 mm		
Top edge connection to wall (mm)	: 3211 mm		
Pitch of roof [°]	: 22,16 °		584,70
info	: 0		
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic		
Covering	: prepared for 10mm LSG		
Information about roofing	: Caution! The dimensions for web plates and/or glass cannot be changed and only apply to the covering you have selected!!		
basic element	: 101 Type A pent roof		
Seals	: silicone-containing seals		
Connection to wall left?	: No wall connection on left		
Connection to wall right?	: Continuous wall connection on right		42,00
Static adjustment of the roof for glazing element under side roof -beams on left and / or right?	: Yes, statics for GEs (w50-c lite side element)		
Roof support type, inner roof supports	: 110 roof girder without steel		
Roof support type, outer roof supports left	: 110 roof girder without steel		
Roof support type, outer roof supports right	: 110 roof girder without steel		

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO9755 Page 2 of 11

pos	quantity	article	price
-----	----------	---------	-------

Further transoms across all roof sections	:	no	
Axial dimension rafter	:	901,2 mm	
version post	:	square post	
Post type left	:	Post outside	
Post type right	:	Post center / wall	
Number of posts	:	2 Piece	
Post position on the left	:	60,5 mm	
Post position on the right	:	67,5 mm	
Maximum spacing for posts when gutter has 1 x steel	:	5500 mm for 1 x steel in gutter	
Length of post	:	2700 mm	126,00
Steel reinforcement for roof gutter	:	1 * Galvanised flat steel	392,00
Post attachment left	:	196x196 post plate	
Post attachment right	:	116x196 post plate	
Number of post base plates 116x196	:	1 Piece	
Number of post base plates 196x196	:	1 Piece	
Drain on right side?	:	Drain through the right post	
Number of drains through posts incl. down pipes with bends 87°	:	1 incl. downspout and 87° elbow	
Leaf protection screen (no extra cost)	:	Leaf guard same width as roof	
Provision for fitting Sottezza.	:	4 Piece	112,00
Sottezza-Type	:	Sottezza stretch/optistretch (alle variants)	
Substructure elements available (from outside)	:	UBB glazing elements on both sides	
Projection Sottezza [mm]	:	2015,5 mm	
The specified length does account for	:	40 mm spacing from the wall or 20 mm from the guttering.	
Distance from Sottezza to the wall	:	40 mm	
Distance from Sottezza to the gutter	:	20 mm	
Projection of WGM	:	2254 mm	
The specified length does account for	:	20 mm and an overhang on the end of rafter 30 mm from the guttering.	
Left-hand wall	:	Rectangular pipe 50x30	75,00

Exclusively for weinor-eshop orders, we further simplified installation: various assemblies are delivered in a pre-assembled state or are blocked out for installation!

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO9755 Page 3 of 11

pos	quantity	article	price
		insertion floor rail for front (max. 26 mm)	
		insertion floor rail for side (max. 26 mm)	
		Note glass area	
		50 x 2 mm flat aluminium	
		Length of 50 x 2 mm flat aluminium	54,00
		Weight [kg]	
			value of goods
			5.283,70

2	1	weinor Side element LITE w50-c	521,00
		. : ATTENTION! Element is supplied without glass!	
		Product use : private house	
		Frame profile : blind frame section 105 w50-c bottom blind frame section 35 w50-c top	
		Width of element [mm] : 1910 mm	
		Incline : 22,16 Degree(s)	455,00
		Installation side (as seen from inside) : right	
		Number of vertical glass panels : two parts	
		Prepared for : prepared for 6mm (for cold use)	
		Basic colour : WT029/90147 Approx. RAL 9007 Metallic	
		gap seal : Gap seals for 6 mm glass, length 2000 mm	12,00
		Cardboard container : edges reinforcement	
		50 x 2 mm flat aluminium : 2 Piece	
		Length of 50 x 2 mm flat aluminium : 2200 mm	54,00
			value of goods
			521,00

Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO9755 Page 4 of 11

pos	quantity	article	price
3	1	weinor w17 easy - the full glass sliding door	1.631,80
.		: ATTENTION! Element is supplied with glass!	
Product use		: private house	
Width of element [mm]		: 1910 X 2146	1.272,00
type of floor rail		: standard floor rail with CleanCase	
CleanCase left (from inside)		: yes	
CleanCase right (from inside)		: yes	
Selection of leaves + tracks		: 2-track with 2 leaves	
Position of active leaf?		: left, as seen from inside	
Direction of opening		: sliding to the right	
Glazing		: 10 mm toughened safety glass, clear	
Soft-Closing-System		: Soft-Closing-System standard	
handling		: handle bar standard	
side of the handling		: handling on both sides	
leaf actuator		: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile		: Standard: Glass retainer profile, pre-drilled	
Height of knob From bottom edge of guide track (mm)		: 1050 mm	
Basic colour		: WT029/90147 Approx. RAL 9007 Metallic	
wall connection profile left		: yes	48,00
wall connection profile right		: yes	48,00
brush seal		: 1 x Brush profile transparent for 10 mm glass, length 2800 mm	31,00
Note		: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
with floor gap sealing profile		: on both sides positioned floor gap sealing profile	79,80
Cardboard container		: edges reinforcement	
packaging		: Export packaging/ glass pallet	
extra charge glass pallet		: 1 x wooden pallet	153,00
weight		: 112 kg	
			value of goods
			1.631,80

Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO9755 Page 5 of 11

pos	quantity	article	price
-----	----------	---------	-------

4	1	weinor w17 easy - the full glass sliding door	3.800,60
---	---	---	----------

.	: ATTENTION! Element is supplied with glass!	
Product use	: private house	
Width of element [mm]	: 5257 X 2146	3.185,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Selection of leaves + tracks	: 5-track with 5 leaves	
Position of active leaf?	: right, as seen from inside	
Direction of opening	: sliding to the left	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: lock case and hung bolt	173,00
side of the handling	: handling on both sides	
Operation lockcase	: door knob inside	
type of knob	: Standard-knob; same-coloured as the construction	
leaf actuator	: leaf actuator opening and closing in sliding direction	
Height of lock from bottom edge of guide track	: 1050 up to centre of profile cylinder (in mm)	
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic	
wall connection profile left	: yes	48,00
wall connection profile right	: yes	48,00
brush seal	: 4 x Brush profile transparent for 10 mm glass, length 2800 mm	124,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
with floor gap sealing profile	: on both sides positioned floor gap sealing profile	222,60
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
weight	: 308,3 kg	
value of goods		
3.800,60		

Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO9755 Page 6 of 11

pos	quantity	article	price
-----	----------	---------	-------

6	1	weinor Sottezza II OptiStretch	2.398,00
---	---	--------------------------------	----------

Product use	: private house	
Anticipated delivery	: 03.08.2020	
Anticipated delivery	: 27.07.2020	
Sales order Terrazza	: 202458128	
Posn. of the sales order for Terrazza	: 1	
Number of panels	: single unit	
width Terrazza [mm]	: 5500 mm	
Distance centre to centre field	: 5345 mm	
Width of cassette total [mm]	: 5381 mm	
Projection [mm]	: 2015,5 mm	2.398,00
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic	
Cable clips along the back of the cassette	: without cable clips along the back of the cassette	
type of control	: motor (Becker)	
Side of control (seen from the front)	: right	
with remote control BiConnect	: Yes! Please remind the separate order!	
Information on BiConnect	: The BiConnect has been done in 202458128 position 7!	
Type of engine	: 121060-0000	
Side channel bracket	: 2 Piece	
brackets top plate	: 2 Piece	
real-design	: WE6-387 Weitex Classic my collections	
colour of thread Saba	: RAL 7001 Silver grey	
Cardboard container	: edges reinforcement	
weight	: 78 kg	

value of goods

2.398,00

Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO9755 Page 7 of 11

pos	quantity	article	price
7	1	weinor BiConnect	178,00

deliver BiConnect separate?	: No; supply receiver and handheld remote control with awning	
shipment info	: The pre set receivers (except LED) and the handset will be packed with contract number 202458128 pos 6!	
receiver for motor	: 1 BiRec MA, basic	91,00
control	: BiConnect BiEasy 1M (black version)	87,00
learned on channel 1	: BiRec MA-K, basic for order 202458128/6: Sottezza II OptiStretch engine right	

value of goods

178,00

value of goods GBP	VAT (0 %)	Total GBP
13.813,10	0,00	13.813,10

Configuration details


weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708


reference: SO9755

Page 8 of 11

isometric view



top view



weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no.: 30266480
IBAN: GB24 COBA 4062 0130 2664 80



Configuration details


weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708


reference: SO9755

Page 9 of 11


front view



side view left



side view right






Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708

reference: SO9755

Page 10 of 11



Configuration details

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 reference: SO9755

Page 11 of 11

Note, these glass dimensions are not part of the order confirmation and are only part of the configuration from 15.6.2020.

Glass Dimensions

Position	1		prepared for 10mm LSG		
quantity	form		Width	Height left	Height right
6	rectangle		857	2130	2130
Position	2	Side element LITE w50-c	prepared for 6mm (for cold use)		
quantity	form		Width	Height left	Height right
1	trapezium right		949	59	446
1	trapezium right		949	448	834

