


Client CP INTERIORS UNIT 28 RUE DES PRES TRADING ESTATE ST SAVIOUR, JE2 7QN, JERSEY		Document Title House Waybill (HWB)	Issuing Office PORTSMOUTH
		Your Reference 1484/20-16-1	Tally Number J795426
		Delivery TI ref 2368773	Our Reference 3PMJE621384
Shipper WEINOR GMBH & CO DORFSTR 13 39291 MOCKERN GERMANY		Date 24-Jul-2020	
Consignee CP SUNBLINDS 27 CLEARVIEW STREET ST HELIER, JE2 3YP, JERSEY		 <p>Ferryspeed C.I. Limited Ackworth Road Hilsea Portsmouth PO3 5JT Tel: 02392627000 Fax: 02392627150</p>	
Container Number/Trl No.	Place of Receipt/Loading PORTSMOUTH		
Vessel	Port of Departure		
Port of Discharge	Place of Delivery ST HELIER		
Date of Shipment/Arrival 24-Jul-2020	Terms CFR		

Marks & Numbers	Number & Kind of Packages	Description of Goods	Weight(Kgs)	Volume(M3)
ADDRESSED:-	11 AWNING 11 ITEMS		662.00	4.800

Consignee Ref(s) : J795426
 Shipper Ref(s) : 1484/20-16-1, 202458128,202461991, 222781278, 222781269, 222779125, 222779126, 222779169

Value 0.00

SO 9908 x 1
 THOMPSON SO 995 x 1
 Morgan SO 9983 x 2
 SO 9755 x 6

Sunny x 1

RECEIVED ✓ M2
 27 JUL 2020
 SCANNED ✓

*** WAYBILL ***

DANGEROUS GOODS: GOODS HAVING CORROSIVE, EXPLOSIVE, FLAMMABLE POISONOUS OR OTHER HAZARDOUS CHARACTERISTICS MUST BE ACCOMPANIED BY "SHIPPERS CERTIFICATION FOR DANGEROUS GOODS" COMPLETED IN DUPLICATE

ALL GOODS CARRIED IN THE ACCORDANCE TO R.H.A. CONDITIONS OF CARRIAGE CORRECT AT THE DATE OF THIS HOUSE WAYBILL

SO 99755 x 6
 Morgan SO 9983 x 1
 Sunny x 1
 Thompson SO 995 x 1



weinor GmbH & Co. KG PO box 301473 D-50784 Köln

C P Interiors**Rue Des Pres Trading Estate****GB-JE2 7QN St Saviour Jersey**

202458128

phone number: 0044-1534-768141
 customer: 165708
 representat. 654 Chris Spickett
 tel (representat.): 0044 (0) 7894443907

delivery note 222781269

Date of Print: 21.07.2020

delivery address

Ferryspeed
 FAO CP Sunblinds
 Venture Park/ Ackworth Road
 GB-PO3 5JT Portsmouth/ Hampshire
 0044/1329234351
 England

sales order no.: 202458128
 order date: 28.05.2020
 reference; SO9755
 Your order no.: Noble

pos	quantity	article code	
1	1	2709	Terrazza
		Roofsystem	: 02 Terrazza S Originale
		Anticipated delivery	: 03.08.2020
		Permissible snow-bearing load	: 750 750 N/m ²
		External dimensions	: 5500mm x 1950mm Depth: wall up to INSIDE edge of post
		Bottom edge gutter (mm)	: 2120 mm
		Bottom edge connection to wall (mm)	: 3050 mm
		Top edge connection to wall (mm)	: 3211 mm
		Pitch of roof [°]	: 22,16 °
		Info	: 0
		Basic colour	: WT029/90147 WT029/90147 Approx. RAL 9007 Metallic
		Covering	: 10mm prepared for 10mm LSG
		Information about roofing	: 1 Caution! The dimensions for web plates and/or glass cannot be changed and only apply to the covering you have selected!!
		basic element	: 101 Type A pent roof
		Seals	: 0 silicone-containing seals
		Connection to wall left?	: 0 No wall connection on left
		Connection to wall right?	: 2 Continuous wall connection on right

weinor GmbH & Co. KG
 Mathias-Brüggen-Strasse 110
 D-50829 Köln
 weinor.com

Managing Director:
 Thilo Weiermann
 General partner:
 Weinor Beteiligungs-GmbH
 Köln

VAT no.: DE 122814372
 Tax ID no.: 217/5866/0097
 Place of registration: Cologne
 Company reg. no.: HRA 5676
 Place of registration: Cologne
 Company reg. no.: HRB 4661

Commerzbank London
 Sort Code 40-62-01
 Swift BIC Code COBAGB2X
 Account no: 30266480
 IBAN: GB24 COBA 40620130266480

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

pos	quantity	article code
-----	----------	--------------

Static adjustment of the roof for glazing element under side roof-beams on left and / or right?	: w50L	Yes, statics for GEs (w50-c lite side element)
Roof support type, inner roof supports	: 1	110 roof girder without steel
Roof support type, outer roof supports left	: 1	110 roof girder without steel
Roof support type, outer roof supports right	: 1	110 roof girder without steel
Further transoms across all roof sections	: no	
Axial dimension rafter	: 901,2	mm
Number of posts	: 2	Piece
Post position on the left	: 60,5	mm
Post position on the right	: 67,5	mm
Maximum spacing for posts when gutter has 1 x steel	: 5500	mm for 1 x steel in gutter
Length of post	: 2700	mm
Steel reinforcement for roof gutter	: 1	* Galvanised flat steel
Weight for roof gutter with steel	: 94,6	kg
	:	
Post attachment left	: 8	196x196 post plate
Post attachment right	: 7	116x196 post plate
Drain on right side?	: 3	Drain through the right post
Leaf protection screen (no extra cost)	: yes	Leaf guard same width as roof
Provision for fitting Sottezza.	: 4	Piece
Sottezza-Type	: 2230	Sottezza stretch/optistretch (alle variants)
Anzahl Packstücke	: 4	
Weight [kg]	: 244,16	kg

2	1	2831	Side element LITE w50-c
---	---	------	-------------------------

Anticipated delivery	: 03.08.2020	
Number of packages	: 1	
weight	: 8,54	kg
Width of element [mm]	: 1910	

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

pos	quantity	article code	
6	1	2235	Sottezza II OptiStretch
		Anticipated delivery	: 03.08.2020
		Number of packages	: 1
		weight	: 84,22 kg
		External dimensions	: 5381X2015,5
7	1	2557	BiConnect
		Anticipated delivery	: 03.08.2020
		Number of packages	: 0
			The BiConnect has been packed with pos 202458128/6!

mode of dispatch UK export

date	signature
delivery	exw Cologne
weight	336,92 kg
package	6 Stk.

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

C P Interiors**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey****confirmation of shipment date**

sales order no.: 202458128
 customer: 165708
 order date: 28.05.2020
 reference: S09755 **NOBLE**
 contact person: Chris Nicholson
 E-Mail: CNicholson@weinor.de
 phone number: +49-221-59709-452
 representat.: 654 Chris Spickett
 tel (representat.): 0044 (0) 7894443907

Dear Sir or Madam,

Many thanks for sending your release notice.

We have cleared your order for manufacturing and confirm expected delivery by the end of the week mentioned below.

The day before delivery you will get a dispatch note by fax or e-mail.

Position: 1	Product: 2709	Terrazza	calender week	32 / 2020
Position: 2	Product: 2831	Side element LITE w50-c	calender week	32 / 2020
Position: 3	Product: 2851	w17 easy - the full glass sliding door	calender week	34 / 2020
Position: 4	Product: 2851	w17 easy - the full glass sliding door	calender week	34 / 2020
Position: 6	Product: 2235	Sottezza II OptiStretch	calender week	32 / 2020
Position: 7	Product: 2557	BiConnect	calender week	32 / 2020

With best regards

i.A. Chris Nicholson

*Time allocated
 for whole wk
 3/8/2020
 or will need to be
 wk Ben Back.
 24/8/2020
 by client instrum
 AT.*

weinor GmbH & Co. KG
 Mathias-Brüggen-Strasse 110
 D-50829 Köln
 weinor.com

Managing Director:
 Thilo Weiermann
 General partner:
 Weinor Beteiligungs-GmbH
 Köln

VAT no.: DE 122814372
 Tax ID no.: 217/5866/0097
 Place of registration: Cologne
 Company reg. no.: HRA 5676
 Place of registration: Cologne
 Company reg. no.: HRB 4661

Commerzbank London
 Sort Code 40-62-01
 Swift BIC Code COBAGB2X
 Account no: 30266480
 IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH & Co. KG PO box 30 14 73 D-50784 Köln

C P Interiors

**Rue Des Pres Trading Estate
GB-JE2 7QN St Saviour Jersey**

delivery address

Ferryspeed
FAO CP Sunblinds
Venture Park/ Ackworth Road
GB-PO3 5JT Portsmouth/ Hampshire

ORDER CONFIRMATION (release 2)

sales order no.: 202458128 of 28.05.2020
customer: 165708
reference: SO9755
Your order no.: Noble
contact person: Chris Nicholson
E-Mail: CNicholson@weinor.de
phone number: +49-221-59709-452
representat. 654 Chris Spickett
tel (representat.): 0044 (0) 7894443907

pos	quantity	article code
-----	----------	--------------

1	1,00	2709 Terrazza
---	------	---------------

Roofsystem : Terrazza S Originale

: ATTENTION! Element is supplied without glass!

Anticipated delivery : 03.08.2020

Note: You have selected a desired delivery date which differs from our standard date.

Permissible snow-bearing load : 750 N/m²

External dimensions : 5500mm x 1950mm Depth: wall up to INSIDE edge of post 3.898,00

Bottom edge gutter (mm) : 2120 mm

Clearance height : 2120 mm

Bottom edge connection to wall (mm) : 3050 mm

Top edge connection to wall (mm) : 3211 mm

Pitch of roof [°] : 22,16 ° 584,70

Info :

Basic colour : WT029/90147 Approx. RAL 9007 Metallic

Covering : 10mm prepared for 10mm LSG

Information about roofing : Caution! The dimensions for web plates and/or glass cannot be changed and only apply to the covering you have selected!!

basic element : 101 Type A pent roof

Seals : silicone-containing seals

Connection to wall left? : No wall connection on left

Connection to wall right? : Continuous wall connection on right 42,00

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAG82X
Account no. 30266480
IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202458128

Page 2 of 15

pos	quantity	article code
-----	----------	--------------

Static adjustment of the roof for glazing element under side roof-beams on left and / or right?	: Yes, statics for GEs (w50-c lite side element)		
Roof support type, inner roof supports	: 110 roof girder without steel		
Roof support type, outer roof supports left	: 110 roof girder without steel		
Roof support type, outer roof supports right	: 110 roof girder without steel		
weight rafter	: 6,1	kg	
Further transoms across all roof sections	: no		
Axial dimension rafter	: 901,2	mm	
version post	: square post		
Post type left	: Post outside		
Post type right	: Post center / wall		
Number of posts	: 2	Piece	
Post position on the left	: 60,5	mm	
Post position on the right	: 67,5	mm	
Maximum spacing for posts when gutter has 1 x steel	: 5500	mm for 1 x steel in gutter	
Length of post	: 2700	mm	126,00
Steel reinforcement for roof gutter	: 1	* Galvanised flat steel	392,00
Weight for roof gutter with steel	: 94,6	kg	
Post attachment left	: 196x196 post plate		
Post attachment right	: 116x196 post plate		
Number of post base plates 116x196	: 1	Piece	
Number of post base plates 196x196	: 1	Piece	
Drain on right side?	: Drain through the right post		
Number of drains through posts incl. down pipes with bends 87°	: 1	incl. downspout and 87° elbow	
Leaf protection screen (no extra cost)	: Leaf guard same width as roof		
Provision for fitting Sottezza. Sottezza-Type	: 4 : Sottezza stretch/optistretch (alle variants)	Piece	112,00

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no. 30266480
IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH & Co. KG PO box 30 14 73 D-50784 Köln

customer: 165708 sales order 202458128

Page 3 of 15

pos	quantity	article code
-----	----------	--------------

Substructure elements available (from outside)	: UBB	glazing elements on both sides
Projection Sottezza [mm]	: 2015,5	mm
The specified length does account for 40 mm spacing from the wall or 20 mm from the guttering.		
Distance from Sottezza to the wall	: 40	mm
Distance from Sottezza to the gutter	: 20	mm
Projection of WGM	: 2254	mm
The specified length does account for 20 mm and an overhang on the end of rafter 30 mm from the guttering.		

Left-hand wall	: Rectangular pipe 50x30	75,00
----------------	--------------------------	-------

Exclusively for weinor-eshop orders, we further simplified installation: various assemblies are delivered in a pre-assembled state or are blocked out for installation!

insertion floor rail for front (max. 26 mm)	: 26	mm
insertion floor rail for side (max. 26 mm)	: 26	mm

Please take care that the water drainage will be done on site during installation.

Glasfläche [m2]	: 10,95	m ²
Note glass area	: The glass surface concern only the roof.	

50 x 2 mm flat aluminium	: 2	Piece	
Length of 50 x 2 mm flat aluminium	: 3000	mm	54,00

Weight [kg]	: 186,25	kg
-------------	----------	----

The company weinor GmbH & Co. KG manufactures the construction product corresponding to DIN 1090 EXC1, production tolerances for welding corresponding to DIN EN 13920 B/B/F, welding seam types corresponding to DIN EN ISO 5817- C, for aluminium corresponding to DIN EN ISO 10042 -C.

value of goods	discount amount / %	net
5.283,70	2.113,48 / 40,00	3.170,22

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no.: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202458128

Page 4 of 15

pos	quantity	article code
-----	----------	--------------

2	1,00	2831	Side element LITE w50-c
---	------	------	-------------------------

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

. : **ATTENTION! Element is supplied without glass!**

Anticipated delivery : 03.08.2020

Note: You have selected a desired delivery date which differs from our standard date.

Product use : private house

Frame profile : blind frame section 105 w50-c bottom
blind frame section 35 w50-c top

Width of element [mm] : 1910 mm

Incline : 22,16 Degree(s) 455,00

Installation side (as seen from inside) : right

Number of vertical glass panels : two parts

Prepared for : prepared for 6mm (for cold use)

Basic colour : WT029/90147 Approx. RAL 9007 Metallic

gap seal : Gap seals for 6 mm glass, length 2000 mm 12,00

Cardboard container : edges reinforcement

50 x 2 mm flat aluminium : 2 Piece

Length of 50 x 2 mm flat aluminium : 2200 mm 54,00

value of goods	discount amount / %	net
521,00	208,40 / 40,00	312,60

weinor GmbH & Co. KG
Mathias-Bruggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661


Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no.: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

customer: 165708 sales order 202458128

Page 5 of 15

pos	quantity	article code
-----	----------	--------------

3	1,00	2851	w17 easy - the full glass sliding door
---	------	------	--



We do recommend not to store the uninstalled glass units longer than necessary on the wooden racks in outside weather conditions.

Potential damage by sediments and corrosion can occur.

A potential change of the glass panels on site can be difficult and time consuming.

Please check the confirmation of the Terrasse for completeness of necessary wall gap sealing profiles and the post alignment profiles.

•	: ATTENTION! Element is supplied with glass!	
Anticipated delivery	: 17.08.2020	
Product use	: private house	
Width of element [mm]	: 1910 X 2146	1.272,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Selection of leaves + tracks	: 2-track with 2 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: handle bar standard	
side of the handling	: handling on both sides	
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
knob inside/ on both sides for the endleaf	: 0	
Height of knob From bottom edge of guide track (mm)	: 1050	mm
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic	
wall connection profile left	: yes	48,00

weinor GmbH & Co. KG PO box 30 14 73 D-50784 Köln

customer: 165708 sales order 202458128

Page 6 of 15

pos	quantity	article code		
		wall connection profile right	: yes	48,00
		brush seal	: 1 x Brush profile transparent for 10 mm glass, length 2800 mm	31,00
		Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
		with floor gap sealing profile	: on both sides positioned floor gap sealing profile	79,80
		Cardboard container	: edges reinforcement	
		packaging	: Export packaging/ glass pallet	
		extra charge glass pallet	: 1 x wooden pallet	153,00
		Weight of leaf	: 51,2 kg	
		weight	: 112 kg	
<hr/>				
		value of goods	discount amount / %	net
		1.631,80	652,72 / 40,00	979,08

weinor GmbH & Co. KG
 Mathias-Brüggen-Strasse 110
 D-50829 Köln
 weinor.com

Managing Director:
 Thilo Weiermann
 General partner:
 Weinor Beteiligungs-GmbH
 Köln

VAT no.: DE 122814372
 TaxID no.: 217/5866/0097
 Place of registration: Cologne
 Company reg. no.: HRA 5676
 Place of registration: Cologne
 Company reg. no.: HRB 4661

Commerzbank London
 Sort Code 40-62-01
 Swift BIC Code COBAGB2X
 Account no: 30266480
 IBAN: GB24 COBA 4062 0130 2664 80


weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202458128

Page 7 of 15

pos	quantity	article code
-----	----------	--------------

4	1,00	2851	w17 easy - the full glass sliding door
---	------	------	--



We do recommend not to store the uninstalled glass units longer than necessary on the wooden racks in outside weather conditions.

Potential damage by sediments and corrosion can occur.

A potential change of the glass panels on site can be difficult and time consuming.

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

.	: ATTENTION! Element is supplied with glass!	
Anticipated delivery	: 17.08.2020	
Product use	: private house	
Width of element [mm]	: 5257 X 2146	3.185,00
type of floor rail	: standard floor rail with CleanCase	
CleanCase left (from inside)	: yes	
CleanCase right (from inside)	: yes	
Selection of leaves + tracks	: 5-track with 5 leaves	
Position of active leaf?	: right, as seen from inside	
Direction of opening	: sliding to the left	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: lock case and hung bolt	173,00
side of the handling	: handling on both sides	
Operation lockcase	: door knob inside	
type of knob	: Standard-knob; same-coloured as the construction	
leaf actuator	: leaf actuator opening and closing in sliding direction	
knob inside/ on both sides for the endleaf	: 0	
Height of lock from bottom edge of guide track	: 1050	up to centre of profile cylinder (in mm)
Basic colour	: WT029/90147 Approx. RAL 9007 Metallic	
wall connection profile left	: yes	48,00

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
TaxID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH & Co. KG PO box 30 14 73 D-50784 Köln

customer: 165708 sales order 202458128

Page 8 of 15

pos	quantity	article code
-----	----------	--------------

wall connection profile right	: yes	48,00
brush seal	: 4 x Brush profile transparent for 10 mm glass, length 2800 mm	124,00
Note	: Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
with floor gap sealing profile	: on both sides positioned floor gap sealing profile	222,60
extra charge free	: 200	200,00
explanation of extra charge	: Special Engineering - glass cutout in end leaf	
Cardboard container	: edges reinforcement	
packaging	: Export packaging/ glass pallet	
Weight of leaf	: 56,4 kg	
weight	: 308,3 kg	

value of goods	discount amount / %	net
4.000,60	1.600,24 / 40,00	2.400,36

weinor GmbH & Co. KG
 Mathias-Brüggen-Strasse 110
 D-50829 Köln
 weinor.com

Managing Director:
 Thilo Weiermann
 General partner:
 Weinor Beteiligungs-GmbH
 Köln

VAT no.: DE 122814372
 Tax ID no.: 217/5866/0097
 Place of registration: Cologne
 Company reg. no.: HRA 5676
 Place of registration: Cologne
 Company reg. no.: HRB 4661

Commerzbank London
 Sort Code 40-62-01
 Swift BIC Code COBAGB2X
 Account no: 30266480
 IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202458128

Page 9 of 15

pos	quantity	article code
-----	----------	--------------

6	1,00	2235	Sottezza II OptiStretch
---	------	------	-------------------------

Product use : private house

Anticipated delivery : 03.08.2020

Anticipated delivery : **27.07.2020****Note: You have selected a desired delivery date which differs from our standard date.**

Sales order Terrazza : 202458128

Posn. of the sales order for
Terrazza : 1

Number of panels : single unit

width Terrazza [mm] : 5500 mm

Distance centre to centre field : 5345 mm

Width of cassette total [mm] : 5381 mm

Projection [mm] : 2015,5 mm

2.398,00

Basic colour : WT029/90147 Approx. RAL 9007 Metallic

Cable clips along the back of the
cassette : without cable clips along the back of the cassette

type of control : Motor (Becker)

Side of control (seen from the
front) : right

with remote control BiConnect : Yes! Please remind the separate order!

Information on BiConnect : The BiConnect has been done in 202458128 position 7!

Type of engine : Motor R20-17-E12-V1+ ohne Zubehör

Side channel bracket : 2 Piece

brackets top plate : 2 Piece

real-design : WE6-387 weitex classic my
collections

colour of thread Saba : RAL 7001 Silver grey

Cardboard container : edges reinforcement

weight : 78 kg

value of goods	discount amount / %	net
2.398,00	959,20 / 40,00	1.438,80

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
TaxID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202458128

Page 10 of 15

pos	quantity	article code
-----	----------	--------------

7	1,00	2557	BiConnect
---	------	------	-----------

Anticipated delivery : 03.08.2020

Note: You have selected a desired delivery date which differs from our standard date.

deliver BiConnect separate? : No; supply receiver and handheld remote control with awning

shipment info : The pre set receivers (except LED) and the handset will be packed with contract number 202458128 pos 6!

receiver for motor : 1 BiRec MA, basic 91,00

control : BiConnect BiEasy 1M (black version) 87,00

learned on channel 1 : BiRec MA-K, basic for order 202458128/6:
Sottezza II OptiStretch engine right

value of goods	discount amount / %	net
178,00	71,20 / 40,00	106,80

value of goods	discount amount	net	VAT (0 %)	Total GBP
14.013,10	5.605,24	8.407,86	0,00	8.407,86

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

Dear Sir or Madam,

due to the fact that weinor does not provide assembly nor knows about and / or analyses local conditions it is the retailers responsibility to consider the snow load according to the assembly site.

Please make sure to apply the respective national regulations DIN 1055-5 [2005], Ö-Norm B 1991-1-3:2006-04-01 [April 2006] or SIA 261:2003. Being retailer and partner of weinor you are entitled to decide on the type of patio roof suiting the local conditions. Use additional posts and specific material to increase the possible snow load. Please see our price list for snow load for further information.

If applicable we recommend to do a static test. Please make sure to know the current local snow load regulations before mounting our products.

In case the cooperation of a weinor staff member is enlisted, this has a consulting relevance only. It is not replacing the responsibility and activity of the specialist engineer according to VOB at any stage of order processing from survey to final acceptance. The ordering specialist contractor remains responsible for the taken measurements and checking of the order confirmation.

Our consulting service in spoken and written aims to achieve to explain the best possible application of our products and benefits. Thereby you are not relieved from your obligation to assure yourself of the applicability of our products and benefits for the intended purpose.

In particular this concerns the inspection of the general characteristics and especially of the bearing strength of the fitting surface as well as the transfer of all information in this regard to us together with the order.

Only by this it will be guaranteed that all the necessary technical premises for this building element will be complied with.

Please make sure that appropriate unloading equipment is available on location for the aforementioned consignment. The consignment contains at least one individual carton with a dead weight in excess of 150 Kg.

This order confirmation is according to the current terms of payment and delivery.

<https://www.weinor.com/agb/>

delivery exw Cologne
 payment: Vorkasse - 5% Skonto
 mode of dispatch UK export


weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202458128


Page 12 of 15

Position 1 - exterior view (images similar)

isometric view



top view



weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
Tax ID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 40620130 2664 80


weinor GmbH & Co. KG PO box 30 14 73 D-50784 Köln

customer: 165708 sales order 202458128


Page 13 of 15

Position 1 - exterior view (images similar)


front view



side view left



side view right



weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
TaxID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661


Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH & Co. KG PO box 301473 D-50784 Köln


customer: 165708 sales order 202458128

Page 14 of 15

Wall connection, left




left post



**Location of doubling profile
(view of roof from above)**

Wall connection, right



Right post

weinor GmbH & Co. KG
Mathias-Brüggen-Strasse 110
D-50829 Köln
weinor.com

Managing Director:
Thilo Weiermann
General partner:
Weinor Beteiligungs-GmbH
Köln

VAT no.: DE 122814372
TaxID no.: 217/5866/0097
Place of registration: Cologne
Company reg. no.: HRA 5676
Place of registration: Cologne
Company reg. no.: HRB 4661

Commerzbank London
Sort Code 40-62-01
Swift BIC Code COBAGB2X
Account no: 30266480
IBAN: GB24 COBA 4062 0130 2664 80


weinor GmbH & Co. KG PO box 30 14 73 D-50784 Köln

customer: 165708 sales order 202458128

Page 15 of 15

Glass dimensions

Position 1		Terrazza			prepared for 10mm LSG		
quantity	form	width	height				
6	rectangle	857	2130				
Position 2		Side element LITE w50-c			prepared for 6mm (for cold use)		
quantity	form	width	height left	height right			
1	trapezium right	949	59	446			
1	trapezium right	949	448	834			



weinor GmbH & Co. KG
 Mathias-Brüggen-Strasse 110
 D-50829 Köln
 weinor.com

Managing Director:
 Thilo Weiermann
 General partner:
 Weinor Beteiligungs-GmbH
 Köln

VAT no.: DE 122814372
 TaxID no.: 217/5866/0097
 Place of registration: Cologne
 Company reg. no.: HRA 5676
 Place of registration: Cologne
 Company reg. no.: HRB 4661

Commerzbank London
 Sort Code 40-62-01
 Swift BIC Code COBAGB2X
 Account no: 30266480
 IBAN: GB24 COBA 4062 0130 2664 80

Leistungserklärung

Siehe Auftragsnummer!!!

weinor Terrassendach Terrazza

Die tragende Bauteile können entweder direkt verwendet werden, in Tragwerke eingebaut oder in Verbundtragwerken aus Stahl und Beton verwendet werden. Die Bauteile können aus warmgewalzten oder kaltgeformten oder mittels anderer Technologien hergestellten Konstruktionsmaterialien hergestellt werden. Sie können ungeschützt, durch Beschichtung oder durch eine andere Oberflächenbehandlung korrosionsgeschützt sein.

weinor GmbH & Co. KG
Mathias-Brüggen-Str. 110
50829 Köln, Deutschland



System 2+

EN 1090-1: 2009 + A1: 2011

Name: TÜV Rheinland
Am Grauen Stein, Köln
Nr.: Nobo 0035

Der Hersteller bestätigt auf Grundlage der Zertifikate über die werkseigene Produktionskontrolle Zert-Nr.: 0035-CPR-1090-1.00604.TÜVRh.2015.002 folgende Leistungsmerkmale in Bezug auf die Bauteilspezifikation:

Leistungsmerkmal	Erklärte Leistung	harm. Technische Spezifikation
Grundlegende geometrische Toleranzen	DIN EN 1090-2, DIN EN 1090-3 und weinor Spezifikation	EN 1090-1: 2009 + A1: 2011
Schweißbeignung	Für Aluminium EN AW-6060 nach EN 573-1 und -3	
Bruchzähigkeit		
Brandverhalten	Klasse A1	
Freisetzung von Cadmium	No performance determined (NPD)	
Freisetzung von radioaktiver Strahlung	No performance determined (NPD)	
Dauerhaftigkeit	Für Aluminium nicht erforderlich	
Tragfähigkeitsmerkmale:		
Tragfähigkeit:	Bemessung nach Eurocode 0, 1 und 9	EN 1090-1: 2009 + A1: 2011
Verformung im Grenzzustand der Gebrauchstauglichkeit	Siehe Typenstatik weinor Systembaukasten Terrazza	
Ermüdungsfestigkeit	Eurocode 0, 1 und 9	
Feuerwiderstand	No performance determined (NPD)	

Die Leistung des vorstehenden Produkts entspricht der erklärten Leistung/den erklärten Leistungen. Für die Erstellung der Leistungserklärung im Einklang mit der Verordnung (EU) Nr. 305/2011 ist allein der obengenannte Hersteller verantwortlich.

Untersignet für den Hersteller und im Namen des Herstellers von:

Ort, Datum

Unterschrift

Köln, 28.06.2017

Lari Maas



NOBO Nr. 0035


Weinor GmbH & Co. KG
 Mathias-Brüggen-Str. 110
 50829 Köln, Deutschland
 2017

Siehe Auftragsnummer!!!

EN 1090-1: 2009 + A1: 2011

Die tragende Bauteile können entweder direkt verwendet werden, in Tragwerke eingebaut oder in Verbundtragwerken aus Stahl und Beton verwendet werden. Die Bauteile können aus warmgewalzten oder kaltgeformten oder mittels anderer Technologien hergestellten Konstruktionsmaterialien hergestellt werden. Sie können ungeschützt, durch Beschichtung oder durch eine andere Oberflächenbehandlung korrosionsgeschützt sein.

Leistungsmerkmal	Erklärte Leistung	harm. Technische Spezifikation
Grundlegende geometrische Toleranzen	DIN EN 1090-2, DIN EN 1090-3 und weinor Spezifikation	EN 1090-1: 2009 + A1: 2011
Schweißbeignung	Für Aluminium EN AW-6060 nach EN 573-1 und -3	
Bruchzähigkeit		
Brandverhalten	Klasse A1	
Freisetzung von Cadmium	No performance determined (NPD)	
Freisetzung von radioaktiver Strahlung	No performance determined (NPD)	
Dauerhaftigkeit	Für Aluminium nicht erforderlich	
Tragfähigkeitsmerkmale:		EN 1090-1: 2009 + A1: 2011
Tragfähigkeit:	Bemessung nach Eurocode 0, 1 und 9	
Verformung im Grenzzustand der Gebrauchstauglichkeit	Siehe Typenstatik weinor Systembaukasten Terrazza	
Ermüdungsfestigkeit	Eurocode 0, 1 und 9	
Feuerwiderstand	No performance determined (NPD)	



EE Glass Hilsea

Limberline Rd
Portsmouth
PO3 5JE

Telephone: 02392 629300
Fax: 02392 693421
Email: sales@eeglass.co.uk

Delivery Note

Delivery No: DEL28575

Delivery Area 13

Customer Ref: SO9755

Customer Ref2:

Our Order Ref: 577438

Delivery Date: 09/07/20

Customer Tel: 01534 768141

Invoice To

CP INTERIORS
RUE DES PRES TRADING EST
ST SAVIOUR
JERSEY
JERSEY
JE2 7QN



Delivery To

CP INTERIORS C/O PROFREIGHT
ACKWORTH ROAD
HILSEA
PORTSMOUTH
HAMPSHIRE
PO3 5JT

Item No	Item Reference	Product Description	Qty	Dimensions Width	Dimensions Height	Area m ²
---------	----------------	---------------------	-----	------------------	-------------------	---------------------

Packing Instructions

RETURN ALL TEMPLATES
WITH UNITS ON DELIVERY

0001		10.8 LAMINATED CLEAR	6	857	2130	10.98
0002		6mm TGH CLEAR Shape 004  G=949 H=446 H1=59	1	949	446	0.43
0003		6mm TGH CLEAR Shape 004  G=949 H=834 H1=448	1	949	834	0.79

Total Quantity: 8 Total Area m² 12.20 Total Weight: 286.56Kg

Loaded & Checked By:

Goods Received By _____ Signed _____ Date _____
Print Name