



weinor GmbH & Co. KG PO box 301473 D-50784 Köln

**delivery note 222829148**

Date of Print: 09.10.2020

**delivery address**

Ferryspeed  
 FAO CP Sunblinds  
 Venture Park/ Ackworth Road  
 GB-PO3 5JT Portsmouth/ Hampshire  
 0044/1329234351  
 England

**C P Interiors**

**Rue Des Pres Trading Estate**

**GB-JE2 7QN St Saviour Jersey**



202483489

phone number: 0044-1534-768141  
 customer: 165708  
 representat. 654 Chris Spickett  
 tel (representat.): 0044 ( 0) 7894443907

sales order no.: 202483489  
 order date: 04.08.2020  
 reference; **bowden**  
 Your order no.: **so9898**

*Glass only*

*5 x 5 glass  
 received 20 Oct  
 19-10-20*

**pos quantity article code**

1 1 2709 Terrazza

Roofsystem	: 02	Terrazza S Originale
Anticipated delivery	: 19.10.2020	
Permissible snow-bearing load	: 750	750 N/m <sup>2</sup>
External dimensions	: 2950mm x 3000mm	Depth: wall up to INSIDE edge of post
Bottom edge gutter (mm)	: 2100	mm
Bottom edge connection to wall (mm)	: 2650	mm
Top edge connection to wall (mm)	: 2802	mm
Pitch of roof [°]	: 7,81	°
Basic colour	: WT029/10797	WT029/10797 Approx. RAL 9010
Covering	: 10mm	prepared for 10mm LSG
Information about roofing	: 1	Caution! The dimensions for web plates and/or glass cannot be changed and only apply to the covering you have selected!!
basic element	: 101	Type A pent roof
Seals	: 0	silicone-containing seals
Connection to wall left?	: 0	No wall connection on left
Connection to wall right?	: 0	No wall connection on right
Static adjustment of the roof for glazing element under side roof-beams on left and / or right?	: w50L	Yes, statics for GEs (w50-c lite side element)

*12 Boxes on 19/10  
 12 Boxes on 20/10*

weinor GmbH & Co. KG  
 Mathias-Brüggen-Strasse 110  
 D-50829 Köln  
 weinor.com

Managing Director:  
 Thilo Weiermann  
 General partner:  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: DE 122814372  
 Tax ID no.: 217/5866/0097  
 Place of registration: Cologne  
 Company reg. no.: HRA 5676  
 Place of registration: Cologne  
 Company reg. no.: HRB 4661

Commerzbank London  
 Sort Code 40-62-01  
 Swift BIC Code COBAGB2X  
 Account no: 30266480  
 IBAN: GB24 COBA 40620130 2664 80

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

pos	quantity	article code	
		Roof support type, inner roof supports	: 1 110 roof girder without steel
		Roof support type, outer roof supports left	: 2 110 roof girder with steel
		Roof support type, outer roof supports right	: 2 110 roof girder with steel
		weight rafter	: 37,2 kg
		Transom over all roof panels	: yes
		Further transoms across all roof sections	: no
		Axial dimension rafter	: 954,7 mm
		Number of posts	: 2 Piece
		Post position on the left	: 60,5 mm
		Post position on the right	: 60,5 mm
		Max. distance between posts	: 3950 mm with no steel in gutter
		Length of post	: 2600 mm
			: 1 Please note that the standard length for square posts is 2600mm!
			:
		Post attachment left	: 7 116x196 post plate
		Post attachment right	: 7 116x196 post plate
		Number of caps for post plate	: 2 Piece
		Drain on left side?	: 3 Drain through the left post
		Drain on right side?	: 3 Drain through the right post
		Number of leaf filters (length 2 m)	: 2
		Provision for fitting Sottezza.	: 6 Piece
		Sottezza-Type	: 2230 Sottezza stretch/optistretch (alle variants)
		Preparation for LED Design light bar below roof support?	: 1 yes
		How many rafters to be prepared for light bars ?	: 2 Piece
		Do you want a cable track with the wall connection ?	: 1 yes
		Anzahl Packstücke	: 5
		Weight [kg]	: 222,6 kg

weinor GmbH & Co. KG  
 Mathias-Brüggen-Strasse 110  
 D-50829 Köln  
 weinor.com

Managing Director:  
 Thilo Weiermann  
 General partner:  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: DE 122814372  
 Tax ID no.: 217/5866/0097  
 Place of registration: Cologne  
 Company reg. no.: HRA 5676  
 Place of registration: Cologne  
 Company reg. no.: HRB 4661

Commerzbank London  
 Sort Code 40-62-01  
 Swift BIC Code COBAGB2X  
 Account no: 30266480  
 IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH & Co. KG · PO box 301473 · D-50784 Köln

pos	quantity	article code	
2	1	2831	Side element LITE w50-c
		Anticipated delivery	: 19.10.2020
		Number of packages	: 1
		weight	: 18,58 kg
		Width of element [mm]	: 2960
3	1	2851	w17 easy - the full glass sliding door
		Anticipated delivery	: 19.10.2020
		Number of packages	: 5
		weight	: 174,74 kg
		Width of element [mm]	: 2960 X 2100
		packaging	: 5 Export packaging/ glass pallet
4	1	2831	Side element LITE w50-c
		Anticipated delivery	: 19.10.2020
		Number of packages	: 1
		weight	: 18,48 kg
		Width of element [mm]	: 2960
5	1	2851	w17 easy - the full glass sliding door
		Anticipated delivery	: 19.10.2020
		Number of packages	: 5
		weight	: 173,86 kg
		Width of element [mm]	: 2960 X 2100
		packaging	: 5 Export packaging/ glass pallet
6	1	2851	w17 easy - the full glass sliding door
		Anticipated delivery	: 19.10.2020
		Number of packages	: 5
		weight	: 147,02 kg
		Width of element [mm]	: 2714 X 2100
		packaging	: 5 Export packaging/ glass pallet

weinor GmbH & Co. KG  
 Mathias-Brüggen-Strasse 110  
 D-50829 Köln  
 weinor.com

Managing Director:  
 Thilo Weiermann  
 General partner:  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: DE 122814372  
 Tax ID no.: 217/5866/0097  
 Place of registration: Cologne  
 Company reg. no.: HRA 5676  
 Place of registration: Cologne  
 Company reg. no.: HRB 4661

Commerzbank London  
 Sort Code 40-62-01  
 Swift BIC Code COBAGB2X  
 Account no: 30266480  
 IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

pos	quantity	article code	
7	1	2235	Sothezza II OptiStretch
		Anticipated delivery	: 19.10.2020
		Number of packages	: 1
		weight	: 46,76 kg
		External dimensions	: 2838X2961,1
8	1	1339	LED Design light bar 3Spot
		Anticipated delivery	: 19.10.2020
		Number of packages	: 1
		No. of light bars	: 2 two light bars
		weight	: 13,72 kg
		External dimensions	: 271,11
9	1	2557	BiConnect
		Anticipated delivery	: 19.10.2020
		Number of packages	: 0
			The BiConnect has been packed with pos 202483489/7!

mode of dispatch UK export

date \_\_\_\_\_ signature \_\_\_\_\_

delivery exw Cologne  
 weight 815,76 kg  
 package 24 Stk.

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

### C P Interiors

**Rue Des Pres Trading Estate  
GB-JE2 7QN St Saviour Jersey**

### confirmation of shipment date

sales order no.: 202483489  
customer: 165708  
order date: 04.08.2020  
reference: bowden - S09898  
contact person: Chris Nicholson  
E-Mail: CNicholson@weinor.de  
phone number: +49-221-59709-452  
representat.: 654 Chris Spickett  
tel (representat.): 0044 ( 0) 7894443907

Dear Sir or Madam,

Many thanks for sending your release notice.

We have cleared your order for manufacturing and confirm expected delivery by the end of the week mentioned below.

The day before delivery you will get a dispatch note by fax or e-mail.

Position: 1	Product: 2709	Terrazza	calender week	43 / 2020
Position: 2	Product: 2831	Side element LITE w50-c	calender week	43 / 2020
Position: 3	Product: 2851	w17 easy - the full glass sliding door	calender week	43 / 2020
Position: 4	Product: 2831	Side element LITE w50-c	calender week	43 / 2020
Position: 5	Product: 2851	w17 easy - the full glass sliding door	calender week	43 / 2020
Position: 6	Product: 2851	w17 easy - the full glass sliding door	calender week	43 / 2020
Position: 7	Product: 2235	Sottezza II OptiStretch	calender week	43 / 2020
Position: 8	Product: 1339	LED Design light bar 3Spot	calender week	43 / 2020
Position: 9	Product: 2557	BiConnect	calender week	43 / 2020

With best regards

i.A. Chris Nicholson

weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE 122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH & Co. KG PO box 301473 D-50784 Köln

### C P Interiors

**Rue Des Pres Trading Estate  
GB-JE2 7QN St Saviour Jersey**

#### delivery address

Ferryspeed  
FAO CP Sunblinds  
Venture Park/ Ackworth Road  
GB-PO3 5JT Portsmouth/ Hampshire

### ORDER CONFIRMATION (release 2)

sales order no.: 202483489 of 04.08.2020  
customer: 165708  
reference: bowden  
Your order no.: so9898  
contact person: Chris Nicholson  
E-Mail: CNicholson@weinor.de  
phone number: +49-221-59709-452  
representat.: 654 Chris Spickett  
tel (representat.): 0044 ( 0) 7894443907

os quantity article code

Order confirmation 2: Posts changed to inside posts, post plates and cover caps adapted. Sottezza motor side changed to left.

E-Shop discount has been removed.

1 1,00 2709 Terrazza

<b>Roofsystem</b>	: <b>Terrazza S Originale</b>		
.	: ATTENTION! Element is supplied without glass!		
Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.		
Permissible snow-bearing load	: 750 N/m <sup>2</sup>		
External dimensions	: 2950mm x 3000mm	Depth: wall up to INSIDE edge of post	2.577,00
Bottom edge gutter (mm)	: 2100	mm	
Bottom edge connection to wall (mm)	: 2650	mm	
Top edge connection to wall (mm)	: 2802	mm	
Pitch of roof [°]	: 7,81	°	
Basic colour	: WT029/10797 Approx. RAL 9010		
Covering	: 10mm	prepared for 10mm LSG	
Information about roofing	: Caution! The dimensions for web plates and/or glass cannot be changed and only apply to the covering you have selected!!		
basic element	: 101	Type A pent roof	
Seals	: silicone-containing seals		

weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE 122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202483489

Page 2 of 19

pos	quantity	article code		
		Connection to wall left?	: No wall connection on left	
		Connection to wall right?	: No wall connection on right	
		Static adjustment of the roof for glazing element under side roof-beams on left and / or right?	: Yes, statics for GEs (w50-c lite side element)	
		Roof support type, inner roof supports	: 110 roof support without steel	
		Roof support type, outer roof supports left	: 110 roof support with steel	230,00
		Roof support type, outer roof supports right	: 110 roof support with steel	230,00
		weight rafter	: 37,2	kg
		Transom over all roof panels	: yes	
		Further transoms across all roof sections	: no	
		Axial dimension rafter	: 954,7	mm
		version post	: square post	
		Post type left	: Post center / wall	
		Post type right	: Post center / wall	
		Number of posts	: 2	Piece
		Post position on the left	: 60,5	mm
		Post position on the right	: 60,5	mm
		Max. distance between posts	: 3950	mm with no steel in gutter
		Length of post	: 2600	mm
		<b>Please note that the standard length for square posts is 2600mm!</b>		
		Post attachment left	: 116x196 post plate	
		Post attachment right	: 116x196 post plate	
		Number of post base plates 116x196	: 2	Piece 84,00
		Number of caps for post plate	: 2	Piece 62,00
		Drain on left side?	: Drain through the left post	
		Drain on right side?	: Drain through the right post	
		Number of drains through posts incl. down pipes with bends 87°	: 2	incl. downspout and 87° elbow 230,00
		Number of leaf filters (length 2 m)	: 2	24,00
		Provision for fitting Sottezza.	: 6	Piece 168,00
		Sottezza-Type	: Sottezza stretch/optistretch (alle variants)	

weinor GmbH & Co. KG  
 Mathias-Brüggen-Strasse 110  
 D-50829 Köln  
 weinor.com

Managing Director:  
 Thilo Weiermann  
 General partner:  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: DE 122814372  
 Tax ID no.: 217/5866/0097  
 Place of registration: Cologne  
 Company reg. no.: HRA 5676  
 Place of registration: Cologne  
 Company reg. no.: HRB 4661

Commerzbank London  
 Sort Code 40-62-01  
 Swift BIC Code COBAGB2X  
 Account no: 30266480  
 IBAN: GB24 COBA 406201302664 80

pos	quantity	article code
-----	----------	--------------

Substructure elements available (from outside)	: UBB	glazing elements on both sides	
Projection Sottezza [mm]	: 2961,1	mm	
The specified length does account for 40 mm spacing from the wall or 20 mm from the guttering.			
Distance from Sottezza to the wall	: 40	mm	
Distance from Sottezza to the gutter	: 20	mm	
Projection of WGM	: 3114	mm	
The specified length does account for 20 mm and an overhang on the end of rafter 30 mm from the guttering.			
Preparation for LED Design light bar below roof support?	: yes		
How many rafters to be prepared for light bars ?	: 2	Piece	
Do you want a cable track with the wall connection ?	: yes		70,00
:			
Left-hand wall	: Rectangular pipe 100x30 Rectangular pipe 50x30		135,00
Right-hand wall	: Rectangular pipe 100x30 Rectangular pipe 50x30		135,00
<b>Exclusively for weinor-eshop orders, we further simplified installation: various assemblies are delivered in a pre-assembled state or are blocked out for installation!</b>			
Glasfläche [m2]	: 8,25	m <sup>2</sup>	
Note glass area	: The glass surface concern only the roof.		
:			
30 x 2 mm flat aluminium	: 6	Piece	
Length of 30 x 2 mm flat aluminium	: 3000	mm	126,00
50 x 2 mm flat aluminium	: 4	Piece	
Length of 50 x 2 mm flat aluminium	: 3000	mm	108,00
:			
Weight [kg]	: 148,75	kg	

**The company weinor GmbH & Co. KG manufactures the construction product corresponding to DIN 1090 EXC1, production tolerances for welding corresponding to DIN EN 13920 B/B/F, welding seam types corresponding to DIN EN ISO 5817- C, for aluminium corresponding to DIN EN ISO 10042 -C.**

weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202483489

Page 4 of 19

pos	quantity	article code	
	value of goods	discount amount / %	net
	4.179,00	1.671,60 / 40,00	2.507,40
2	1,00	2831	Side element LITE w50-c

**Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.**

.	<b>: ATTENTION! Element is supplied without glass!</b>		
Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.		
	:		
Product use	: private house		
Frame profile	: blind frame section 105 w50-c bottom blind frame section 35 w50-c top		
Width of element [mm]	: 2960	mm	
Incline	: 7,81	Degree(s)	607,00
Installation side (as seen from inside)	: right		
Number of vertical glass panels	: four parts		
Prepared for	: prepared for 6mm (for cold use)		
Basic colour	: WT029/10797 Approx. RAL 9010		
gap seal	: Gap seals for 6 mm glass, length 2000 mm		36,00
Cardboard container	: edges reinforcement		

value of goods	discount amount / %	net
643,00	257,20 / 40,00	385,80

weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no. 30266480  
IBAN: GB24 COBA 4062 0130 2664 80


weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202483489

Page 5 of 19

pos	quantity	article code
-----	----------	--------------

3	1,00	2851 w17 easy - the full glass sliding door
---	------	---



**We do recommend not to store the uninstalled glass units longer than necessary on the wooden racks in outside weather conditions.**

**Potential damage by sediments and corrosion can occur.**

**A potential change of the glass panels on site can be difficult and time consuming.**

**Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.**

.	: <b>ATTENTION! Element is supplied with glass!</b>	
Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.	
	:	
Product use	: private house	
Width of element [mm]	: 2960 X 2100	2.135,00
type of floor rail	: standard floor rail without CleanCase with drainage holes	97,00
CleanCase left (from inside)	: no	
CleanCase right (from inside)	: no	
Selection of leaves + tracks	: 4-track with 4 leaves	
Position of active leaf?	: left, as seen from inside	
Direction of opening	: sliding to the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: handle bar standard	
side of the handling	: handling on both sides	
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
knob inside/ on both sides for the endleaf	: 0	
Height of knob From bottom edge of guide track (mm)	: 1050	mm

weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE 122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202483489

Page 6 of 19

pos	quantity	article code
-----	----------	--------------

Basic colour	:	WT029/10797 Approx. RAL 9010	
wall connection profile left	:	yes	48,00
wall connection profile right	:	yes	48,00
brush seal	:	3 x Brush profile transparent for 10 mm glass, length 2800 mm	93,00
Note	:	Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container	:	edges reinforcement	
packaging	:	Export packaging/ glass pallet	
extra charge glass pallet	:	2	xwooden pallet 306,00
Weight of leaf	:	38,8	kg
weight	:	170,2	kg

value of goods	discount amount / %	net
2.727,00	1.090,80 / 40,00	1.636,20

weinor GmbH & Co. KG  
 Mathias-Brüggen-Strasse 110  
 D-50829 Köln  
 weinor.com

Managing Director:  
 Thilo Weiermann  
 General partner:  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: DE 122814372  
 Tax ID no.: 217/5866/0097  
 Place of registration: Cologne  
 Company reg. no.: HRA 5676  
 Place of registration: Cologne  
 Company reg. no.: HRB 4661

Commerzbank London  
 Sort Code 40-62-01  
 Swift BIC Code COBAGB2X  
 Account no: 30266480  
 IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202483489

Page 7 of 19

pos	quantity	article code
-----	----------	--------------

4	1,00	2831	Side element LITE w50-c
---	------	------	-------------------------

**Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.**

.	: <b>ATTENTION! Element is supplied without glass!</b>		
Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.		
Product use	: private house		
Frame profile	: blind frame section 105 w50-c bottom blind frame section 35 w50-c top		
Width of element [mm]	: 2960	mm	
Incline	: 7,81	Degree(s)	607,00
Installation side (as seen from inside)	: left		
Number of vertical glass panels	: four parts		
Prepared for	: prepared for 6mm (for cold use)		
Basic colour	: WT029/10797 Approx. RAL 9010		
gap seal	: Gap seals for 6 mm glass, length 2000 mm		36,00
Cardboard container	: edges reinforcement		

value of goods	discount amount / %	net
643,00	257,20 / 40,00	385,80

weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE 122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 4062 0130 2664 80


weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202483489

Page 8 of 19

pos	quantity	article code
-----	----------	--------------

5	1,00	2851 w17 easy - the full glass sliding door
---	------	---



**We do recommend not to store the uninstalled glass units longer than necessary on the wooden racks in outside weather conditions.**

**Potential damage by sediments and corrosion can occur.**

**A potential change of the glass panels on site can be difficult and time consuming.**

**Please check the confirmation of the Terrasse for completeness of necessary wall gap sealing profiles and the post alignment profiles.**

.	<b>: ATTENTION! Element is supplied with glass!</b>	
Scheduling delivery	: Please contact your person in charge for planning the expected date of delivery.	
	:	
Product use	: private house	
Width of element [mm]	: 2960 X 2100	2.135,00
type of floor rail	: standard floor rail without CleanCase with drainage holes	97,00
CleanCase left (from inside)	: no	
CleanCase right (from inside)	: no	
Selection of leaves + tracks	: 4-track with 4 leaves	
Position of active leaf?	: right, as seen from inside	
Direction of opening	: sliding to the left	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: handle bar standard	
side of the handling	: handling on both sides	
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
knob inside/ on both sides for the endleaf	: 0	
Height of knob From bottom edge of guide track (mm)	: 1050	mm

weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE 122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202483489

Page 9 of 19

pos	quantity	article code
-----	----------	--------------

Basic colour	:	WT029/10797 Approx. RAL 9010	
wall connection profile left	:	yes	48,00
wall connection profile right	:	yes	48,00
brush seal	:	3 x Brush profile transparent for 10 mm glass, length 2800 mm	93,00
Note	:	Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container	:	edges reinforcement	
packaging	:	Export packaging/ glass pallet	
Weight of leaf	:	38,8	kg
weight	:	170,2	kg

value of goods	discount amount / %	net
2.421,00	968,40 / 40,00	1.452,60

weinor GmbH & Co. KG  
 Mathias-Brüggen-Strasse 110  
 D-50829 Köln  
 weinor.com

Managing Director:  
 Thilo Weiermann  
 General partner:  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: DE 122814372  
 Tax ID no.: 217/5866/0097  
 Place of registration: Cologne  
 Company reg. no.: HRA 5676  
 Place of registration: Cologne  
 Company reg. no.: HRB 4661

Commerzbank London  
 Sort Code 40-62-01  
 Swift BIC Code COBAGB2X  
 Account no: 30266480  
 IBAN: GB24 COBA 40620130 2664 80


weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202483489

Page 10 of 19

pos	quantity	article code
-----	----------	--------------

6	1,00	2851	w17 easy - the full glass sliding door
---	------	------	--



We do recommend not to store the uninstalled glass units longer than necessary on the wooden racks in outside weather conditions.

Potential damage by sediments and corrosion can occur.

A potential change of the glass panels on site can be difficult and time consuming.

Please check the confirmation of the Terrazza for completeness of necessary wall gap sealing profiles and the post alignment profiles.

Scheduling delivery	: ATTENTION! Element is supplied with glass!	
	: Please contact your person in charge for planning the expected date of delivery.	
Product use	: private house	
Width of element [mm]	: 2714 X 2100	1.810,00
type of floor rail	: standard floor rail without CleanCase with drainage holes	97,00
CleanCase left (from inside)	: no	
CleanCase right (from inside)	: no	
Selection of leaves + tracks	: 2-track with 4 leaves (lock plate version)	
Direction of opening	: sliding to the left and the right	
Glazing	: 10 mm toughened safety glass, clear	
Soft-Closing-System	: Soft-Closing-System standard	
handling	: handle bar standard	
side of the handling	: handling on both sides	
leaf actuator	: leaf actuator only closing in sliding direction	
Locking mechanism on inside, on bottom glass retainer profile	: Standard: Glass retainer profile, pre-drilled	
knob inside/ on both sides for the endleaf	: 0	
Height of knob From bottom edge of guide track (mm)	: 1050	mm
Basic colour	: WT029/10797 Approx. RAL 9010	

weinor GmbH & Co. KG  
 Mathias-Brüggen-Strasse 110  
 D-50829 Köln  
 weinor.com

Managing Director:  
 Thilo Weiermann  
 General partner:  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: DE122814372  
 Tax ID no.: 217/5866/0097  
 Place of registration: Cologne  
 Company reg. no.: HRA 5676  
 Place of registration: Cologne  
 Company reg. no.: HRB 4661

Commerzbank London  
 Sort Code 40-62-01  
 Swift BIC Code COBAGB2X  
 Account no: 30266480  
 IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202483489

Page 11 of 19

pos	quantity	article code
-----	----------	--------------

wall connection profile left	:	yes	48,00
wall connection profile right	:	yes	48,00
brush seal	:	2 x Brush profile transparent for 10 mm glass, length 2800 mm	62,00
gap seal	:	2 x Spaltdichtungen für 10 mm Glas, Länge 2500 mm	
Note	:	Despite brush and, where applicable, gap sealing the w17 easy is neither totally windproof nor water-proof against driving raining	
Cardboard container	:	edges reinforcement	
packaging	:	Export packaging/ glass pallet	
Weight of leaf	:	35,6	kg
weight	:	156,1	kg

value of goods	discount amount / %	net
2.065,00	826,00 / 40,00	1.239,00

weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 40620130266480

weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202483489

Page 12 of 19

pos	quantity	article code
-----	----------	--------------

7	1,00	2235	Sottezza II OptiStretch
---	------	------	-------------------------

Scheduling delivery	:	Please contact your person in charge for planning the expected date of delivery.	
Product use	:	private house	
Sales order Terrazza	:	202483489	
Posn. of the sales order for Terrazza	:	1	
LED Design light bar below roof support?	:	yes	
Number of panels	:	1 Field System	
width Terrazza [mm]	:	2950	mm
Distance centre to centre	:	2802	mm
Width of cassette total [mm]	:	2838	mm
Projection [mm]	:	2961,1	mm
			1.894,00
Basic colour	:	WT029/10797 Approx. RAL 9010	
Note on distance bar:	:	The distance profile has to be mounted when you are fixing the light bar Lux-Design.	
Cable clips along the back of the cassette	:	with cable clips along the back of the cassette	
type of control	:	Motor (Becker)	
Side of control (seen from the front)	:	right	
with remote control BiConnect	:	Yes! Please remind the separate order!	
Information on BiConnect	:	The BiConnect has been done in 202483489 position 9!	
Type of engine	:	Motor R20-17-E12-V1+ ohne Zubehör	
Side channel bracket	:	4	Piece
brackets top plate	:	2	Piece
real-design	:	WE6-419	weitex classic my collections
colour of thread Saba	:	dunkelbeige	
100 x 30 x 35 mm rectangular pipes with Screwset	:	6	Piece
	:		66,00
Cardboard container	:	edges reinforcement	

weinor GmbH & Co. KG  
 Mathias-Brüggen-Strasse 110  
 D-50829 Köln  
 weinor.com

Managing Director:  
 Thilo Weiermann  
 General partner:  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: DE 122814372  
 Tax ID no.: 217/5866/0097  
 Place of registration: Cologne  
 Company reg. no.: HRA 5676  
 Place of registration: Cologne  
 Company reg. no.: HRB 4661

Commerzbank London  
 Sort Code 40-62-01  
 Swift BIC Code COBAGB2X  
 Account no: 30266480  
 IBAN: GB24 COBA 4062 0130 2664 80

weinor GmbH &amp; Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202483489

Page 13 of 19

pos	quantity	article code	
	weight		: 55 kg
	value of goods	discount amount / %	net
	1.960,00	784,00 / 40,00	1.176,00

8 1,00 1339 LED Design light bar 3Spot

Scheduling delivery : Please contact your person in charge for planning the expected date of delivery.

Product use : private house

Type of use : LED Design attachment Vivienda/Terrazza

**Execution** : **round profile**

Sales order Terrazza : 202483489

Lighting controls : wireless dimmer BiConnect

No. of light bars : two light bars

width [cm] : 271,11 cm 639,00

number of lamps : 3 Piece

Light bars coupled? : yes, connection leads between strips

light receiver : with light receiver

with remote control BiConnect : Yes! Please remind the separate order!

Information on BiConnect : The BiConnect has been done in 202483489 position 9!

Basic colour : WT029/10797 Approx. RAL 9010

weight : 8 kg

value of goods	discount amount / %	net
639,00	255,60 / 40,00	383,40

weinor GmbH & Co. KG  
 Mathias-Brüggen-Strasse 110  
 D-50829 Köln  
 weinor.com

Managing Director:  
 Thilo Weiermann  
 General partner:  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: DE 122814372  
 Tax ID no.: 217/5866/0097  
 Place of registration: Cologne  
 Company reg. no.: HRA 5676  
 Place of registration: Cologne  
 Company reg. no.: HRB 4661

Commerzbank London  
 Sort Code 40-62-01  
 Swift BIC Code COBAGB2X  
 Account no: 30266480  
 IBAN: GB24 COBA 4062 0130 2664 80



weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202483489

Page 14 of 19

pos quantity article code

9 1,00 2557 BiConnect

- Scheduling delivery : Please contact your person in charge for planning the expected date of delivery.
- deliver BiConnect separate? : No; supply receiver and handheld remote control with awning
- shipment info : The pre set receivers (except LED) and the handset will be packed with contract number 202483489 pos 7!
- receiver for motor : 1 BiRec MA, basic 91,00
- receiver for light : 1 BiRec LED, basic 277,00
- control : BiConnect BiEasy 5M (black version) 106,00
- learned on channel 1 : BiRec MA-K, basic for order 202483489/7: Sottezza II OptiStretch engine left
- learned on channel 2 : BiRec LED, basic for order 202483489/8: Lichtleiste 3Spot

value of goods	discount amount / %	net		
474,00	189,60 / 40,00	284,40		
<b>value of goods</b>	<b>discount amount</b>	<b>net</b>	<b>VAT (0 %)</b>	<b>Total GBP</b>
<b>15.751,00</b>	<b>6.300,40</b>	<b>9.450,60</b>	<b>0,00</b>	<b>9.450,60</b>

weinor GmbH & Co. KG  
 Mathias-Brüggen-Strasse 110  
 D-50829 Köln  
 weinor.com

Managing Director:  
 Thilo Weiermann  
 General partner:  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: DE 122814372  
 Tax ID no.: 217/5866/0097  
 Place of registration: Cologne  
 Company reg. no.: HRA 5676  
 Place of registration: Cologne  
 Company reg. no.: HRB 4661

Commerzbank London  
 Sort Code 40-62-01  
 Swift BIC Code COBAGB2X  
 Account no: 30266480  
 IBAN: GB24 COBA 4062 0130 2664 80

Dear Sir or Madam,

due to the fact that weinor does not provide assembly nor knows about and / or analyses local conditions it is the retailers responsibility to consider the snow load according to the assembly site.

Please make sure to apply the respective national regulations DIN 1055-5 [2005], Ö-Norm B 1991-1-3:2006-04-01 [April 2006] or SIA 261:2003. Being retailer and partner of weinor you are entitled to decide on the type of patio roof suiting the local conditions. Use additional posts and specific material to increase the possible snow load. Please see our price list for snow load for further information.

If applicable we recommend to do a static test. Please make sure to know the current local snow load regulations before mounting our products.

In case the cooperation of a weinor staff member is enlisted, this has a consulting relevance only. It is not replacing the responsibility and activity of the specialist engineer according to VOB at any stage of order processing from survey to final acceptance. The ordering specialist contractor remains responsible for the taken measurements and checking of the order confirmation.

Our consulting service in spoken and written aims to achieve to explain the best possible application of our products and benefits. Thereby you are not relieved from your obligation to assure yourself of the applicability of our products and benefits for the intended purpose.

In particular this concerns the inspection of the general characteristics and especially of the bearing strength of the fitting surface as well as the transfer of all information in this regard to us together with the order.

Only by this it will be guaranteed that all the necessary technical premises for this building element will be complied with.

Please make sure that appropriate unloading equipment is available on location for the aforementioned consignment. The consignment contains at least one individual carton with a dead weight in excess of 150 Kg.

This order confirmation is according to the current terms of payment and delivery.

<https://www.weinor.com/agb/>

delivery exw Cologne  
 payment: Direct debit / 3 days - 4% cash discount  
 mode of dispatch UK export



weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202483489


Page 16 of 19

Position 1 - exterior view (images similar)

isometric view



top view



weinor GmbH & Co. KG  
Mathias-Brüggen-Strasse 110  
D-50829 Köln  
weinor.com

Managing Director:  
Thilo Weiermann  
General partner:  
Weinor Beteiligungs-GmbH  
Köln

VAT no.: DE 122814372  
Tax ID no.: 217/5866/0097  
Place of registration: Cologne  
Company reg. no.: HRA 5676  
Place of registration: Cologne  
Company reg. no.: HRB 4661

Commerzbank London  
Sort Code 40-62-01  
Swift BIC Code COBAGB2X  
Account no: 30266480  
IBAN: GB24 COBA 4062 0130 2664 80

5.000/04/15/1887-0000 Z




weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202483489


Page 17 of 19

Position 1 - exterior view (images similar)


front view



side view left



side view right



weinor GmbH & Co. KG  
 Mathias-Brüggen-Strasse 110  
 D-50829 Köln  
 weinor.com

Managing Director:  
 Thilo Weiermann  
 General partner:  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: DE 122814372  
 Tax ID no.: 217/5866/0097  
 Place of registration: Cologne  
 Company reg. no.: HRA 5676  
 Place of registration: Cologne  
 Company reg. no.: HRB 4661

Commerzbank London  
 Sort Code 40-62-01  
 Swift BIC Code COBAGB2X  
 Account no: 30266480  
 IBAN: GB24 COBA 4062 0130 2664 80


5.000/04/15/11882-0000.Z



weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202483489

Page 18 of 19



weinor GmbH & Co. KG  
 Mathias-Brüggen-Strasse 110  
 D-50829 Köln  
 weinor.com

Managing Director:  
 Thilo Weiermann  
 General partner:  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: DE 122814372  
 Tax ID no.: 217/5866/0097  
 Place of registration: Cologne  
 Company reg. no.: HRA 5676  
 Place of registration: Cologne  
 Company reg. no.: HRB 4661

Commerzbank London  
 Sort Code 40-62-01  
 Swift BIC Code COBAGB2X  
 Account no: 30266480  
 IBAN: GB24 COBA 4062 0130 2664 80

5.000/04/15/118872-0000 Z



weinor GmbH & Co. KG PO box 301473 D-50784 Köln

customer: 165708 sales order 202483489

Page 19 of 19

<b>Glass dimensions</b>				
<b>Position 1</b> Terrazza		<b>prepared for 10mm LSG</b>		
quantity	form	width	height	
6	rectangle	910	1511	
<b>Position 2</b> Side element LITE w50-c		<b>prepared for 6mm (for cold use)</b>		
quantity	form	width	height left	height right
1	trapezium right	734	54	154
1	trapezium right	734	155	256
1	trapezium right	734	257	357
1	trapezium right	734	358	459
<b>Position 4</b> Side element LITE w50-c		<b>prepared for 6mm (for cold use)</b>		
quantity	form	width	height left	height right
1	trapezium left	734	459	358
1	trapezium left	734	357	257
1	trapezium left	734	256	155
1	trapezium left	734	154	54

Trapezium left (as seen from inside)

Trapezium right (as seen from inside)

weinor GmbH & Co. KG  
 Mathias-Brüggen-Strasse 110  
 D-50829 Köln  
 weinor.com

Managing Director:  
 Thilo Weiermann  
 General partner:  
 Weinor Beteiligungs-GmbH  
 Köln

VAT no.: DE 122814372  
 Tax ID no.: 217/5866/0097  
 Place of registration: Cologne  
 Company reg. no.: HRA 5676  
 Place of registration: Cologne  
 Company reg. no.: HRB 4661

Commerzbank London  
 Sort Code 40-62-01  
 Swift BIC Code COBAGB2X  
 Account no: 30266480  
 IBAN: GB24 COBA 4062 0130 2664 80

## Leistungserklärung

Siehe Auftragsnummer!!!

weinor Terrassendach Terrazza

Die tragende Bauteile können entweder direkt verwendet werden, in Tragwerke eingebaut oder in Verbundtragwerken aus Stahl und Beton verwendet werden. Die Bauteile können aus warmgewalzten oder kaltgeformten oder mittels anderer Technologien hergestellten Konstruktionsmaterialien hergestellt werden. Sie können ungeschützt, durch Beschichtung oder durch eine andere Oberflächenbehandlung korrosionsschutz sein.

weinor GmbH & Co. KG  
Mathias-Brüggen-Str. 110  
50829 Köln, Deutschland



System 2+

EN 1090-1: 2009 + A1: 2011

Name: TÜV Rheinland  
Am Grauen Stein, Köln  
Nr.: Nobo 0035

Der Hersteller bestätigt auf Grundlage der Zertifikate über die werkseigene Produktionskontrolle Zert-Nr.: 0035-CPR-1090-1.00604.TÜVRh.2015.002 folgende Leistungsmerkmale in Bezug auf die Bauteilspezifikation:

Leistungsmerkmal	Erklärte Leistung	harm. Technische Spezifikation
<b>Grundlegende geometrische Toleranzen</b>	DIN EN 1090-2, DIN EN 1090-3 und weinor Spezifikation	EN 1090-1: 2009 + A1: 2011
<b>Schweißbeignung</b>	Für Aluminium EN AW-6060 nach EN 573-1 und -3	
<b>Bruchzähigkeit</b>		
<b>Brandverhalten</b>	Klasse A1	
<b>Freisetzung von Cadmium</b>	No performance determined (NPD)	
<b>Freisetzung von radioaktiver Strahlung</b>	No performance determined (NPD)	
<b>Dauerhaftigkeit</b>	Für Aluminium nicht erforderlich	
<b>Tragfähigkeitsmerkmale:</b>		
<b>Tragfähigkeit:</b>	Bemessung nach Eurocode 0, 1 und 9	EN 1090-1: 2009 + A1: 2011
<b>Verformung im Grenzzustand der Gebrauchstauglichkeit</b>	Siehe Typenstatik weinor Systembaukasten Terrazza	
<b>Ermüdungsfestigkeit</b>	Eurocode 0, 1 und 9	
<b>Feuerwiderstand</b>	No performance determined (NPD)	

Die Leistung des vorstehenden Produkts entspricht der erklärten Leistung/den erklärten Leistungen. Für die Erstellung der Leistungserklärung im Einklang mit der Verordnung (EU) Nr. 305/2011 ist allein der obengenannte Hersteller verantwortlich.

Unterzeichnet für den Hersteller und im Namen des Herstellers von:

Ort, Datum

Unterschrift

Köln, 28.06.2017

*Lari Maas*



NOBO Nr. 0035

Weinor GmbH & Co. KG  
Mathias-Brüggen-Str. 110  
50829 Köln, Deutschland

2017

Siehe Auftragsnummer!!!

EN 1090-1: 2009 + A1: 2011

Die tragende Bauteile können entweder direkt verwendet werden, in Tragwerke eingebaut oder in Verbundtragwerken aus Stahl und Beton verwendet werden. Die Bauteile können aus warmgewalzten oder kaltgeformten oder mittels anderer Technologien hergestellten Konstruktionsmaterialien hergestellt werden. Sie können ungeschützt, durch Beschichtung oder durch eine andere Oberflächenbehandlung korrosionsgeschützt sein.

Leistungsmerkmal	Erklärte Leistung	harm. Technische Spezifikation
<b>Grundlegende geometrische Toleranzen</b>	DIN EN 1090-2, DIN EN 1090-3 und weinor Spezifikation	EN 1090-1: 2009 + A1: 2011
<b>Schweißbeignung</b>	Für Aluminium EN AW-6060 nach EN 573-1 und -3	
<b>Bruchzähigkeit</b>		
<b>Brandverhalten</b>	Klasse A1	
<b>Freisetzung von Cadmium</b>	No performance determined (NPD)	
<b>Freisetzung von radioaktiver Strahlung</b>	No performance determined (NPD)	
<b>Dauerhaftigkeit</b>	Für Aluminium nicht erforderlich	
<b>Tragfähigkeitsmerkmale:</b>		
<b>Tragfähigkeit:</b>	Bemessung nach Eurocode 0, 1 und 9	EN 1090-1: 2009 + A1: 2011
<b>Verformung im Grenzzustand der Gebrauchstauglichkeit</b>	Siehe Typenstatik weinor Systembaukasten Terrazza	
<b>Ermüdungsfestigkeit</b>	Eurocode 0, 1 und 9	
<b>Feuerwiderstand</b>	No performance determined (NPD)	